

**Rocky Flats Site, Colorado,
Surface Water Configuration
Adaptive Management Plan
Quarterly Report**

Third Quarter Calendar Year 2015

October 2015



U.S. DEPARTMENT OF
ENERGY

Legacy
Management

Contents

Abbreviations.....	ii
1.0 Introduction.....	1
2.0 AMP Highlights: Third Quarter CY 2015.....	2
3.0 Analytical Data: Third Quarter CY 2015.....	2

Tables

Table 1. Analytical Results for Water Samples
Table 2. Water Sampling Events: Third Quarter CY 2015

Abbreviations

AMP	Adaptive Management Plan
CY	calendar year
DOE	U.S. Department of Energy
EA	<i>Rocky Flats Surface Water Configuration Environmental Assessment</i>
POC	Point of Compliance
RFLMA	<i>Rocky Flats Legacy Management Agreement</i>
Site	Rocky Flats Site

1.0 Introduction

The Proposed Action assessed in the *Rocky Flats Surface Water Configuration Environmental Assessment* (EA) is to breach the remaining retention pond dams at the Rocky Flats Site (the Site) to allow surface water flow to return to the approximate conditions that prevailed before the retention ponds were constructed. As stated in the EA, based on extensive water quality monitoring data and a thorough environmental review, the U.S. Department of Energy (DOE) Office of Legacy Management has determined that the Proposed Action does not present a significant impact on the environment under the National Environmental Policy Act evaluation criteria.

Some members of the public have commented that additional information must be collected prior to implementing the final steps of the Proposed Action to help reduce uncertainty as to whether completion of the Proposed Action will adversely impact the quality of water flowing from the Site into downstream communities. In response to the requests, DOE initiated a cooperative effort with neighboring community representatives and other interested stakeholders to develop and implement an Adaptive Management Plan (AMP) to provide additional information. The AMP group is composed of these representatives and stakeholders. The resulting AMP reflects DOE's long-term commitment to implementing the activities that the AMP describes.

The AMP provides for a monitoring and data evaluation program to assist DOE in deciding whether to implement the final steps of the Proposed Action by breaching the terminal dams during the planned time frame of 2018–2020, or to delay the completion of the Proposed Action to gather additional information for evaluation. The terminal dams will be operated in a flow-through condition during the period leading up to the completion of the Proposed Action, which will provide data similar to what can be expected post-breach. In addition to the AMP monitoring program, this AMP identifies certain performance indicators that DOE will consider in deciding whether to adjust the time frame for completing the Proposed Action.

This AMP Quarterly Report for the third quarter of calendar year (CY) 2015 is provided in accordance with Section 5.0, "Reporting," in the AMP. Section 3.0 provides the third quarter data summary tables, which include all validated analytical data available as of September 30, 2015. Subsequent AMP reports will include data that were not tabulated in previous AMP reports.

AMP monitoring objectives, locations, and sampling criteria are itemized in Table 2 of the AMP. Additional field implementation for the AMP monitoring objectives can be found in the *Rocky Flats Site Operations Guide*, Appendix I, "Rocky Flats Site, Colorado, Additional Field Implementation Detail for Selected Monitoring Objectives." Analytical data for the following AMP monitoring objectives are included in this report:

- Pre-discharge sampling (Item 1, AMP Table 2)
- Targeted groundwater monitoring (Item 2, AMP Table 2)
- Monitoring to evaluate flow-through operations at Terminal Ponds A-4, B-5, and C-2 (Item 4, AMP Table 2)
- Storm-event monitoring (Item 5, AMP Table 2)

- Continuous flow-paced composite sampling to evaluate uranium transport (Item 6, AMP Table 2)
- Grab sampling for uranium in North and South Walnut Creeks (Item 7, AMP Table 2)
- Grab sampling for nitrate + nitrite as N in Walnut Creek (Item 8, AMP Table 2)

2.0 AMP Highlights: Third Quarter CY 2015

- Five informal emails were transmitted to AMP participants providing notification that composite samples from the downstream-most Points of Compliance (POCs) had been retrieved from the field (WOMPOC—Woman Creek at COU boundary and WALPOC—Walnut Creek at COU boundary).
- Five informal emails were transmitted to AMP participants providing notification that recent analytical data from the downstream-most POCs had been validated and would soon be available through the Geospatial Environmental Mapping System (GEMS).
- During the quarter, 76 samples were collected in support of AMP monitoring objectives.

3.0 Analytical Data: Third Quarter CY 2015

Table 1, “Analytical Results for Water Samples,” is available at the end of this report.

Table 2, “Water Sampling Events: Third Quarter CY 2015,” is available at the end of this report.

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCER-TAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
00193	WL	5/6/2015	15057004	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21			G	STD
00193	WL	5/6/2015	15057004	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21			G	STD
00193	WL	5/6/2015	15057004	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27			G	STD
00193	WL	5/6/2015	15057004	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22			G	STD
00193	WL	5/6/2015	15057004	000075-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23			G	STD
00193	WL	5/6/2015	15057004	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19			G	STD
00193	WL	5/6/2015	15057004	000087-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21			G	STD
00193	WL	5/6/2015	15057004	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33			G	STD
00193	WL	5/6/2015	15057004	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21			G	STD
00193	WL	5/6/2015	15057004	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15			G	STD
00193	WL	5/6/2015	15057004	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47			G	STD
00193	WL	5/6/2015	15057004	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18			G	STD
00193	WL	5/6/2015	15057004	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15			G	STD
00193	WL	5/6/2015	15057004	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13			G	STD
00193	WL	5/6/2015	15057004	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18			G	STD
00193	WL	5/6/2015	15057004	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13			G	STD
00193	WL	5/6/2015	15057004	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22			G	STD
00193	WL	5/6/2015	15057004	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18			G	STD
00193	WL	5/6/2015	15057004	000078-93-3	2-Butanone	N001	2	ug/L	U	F	2			G	STD
00193	WL	5/6/2015	15057004	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	000591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7			G	STD
00193	WL	5/6/2015	15057004	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21			G	STD
00193	WL	5/6/2015	15057004	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98			G	STD
00193	WL	5/6/2015	15057004	000067-64-1	Acetone	N001	1.9	ug/L	U	F	1.9			G	STD
00193	WL	5/6/2015	15057004	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1			G	STD
00193	WL	5/6/2015	15057004	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	000075-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19			G	STD
00193	WL	5/6/2015	15057004	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21			G	STD
00193	WL	5/6/2015	15057004	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45			G	STD
00193	WL	5/6/2015	15057004	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19			G	STD
00193	WL	5/6/2015	15057004	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41			G	STD
00193	WL	5/6/2015	15057004	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3			G	STD
00193	WL	5/6/2015	15057004	000156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15			G	STD
00193	WL	5/6/2015	15057004	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31			G	STD
00193	WL	5/6/2015	15057004	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36			G	STD
00193	WL	5/6/2015	15057004	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19			G	STD
00193	WL	5/6/2015	15057004	000075-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32			G	STD
00193	WL	5/6/2015	15057004	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22			G	STD
00193	WL	5/6/2015	15057004	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32			G	STD
00193	WL	5/6/2015	15057004	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2			G	STD
00193	WL	5/6/2015	15057004	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2			G	STD
00193	WL	5/6/2015	15057004	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17			G	STD
00193	WL	5/6/2015	15057004	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19			G	STD
00193	WL	5/6/2015	15057004	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15			G	STD
00193	WL	5/6/2015	15057004	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19			G	STD
00193	WL	5/6/2015	15057004	000079-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16			G	STD
00193	WL	5/6/2015	15057004	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29			G	STD
00193	WL	5/6/2015	15057004	07440-61-1	Uranium	0001	79	ug/L		F	0.05			G	STD
00193	WL	5/6/2015	15057004	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1			G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
00997	WL	5/5/2015	15057004	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21			G	STD
00997	WL	5/5/2015	15057004	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21			G	STD
00997	WL	5/5/2015	15057004	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27			G	STD
00997	WL	5/5/2015	15057004	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22			G	STD
00997	WL	5/5/2015	15057004	000075-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23			G	STD
00997	WL	5/5/2015	15057004	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19			G	STD
00997	WL	5/5/2015	15057004	000087-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21			G	STD
00997	WL	5/5/2015	15057004	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33			G	STD
00997	WL	5/5/2015	15057004	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21			G	STD
00997	WL	5/5/2015	15057004	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15			G	STD
00997	WL	5/5/2015	15057004	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47			G	STD
00997	WL	5/5/2015	15057004	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18			G	STD
00997	WL	5/5/2015	15057004	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15			G	STD
00997	WL	5/5/2015	15057004	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13			G	STD
00997	WL	5/5/2015	15057004	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18			G	STD
00997	WL	5/5/2015	15057004	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000541-73-1	1,3-Dichlorobenzene	N001	0.46	ug/L	J	F	0.13			G	STD
00997	WL	5/5/2015	15057004	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22			G	STD
00997	WL	5/5/2015	15057004	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18			G	STD
00997	WL	5/5/2015	15057004	000078-93-3	2-Butanone	N001	2	ug/L	U	F	2			G	STD
00997	WL	5/5/2015	15057004	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	000511-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7			G	STD
00997	WL	5/5/2015	15057004	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21			G	STD
00997	WL	5/5/2015	15057004	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98			G	STD
00997	WL	5/5/2015	15057004	000067-64-1	Acetone	N001	32	ug/L	F	F	1.9			G	STD
00997	WL	5/5/2015	15057004	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1			G	STD
00997	WL	5/5/2015	15057004	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	000075-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19			G	STD
00997	WL	5/5/2015	15057004	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21			G	STD
00997	WL	5/5/2015	15057004	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45			G	STD
00997	WL	5/5/2015	15057004	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19			G	STD
00997	WL	5/5/2015	15057004	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41			G	STD
00997	WL	5/5/2015	15057004	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3			G	STD
00997	WL	5/5/2015	15057004	000156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15			G	STD
00997	WL	5/5/2015	15057004	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31			G	STD
00997	WL	5/5/2015	15057004	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36			G	STD
00997	WL	5/5/2015	15057004	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19			G	STD
00997	WL	5/5/2015	15057004	000075-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32			G	STD
00997	WL	5/5/2015	15057004	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22			G	STD
00997	WL	5/5/2015	15057004	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32			G	STD
00997	WL	5/5/2015	15057004	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.26	mg/L	F	F	0.019			G	STD
00997	WL	5/5/2015	15057004	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2			G	STD
00997	WL	5/5/2015	15057004	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2			G	STD
00997	WL	5/5/2015	15057004	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17			G	STD
00997	WL	5/5/2015	15057004	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19			G	STD
00997	WL	5/5/2015	15057004	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15			G	STD
00997	WL	5/5/2015	15057004	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19			G	STD
00997	WL	5/5/2015	15057004	000079-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16			G	STD
00997	WL	5/5/2015	15057004	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29			G	STD
00997	WL	5/5/2015	15057004	07440-61-1	Uranium	0001	31	ug/L	F	F	0.05			G	STD
00997	WL	5/5/2015	15057004	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1			G	STD
4087	WL	5/20/2015	15057044	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
4087	WL	5/20/2015	15057044	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
4087	WL	5/20/2015	15057044	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		FQ	G	STD
4087	WL	5/20/2015	15057044	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
4087	WL	5/20/2015	15057044	000087-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
4087	WL	5/20/2015	15057044	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		FQ	G	STD
4087	WL	5/20/2015	15057044	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
4087	WL	5/20/2015	15057044	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
4087	WL	5/20/2015	15057044	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		FQ	G	STD
4087	WL	5/20/2015	15057044	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD
4087	WL	5/20/2015	15057044	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
4087	WL	5/20/2015	15057044	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		FQ	G	STD
4087	WL	5/20/2015	15057044	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD
4087	WL	5/20/2015	15057044	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		FQ	G	STD
4087	WL	5/20/2015	15057044	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
4087	WL	5/20/2015	15057044	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD
4087	WL	5/20/2015	15057044	000078-93-3	2-Butanone	N001	2	ug/L	U	F	2		FQ	G	STD
4087	WL	5/20/2015	15057044	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	000591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		FQ	G	STD
4087	WL	5/20/2015	15057044	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
4087	WL	5/20/2015	15057044	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		FQ	G	STD
4087	WL	5/20/2015	15057044	000067-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		FQ	G	STD
4087	WL	5/20/2015	15057044	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
4087	WL	5/20/2015	15057044	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		FQ	G	STD
4087	WL	5/20/2015	15057044	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
4087	WL	5/20/2015	15057044	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		FQ	G	STD
4087	WL	5/20/2015	15057044	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		FQ	G	STD
4087	WL	5/20/2015	15057044	000156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
4087	WL	5/20/2015	15057044	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U*	F	0.31		FQ	G	STD
4087	WL	5/20/2015	15057044	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		FQ	G	STD
4087	WL	5/20/2015	15057044	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		FQ	G	STD
4087	WL	5/20/2015	15057044	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
4087	WL	5/20/2015	15057044	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		FQ	G	STD
4087	WL	5/20/2015	15057044	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.25	mg/L	U	F	0.019		FQ	G	STD
4087	WL	5/20/2015	15057044	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		FQ	G	STD
4087	WL	5/20/2015	15057044	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		FQ	G	STD
4087	WL	5/20/2015	15057044	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
4087	WL	5/20/2015	15057044	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
4087	WL	5/20/2015	15057044	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
4087	WL	5/20/2015	15057044	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
4087	WL	5/20/2015	15057044	000079-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		FQ	G	STD
4087	WL	5/20/2015	15057044	07440-61-1	Uranium	0001	8.6	ug/L	U	F	0.05		FQ	G	STD
4087	WL	5/20/2015	15057044	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		FQ	G	STD
10304	WL	5/7/2015	15057004	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21			G	STD
10304	WL	5/7/2015	15057004	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16			G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
10304	WL	5/7/2015	15057004	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21			G	STD
10304	WL	5/7/2015	15057004	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27			G	STD
10304	WL	5/7/2015	15057004	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22			G	STD
10304	WL	5/7/2015	15057004	000075-35-4	1,1-Dichloroethane	N001	0.23	ug/L	U	F	0.23			G	STD
10304	WL	5/7/2015	15057004	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19			G	STD
10304	WL	5/7/2015	15057004	000087-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21			G	STD
10304	WL	5/7/2015	15057004	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33			G	STD
10304	WL	5/7/2015	15057004	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21			G	STD
10304	WL	5/7/2015	15057004	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15			G	STD
10304	WL	5/7/2015	15057004	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47			G	STD
10304	WL	5/7/2015	15057004	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18			G	STD
10304	WL	5/7/2015	15057004	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15			G	STD
10304	WL	5/7/2015	15057004	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13			G	STD
10304	WL	5/7/2015	15057004	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18			G	STD
10304	WL	5/7/2015	15057004	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13			G	STD
10304	WL	5/7/2015	15057004	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22			G	STD
10304	WL	5/7/2015	15057004	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18			G	STD
10304	WL	5/7/2015	15057004	000078-93-3	2-Butanone	N001	2	ug/L	U	F	2			G	STD
10304	WL	5/7/2015	15057004	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	000591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7			G	STD
10304	WL	5/7/2015	15057004	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21			G	STD
10304	WL	5/7/2015	15057004	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98			G	STD
10304	WL	5/7/2015	15057004	000067-64-1	Acetone	N001	1.9	ug/L	U	F	1.9			G	STD
10304	WL	5/7/2015	15057004	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1			G	STD
10304	WL	5/7/2015	15057004	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	000075-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19			G	STD
10304	WL	5/7/2015	15057004	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21			G	STD
10304	WL	5/7/2015	15057004	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45			G	STD
10304	WL	5/7/2015	15057004	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19			G	STD
10304	WL	5/7/2015	15057004	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41			G	STD
10304	WL	5/7/2015	15057004	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3			G	STD
10304	WL	5/7/2015	15057004	000156-59-2	cis-1,2-Dichloroethene	N001	1	ug/L	U	F	0.15			G	STD
10304	WL	5/7/2015	15057004	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31			G	STD
10304	WL	5/7/2015	15057004	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36			G	STD
10304	WL	5/7/2015	15057004	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19			G	STD
10304	WL	5/7/2015	15057004	000075-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32			G	STD
10304	WL	5/7/2015	15057004	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22			G	STD
10304	WL	5/7/2015	15057004	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32			G	STD
10304	WL	5/7/2015	15057004	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.019	mg/L	U	F	0.019			G	STD
10304	WL	5/7/2015	15057004	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2			G	STD
10304	WL	5/7/2015	15057004	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2			G	STD
10304	WL	5/7/2015	15057004	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17			G	STD
10304	WL	5/7/2015	15057004	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19			G	STD
10304	WL	5/7/2015	15057004	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15			G	STD
10304	WL	5/7/2015	15057004	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19			G	STD
10304	WL	5/7/2015	15057004	000079-01-6	Trichloroethene	N001	15	ug/L	U	F	0.16			G	STD
10304	WL	5/7/2015	15057004	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29			G	STD
10304	WL	5/7/2015	15057004	07440-61-1	Uranium	0001	30	ug/L	U	F	0.05			G	STD
10304	WL	5/7/2015	15057004	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1			G	STD
10304	WL	6/17/2015	15067157	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F	G	STD
10304	WL	6/17/2015	15067157	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F	G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
10304	WL	6/17/2015	15067157	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F	G	STD
10304	WL	6/17/2015	15067157	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F	G	STD
10304	WL	6/17/2015	15067157	000075-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		F	G	STD
10304	WL	6/17/2015	15067157	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F	G	STD
10304	WL	6/17/2015	15067157	000087-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F	G	STD
10304	WL	6/17/2015	15067157	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F	G	STD
10304	WL	6/17/2015	15067157	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F	G	STD
10304	WL	6/17/2015	15067157	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F	G	STD
10304	WL	6/17/2015	15067157	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F	G	STD
10304	WL	6/17/2015	15067157	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F	G	STD
10304	WL	6/17/2015	15067157	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F	G	STD
10304	WL	6/17/2015	15067157	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F	G	STD
10304	WL	6/17/2015	15067157	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F	G	STD
10304	WL	6/17/2015	15067157	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F	G	STD
10304	WL	6/17/2015	15067157	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F	G	STD
10304	WL	6/17/2015	15067157	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F	G	STD
10304	WL	6/17/2015	15067157	000078-93-3	2-Butanone	N001	2	ug/L	U	F	2		F	G	STD
10304	WL	6/17/2015	15067157	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	000591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F	G	STD
10304	WL	6/17/2015	15067157	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F	G	STD
10304	WL	6/17/2015	15067157	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F	G	STD
10304	WL	6/17/2015	15067157	000067-64-1	Acetone	N001	4.1	ug/L	JB	F	1.9		UF	G	STD
10304	WL	6/17/2015	15067157	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F	G	STD
10304	WL	6/17/2015	15067157	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	000075-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F	G	STD
10304	WL	6/17/2015	15067157	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F	G	STD
10304	WL	6/17/2015	15067157	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F	G	STD
10304	WL	6/17/2015	15067157	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F	G	STD
10304	WL	6/17/2015	15067157	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		F	G	STD
10304	WL	6/17/2015	15067157	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		F	G	STD
10304	WL	6/17/2015	15067157	000156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F	G	STD
10304	WL	6/17/2015	15067157	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		F	G	STD
10304	WL	6/17/2015	15067157	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		F	G	STD
10304	WL	6/17/2015	15067157	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		F	G	STD
10304	WL	6/17/2015	15067157	000075-09-2	Methylene chloride	N001	0.58	ug/L	JB	F	0.32		UF	G	STD
10304	WL	6/17/2015	15067157	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		F	G	STD
10304	WL	6/17/2015	15067157	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		F	G	STD
10304	WL	6/17/2015	15067157	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.019	mg/L	U	F	0.019		F	G	STD
10304	WL	6/17/2015	15067157	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		F	G	STD
10304	WL	6/17/2015	15067157	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		F	G	STD
10304	WL	6/17/2015	15067157	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		F	G	STD
10304	WL	6/17/2015	15067157	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		F	G	STD
10304	WL	6/17/2015	15067157	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		F	G	STD
10304	WL	6/17/2015	15067157	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		F	G	STD
10304	WL	6/17/2015	15067157	000079-01-6	Trichloroethene	N001	5.4	ug/L	U	F	0.16		F	G	STD
10304	WL	6/17/2015	15067157	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		F	G	STD
10304	WL	6/17/2015	15067157	07440-61-1	Uranium	0001	24	ug/L	F	F	0.05		F	G	STD
10304	WL	6/17/2015	15067157	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		F	G	STD
10594	WL	6/4/2015	15067109	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
10594	WL	6/4/2015	15067109	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
10594	WL	6/4/2015	15067109	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		FQ	G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
10594	WL	6/4/2015	15067109	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		FQ	G	STD
10594	WL	6/4/2015	15067109	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
10594	WL	6/4/2015	15067109	000087-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
10594	WL	6/4/2015	15067109	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		FQ	G	STD
10594	WL	6/4/2015	15067109	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
10594	WL	6/4/2015	15067109	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
10594	WL	6/4/2015	15067109	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		FQ	G	STD
10594	WL	6/4/2015	15067109	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD
10594	WL	6/4/2015	15067109	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
10594	WL	6/4/2015	15067109	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		FQ	G	STD
10594	WL	6/4/2015	15067109	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD
10594	WL	6/4/2015	15067109	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000541-73-1	1,3-Dichlorobenzene	N001	0.27	ug/L	J	F	0.13		FQ	G	STD
10594	WL	6/4/2015	15067109	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
10594	WL	6/4/2015	15067109	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD
10594	WL	6/4/2015	15067109	000078-93-3	2-Butanone	N001	2	ug/L	U	F	2		FQ	G	STD
10594	WL	6/4/2015	15067109	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	000591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		FQ	G	STD
10594	WL	6/4/2015	15067109	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
10594	WL	6/4/2015	15067109	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		FQ	G	STD
10594	WL	6/4/2015	15067109	000067-64-1	Acetone	N001	13	ug/L	U	F	1.9		UFQ	G	STD
10594	WL	6/4/2015	15067109	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-25-2	Bromofom	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
10594	WL	6/4/2015	15067109	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		FQ	G	STD
10594	WL	6/4/2015	15067109	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
10594	WL	6/4/2015	15067109	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		FQ	G	STD
10594	WL	6/4/2015	15067109	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		FQ	G	STD
10594	WL	6/4/2015	15067109	000156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
10594	WL	6/4/2015	15067109	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		FQ	G	STD
10594	WL	6/4/2015	15067109	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		FQ	G	STD
10594	WL	6/4/2015	15067109	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		FQ	G	STD
10594	WL	6/4/2015	15067109	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
10594	WL	6/4/2015	15067109	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		FQ	G	STD
10594	WL	6/4/2015	15067109	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.21	mg/L	N	F	0.019		FQ	G	STD
10594	WL	6/4/2015	15067109	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		FQ	G	STD
10594	WL	6/4/2015	15067109	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		FQ	G	STD
10594	WL	6/4/2015	15067109	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
10594	WL	6/4/2015	15067109	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
10594	WL	6/4/2015	15067109	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
10594	WL	6/4/2015	15067109	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
10594	WL	6/4/2015	15067109	000079-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		FQ	G	STD
10594	WL	6/4/2015	15067109	07440-61-1	Uranium	0001	67	ug/L	U	F	0.05		FQ	G	STD
10594	WL	6/4/2015	15067109	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		FQ	G	STD
11104	WL	5/12/2015	15057026	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000630-20-6	1,1,1,2-Tetrachloroethane	N002	0.21	ug/L	U	D	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		F	G	STD
11104	WL	5/12/2015	15057026	000071-55-6	1,1,1-Trichloroethane	N002	0.16	ug/L	U	D	0.16		F	G	STD
11104	WL	5/12/2015	15057026	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		F	G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
11104	WL	5/12/2015	15057026	000079-34-5	1,1,2,2-Tetrachloroethane	N002	0.21	ug/L	U	D	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		F	G	STD
11104	WL	5/12/2015	15057026	000079-00-5	1,1,2-Trichloroethane	N002	0.27	ug/L	U	D	0.27		F	G	STD
11104	WL	5/12/2015	15057026	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		F	G	STD
11104	WL	5/12/2015	15057026	000075-34-3	1,1-Dichloroethane	N002	0.22	ug/L	U	D	0.22		F	G	STD
11104	WL	5/12/2015	15057026	000075-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		F	G	STD
11104	WL	5/12/2015	15057026	000075-35-4	1,1-Dichloroethene	N002	0.23	ug/L	U	D	0.23		F	G	STD
11104	WL	5/12/2015	15057026	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		F	G	STD
11104	WL	5/12/2015	15057026	000563-58-6	1,1-Dichloropropene	N002	0.19	ug/L	U	D	0.19		F	G	STD
11104	WL	5/12/2015	15057026	000087-61-6	1,2,3-Trichlorobenzene	N001	0.26	ug/L	J	F	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000087-61-6	1,2,3-Trichlorobenzene	N002	0.21	ug/L	U	D	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		F	G	STD
11104	WL	5/12/2015	15057026	000096-18-4	1,2,3-Trichloropropane	N002	0.33	ug/L	U	D	0.33		F	G	STD
11104	WL	5/12/2015	15057026	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000120-82-1	1,2,4-Trichlorobenzene	N002	0.21	ug/L	U	D	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		F	G	STD
11104	WL	5/12/2015	15057026	000095-63-6	1,2,4-Trimethylbenzene	N002	0.15	ug/L	U	D	0.15		F	G	STD
11104	WL	5/12/2015	15057026	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		F	G	STD
11104	WL	5/12/2015	15057026	000096-12-8	1,2-Dibromo-3-chloropropane	N002	0.47	ug/L	U	D	0.47		F	G	STD
11104	WL	5/12/2015	15057026	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		F	G	STD
11104	WL	5/12/2015	15057026	000106-93-4	1,2-Dibromoethane	N002	0.18	ug/L	U	D	0.18		F	G	STD
11104	WL	5/12/2015	15057026	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		F	G	STD
11104	WL	5/12/2015	15057026	000095-50-1	1,2-Dichlorobenzene	N002	0.15	ug/L	U	D	0.15		F	G	STD
11104	WL	5/12/2015	15057026	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		F	G	STD
11104	WL	5/12/2015	15057026	000107-06-2	1,2-Dichloroethane	N002	0.13	ug/L	U	D	0.13		F	G	STD
11104	WL	5/12/2015	15057026	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F	G	STD
11104	WL	5/12/2015	15057026	000078-87-5	1,2-Dichloropropane	N002	0.18	ug/L	U	D	0.18		F	G	STD
11104	WL	5/12/2015	15057026	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
11104	WL	5/12/2015	15057026	000108-67-8	1,3,5-Trimethylbenzene	N002	0.16	ug/L	U	D	0.16		F	G	STD
11104	WL	5/12/2015	15057026	000541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		F	G	STD
11104	WL	5/12/2015	15057026	000541-73-1	1,3-Dichlorobenzene	N002	0.13	ug/L	U	D	0.13		F	G	STD
11104	WL	5/12/2015	15057026	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		F	G	STD
11104	WL	5/12/2015	15057026	000142-28-9	1,3-Dichloropropane	N002	0.22	ug/L	U	D	0.22		F	G	STD
11104	WL	5/12/2015	15057026	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
11104	WL	5/12/2015	15057026	000106-46-7	1,4-Dichlorobenzene	N002	0.16	ug/L	U	D	0.16		F	G	STD
11104	WL	5/12/2015	15057026	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		F	G	STD
11104	WL	5/12/2015	15057026	000594-20-7	2,2-Dichloropropane	N002	0.18	ug/L	U	D	0.18		F	G	STD
11104	WL	5/12/2015	15057026	000078-93-3	2-Butanone	N001	2	ug/L	U	F	2		F	G	STD
11104	WL	5/12/2015	15057026	000078-93-3	2-Butanone	N002	2	ug/L	U	D	2		F	G	STD
11104	WL	5/12/2015	15057026	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		F	G	STD
11104	WL	5/12/2015	15057026	000095-49-8	2-Chlorotoluene	N002	0.17	ug/L	U	D	0.17		F	G	STD
11104	WL	5/12/2015	15057026	000591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7		F	G	STD
11104	WL	5/12/2015	15057026	000591-78-6	2-Hexanone	N002	1.7	ug/L	U	D	1.7		F	G	STD
11104	WL	5/12/2015	15057026	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000106-43-4	4-Chlorotoluene	N002	0.21	ug/L	U	D	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98		F	G	STD
11104	WL	5/12/2015	15057026	000108-10-1	4-Methyl-2-Pentanone	N002	0.98	ug/L	U	D	0.98		F	G	STD
11104	WL	5/12/2015	15057026	000067-64-1	Acetone	N001	1.9	ug/L	U	F	1.9		F	G	STD
11104	WL	5/12/2015	15057026	000067-64-1	Acetone	N002	1.9	ug/L	U	D	1.9		F	G	STD
11104	WL	5/12/2015	15057026	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		F	G	STD
11104	WL	5/12/2015	15057026	000071-43-2	Benzene	N002	0.16	ug/L	U	D	0.16		F	G	STD
11104	WL	5/12/2015	15057026	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		F	G	STD
11104	WL	5/12/2015	15057026	000108-86-1	Bromobenzene	N002	0.17	ug/L	U	D	0.17		F	G	STD
11104	WL	5/12/2015	15057026	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		F	G	STD
11104	WL	5/12/2015	15057026	000074-97-5	Bromochloromethane	N002	0.1	ug/L	U	D	0.1		F	G	STD
11104	WL	5/12/2015	15057026	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		F	G	STD
11104	WL	5/12/2015	15057026	000075-27-4	Bromodichloromethane	N002	0.17	ug/L	U	D	0.17		F	G	STD
11104	WL	5/12/2015	15057026	000075-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		F	G	STD
11104	WL	5/12/2015	15057026	000075-25-2	Bromoform	N002	0.19	ug/L	U	D	0.19		F	G	STD
11104	WL	5/12/2015	15057026	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000074-83-9	Bromomethane	N002	0.21	ug/L	U	D	0.21		F	G	STD
11104	WL	5/12/2015	15057026	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		F	G	STD
11104	WL	5/12/2015	15057026	000075-15-0	Carbon Disulfide	N002	0.45	ug/L	U	D	0.45		F	G	STD
11104	WL	5/12/2015	15057026	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		F	G	STD
11104	WL	5/12/2015	15057026	000056-23-5	Carbon tetrachloride	N002	0.19	ug/L	U	D	0.19		F	G	STD
11104	WL	5/12/2015	15057026	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		F	G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
11104	WL	5/12/2015	15057026	000108-90-7	Chlorobenzene	N002	0.17	ug/L	U	D	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000124-48-1	Chlorodibromomethane	N002	0.17	ug/L	U	D	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-00-3	Chloroethane	N002	0.41	ug/L	U	D	0.41	F	G	G	STD
11104	WL	5/12/2015	15057026	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000067-66-3	Chloroform	N002	0.16	ug/L	U	D	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3	F	G	G	STD
11104	WL	5/12/2015	15057026	000074-87-3	Chloromethane	N002	0.3	ug/L	U	D	0.3	F	G	G	STD
11104	WL	5/12/2015	15057026	000156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15	F	G	G	STD
11104	WL	5/12/2015	15057026	000156-59-2	cis-1,2-Dichloroethene	N002	0.15	ug/L	U	D	0.15	F	G	G	STD
11104	WL	5/12/2015	15057026	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	010061-01-5	cis-1,3-Dichloropropene	N002	0.16	ug/L	U	D	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000074-95-3	Dibromomethane	N002	0.17	ug/L	U	D	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-71-8	Dichlorodifluoromethane	N002	0.31	ug/L	U	D	0.31	F	G	G	STD
11104	WL	5/12/2015	15057026	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000100-41-4	Ethylbenzene	N002	0.16	ug/L	U	D	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36	F	G	G	STD
11104	WL	5/12/2015	15057026	000087-68-3	Hexachlorobutadiene	N002	0.36	ug/L	U	D	0.36	F	G	G	STD
11104	WL	5/12/2015	15057026	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19	F	G	G	STD
11104	WL	5/12/2015	15057026	000098-82-8	Isopropylbenzene	N002	0.19	ug/L	U	D	0.19	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-09-2	Methylene chloride	N002	0.32	ug/L	U	D	0.32	F	G	G	STD
11104	WL	5/12/2015	15057026	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22	F	G	G	STD
11104	WL	5/12/2015	15057026	000091-20-3	Naphthalene	N002	0.22	ug/L	U	D	0.22	F	G	G	STD
11104	WL	5/12/2015	15057026	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32	F	G	G	STD
11104	WL	5/12/2015	15057026	000104-51-8	n-Butylbenzene	N002	0.32	ug/L	U	D	0.32	F	G	G	STD
11104	WL	5/12/2015	15057026	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000103-65-1	n-Propylbenzene	N002	0.16	ug/L	U	D	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2	F	G	G	STD
11104	WL	5/12/2015	15057026	000099-87-6	p-Isopropyltoluene	N002	0.2	ug/L	U	D	0.2	F	G	G	STD
11104	WL	5/12/2015	15057026	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000135-98-8	sec-Butylbenzene	N002	0.17	ug/L	U	D	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000100-42-5	Styrene	N002	0.17	ug/L	U	D	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000098-06-6	tert-Butylbenzene	N002	0.16	ug/L	U	D	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2	F	G	G	STD
11104	WL	5/12/2015	15057026	000127-18-4	Tetrachloroethene	N002	0.2	ug/L	U	D	0.2	F	G	G	STD
11104	WL	5/12/2015	15057026	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	000108-88-3	Toluene	N002	0.17	ug/L	U	D	0.17	F	G	G	STD
11104	WL	5/12/2015	15057026	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19	F	G	G	STD
11104	WL	5/12/2015	15057026	001330-20-7	Total Xylenes	N002	0.19	ug/L	U	D	0.19	F	G	G	STD
11104	WL	5/12/2015	15057026	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15	F	G	G	STD
11104	WL	5/12/2015	15057026	000156-60-5	trans-1,2-Dichloroethene	N002	0.15	ug/L	U	D	0.15	F	G	G	STD
11104	WL	5/12/2015	15057026	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19	F	G	G	STD
11104	WL	5/12/2015	15057026	010061-02-6	trans-1,3-dichloropropene	N002	0.19	ug/L	U	D	0.19	F	G	G	STD
11104	WL	5/12/2015	15057026	000079-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000079-01-6	Trichloroethene	N002	0.16	ug/L	U	D	0.16	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-69-4	Trichlorofluoromethane	N002	0.29	ug/L	U	D	0.29	F	G	G	STD
11104	WL	5/12/2015	15057026	07440-61-1	Uranium	0001	28	ug/L	F	F	0.05	F	G	G	STD
11104	WL	5/12/2015	15057026	07440-61-1	Uranium	0002	27	ug/L	D	D	0.05	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1	F	G	G	STD
11104	WL	5/12/2015	15057026	000075-01-4	Vinyl chloride	N002	0.1	ug/L	U	D	0.1	F	G	G	STD
89104	WL	5/7/2015	15057004	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		G	G	STD
89104	WL	5/7/2015	15057004	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		G	G	STD
89104	WL	5/7/2015	15057004	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		G	G	STD
89104	WL	5/7/2015	15057004	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		G	G	STD
89104	WL	5/7/2015	15057004	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		G	G	STD
89104	WL	5/7/2015	15057004	000075-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		G	G	STD
89104	WL	5/7/2015	15057004	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		G	G	STD
89104	WL	5/7/2015	15057004	000087-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		G	G	STD
89104	WL	5/7/2015	15057004	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		G	G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
89104	WL	5/7/2015	15057004	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21			G	STD
89104	WL	5/7/2015	15057004	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15			G	STD
89104	WL	5/7/2015	15057004	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47			G	STD
89104	WL	5/7/2015	15057004	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18			G	STD
89104	WL	5/7/2015	15057004	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15			G	STD
89104	WL	5/7/2015	15057004	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13			G	STD
89104	WL	5/7/2015	15057004	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18			G	STD
89104	WL	5/7/2015	15057004	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13			G	STD
89104	WL	5/7/2015	15057004	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22			G	STD
89104	WL	5/7/2015	15057004	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18			G	STD
89104	WL	5/7/2015	15057004	000078-93-3	2-Butanone	N001	2	ug/L	U	F	2			G	STD
89104	WL	5/7/2015	15057004	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	000591-78-6	2-Hexanone	N001	1.7	ug/L	U	F	1.7			G	STD
89104	WL	5/7/2015	15057004	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21			G	STD
89104	WL	5/7/2015	15057004	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U	F	0.98			G	STD
89104	WL	5/7/2015	15057004	000067-64-1	Acetone	N001	1.9	ug/L	U	F	1.9			G	STD
89104	WL	5/7/2015	15057004	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1			G	STD
89104	WL	5/7/2015	15057004	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	000075-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19			G	STD
89104	WL	5/7/2015	15057004	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21			G	STD
89104	WL	5/7/2015	15057004	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45			G	STD
89104	WL	5/7/2015	15057004	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19			G	STD
89104	WL	5/7/2015	15057004	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41			G	STD
89104	WL	5/7/2015	15057004	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3			G	STD
89104	WL	5/7/2015	15057004	000156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15			G	STD
89104	WL	5/7/2015	15057004	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31			G	STD
89104	WL	5/7/2015	15057004	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36			G	STD
89104	WL	5/7/2015	15057004	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19			G	STD
89104	WL	5/7/2015	15057004	000075-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32			G	STD
89104	WL	5/7/2015	15057004	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22			G	STD
89104	WL	5/7/2015	15057004	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32			G	STD
89104	WL	5/7/2015	15057004	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2			G	STD
89104	WL	5/7/2015	15057004	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2			G	STD
89104	WL	5/7/2015	15057004	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17			G	STD
89104	WL	5/7/2015	15057004	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19			G	STD
89104	WL	5/7/2015	15057004	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15			G	STD
89104	WL	5/7/2015	15057004	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19			G	STD
89104	WL	5/7/2015	15057004	000079-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16			G	STD
89104	WL	5/7/2015	15057004	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29			G	STD
89104	WL	5/7/2015	15057004	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1			G	STD
A1EFF	SL	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	860	mg/L		F	3.8		R	G	STD
A1EFF	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	9.8	ug/L		F	0.05			G	STD
A1EFF	SL	5/14/2015	15057048	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	27	mg/L		F	0.19			G	STD
A1EFF	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	14	ug/L		F	0.05			G	STD
A1EFF	SL	5/27/2015	15057067	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	20	mg/L		F	0.19			G	STD
A1EFF	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	10	ug/L		F	0.05			G	STD
A1EFF	SL	6/8/2015	15067140	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	30	mg/L		F	0.19			G	STD
A1EFF	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	12	ug/L		F	0.05			G	STD
A1EFF	SL	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	34	mg/L		F	0.19			G	STD
A1EFF	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	14	ug/L		F	0.05			G	STD
A1EFF	SL	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	20	mg/L		F	0.19			G	STD
A1EFF	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	7.6	ug/L		F	0.05			G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
A1EFF	SL	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	40	mg/L		F	0.38			G	STD
A1EFF	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	19	ug/L		F	0.05			G	STD
A2EFF	SL	3/31/2015	15046907	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	19	mg/L		D	0.095			G	STD
A2EFF	SL	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	760	mg/L		F	3.8		R	G	STD
A2EFF	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	11	ug/L		F	0.05			G	STD
A2EFF	SL	5/14/2015	15057048	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	21	mg/L		F	0.19			G	STD
A2EFF	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	14	ug/L		F	0.05			G	STD
A2EFF	SL	5/27/2015	15057067	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	19	mg/L		F	0.19			G	STD
A2EFF	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	10	ug/L		F	0.05			G	STD
A2EFF	SL	6/8/2015	15067140	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	26	mg/L		F	0.19			G	STD
A2EFF	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	12	ug/L		F	0.05			G	STD
A2EFF	SL	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	35	mg/L		F	0.19			G	STD
A2EFF	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	16	ug/L		F	0.05			G	STD
A2EFF	SL	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	14	mg/L		F	0.19			G	STD
A2EFF	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	6.6	ug/L		F	0.05			G	STD
A2EFF	SL	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	11	mg/L		F	0.19			G	STD
A2EFF	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	29	ug/L		F	0.05			G	STD
A3EFF	SL	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	860	mg/L		F	1.9		R	G	STD
A3EFF	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	13	ug/L		F	0.05			G	STD
A3EFF	SL	5/14/2015	15057048	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	20	mg/L		F	0.19			G	STD
A3EFF	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	14	ug/L		F	0.05			G	STD
A3EFF	SL	5/27/2015	15057067	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	14	mg/L		F	0.038			G	STD
A3EFF	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	9.7	ug/L		F	0.05			G	STD
A3EFF	SL	6/8/2015	15067140	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	18	mg/L		F	0.038			G	STD
A3EFF	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	12	ug/L		F	0.05			G	STD
A3EFF	SL	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	18	mg/L		F	0.095			G	STD
A3EFF	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	16	ug/L		F	0.05			G	STD
A3EFF	SL	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	9.2	mg/L		F	0.095			G	STD
A3EFF	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	6.8	ug/L		F	0.05			G	STD
A3EFF	SL	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	5.1	mg/L		F	0.095			G	STD
A3EFF	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	22	ug/L		F	0.05			G	STD
A4 POND	SL	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	810	mg/L		F	1.9			G	STD
A4 POND	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	11	ug/L		F	0.05			G	STD
A4 POND	SL	5/14/2015	15057048	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	7.9	mg/L		F	0.019			G	STD
A4 POND	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	8.2	ug/L		F	0.05			G	STD
A4 POND	SL	5/27/2015	15057067	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	6.9	mg/L		F	0.38			G	STD
A4 POND	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	6.3	ug/L		F	0.05			G	STD
A4 POND	SL	6/8/2015	15067140	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	9.9	mg/L		F	0.38			G	STD
A4 POND	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	6.5	ug/L		F	0.05			G	STD
A4 POND	SL	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	11	mg/L		F	0.038			G	STD
A4 POND	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	9.9	ug/L		F	0.05			G	STD
A4 POND	SL	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	4.2	mg/L		F	0.038			G	STD
A4 POND	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	11	ug/L		F	0.05			G	STD
A4 POND	SL	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	3.8	mg/L		F	0.038			G	STD
A4 POND	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	13	ug/L		F	0.05			G	STD
B206989	WL	5/20/2015	15057044	000630-20-6	1,1,1,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
B206989	WL	5/20/2015	15057044	000071-55-6	1,1,1-Trichloroethane	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000079-34-5	1,1,2,2-Tetrachloroethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
B206989	WL	5/20/2015	15057044	000079-00-5	1,1,2-Trichloroethane	N001	0.27	ug/L	U	F	0.27		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-34-3	1,1-Dichloroethane	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-35-4	1,1-Dichloroethene	N001	0.23	ug/L	U	F	0.23		FQ	G	STD
B206989	WL	5/20/2015	15057044	000563-58-6	1,1-Dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
B206989	WL	5/20/2015	15057044	000087-61-6	1,2,3-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
B206989	WL	5/20/2015	15057044	000096-18-4	1,2,3-Trichloropropane	N001	0.33	ug/L	U	F	0.33		FQ	G	STD
B206989	WL	5/20/2015	15057044	000120-82-1	1,2,4-Trichlorobenzene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
B206989	WL	5/20/2015	15057044	000095-63-6	1,2,4-Trimethylbenzene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
B206989	WL	5/20/2015	15057044	000096-12-8	1,2-Dibromo-3-chloropropane	N001	0.47	ug/L	U	F	0.47		FQ	G	STD
B206989	WL	5/20/2015	15057044	000106-93-4	1,2-Dibromoethane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD
B206989	WL	5/20/2015	15057044	000095-50-1	1,2-Dichlorobenzene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
B206989	WL	5/20/2015	15057044	000107-06-2	1,2-Dichloroethane	N001	0.13	ug/L	U	F	0.13		FQ	G	STD
B206989	WL	5/20/2015	15057044	000078-87-5	1,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD
B206989	WL	5/20/2015	15057044	000108-67-8	1,3,5-Trimethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000541-73-1	1,3-Dichlorobenzene	N001	0.13	ug/L	U	F	0.13		FQ	G	STD
B206989	WL	5/20/2015	15057044	000142-28-9	1,3-Dichloropropane	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
B206989	WL	5/20/2015	15057044	000106-46-7	1,4-Dichlorobenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000594-20-7	2,2-Dichloropropane	N001	0.18	ug/L	U	F	0.18		FQ	G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
B206989	WL	5/20/2015	15057044	000078-93-3	2-Butanone	N001	2	ug/L	U	F		2	FQ	G	STD
B206989	WL	5/20/2015	15057044	000095-49-8	2-Chlorotoluene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	000591-78-6	2-Hexanone	N001	1.7	ug/L	U*	F	1.7		FQ	G	STD
B206989	WL	5/20/2015	15057044	000106-43-4	4-Chlorotoluene	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
B206989	WL	5/20/2015	15057044	000108-10-1	4-Methyl-2-Pentanone	N001	0.98	ug/L	U*	F	0.98		FQ	G	STD
B206989	WL	5/20/2015	15057044	000067-64-1	Acetone	N001	1.9	ug/L	J*	F	1.9		FQ	G	STD
B206989	WL	5/20/2015	15057044	000071-43-2	Benzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000108-86-1	Bromobenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	000074-97-5	Bromochloromethane	N001	0.1	ug/L	U	F	0.1		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-27-4	Bromodichloromethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-25-2	Bromoform	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
B206989	WL	5/20/2015	15057044	000074-83-9	Bromomethane	N001	0.21	ug/L	U	F	0.21		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-15-0	Carbon Disulfide	N001	0.45	ug/L	U	F	0.45		FQ	G	STD
B206989	WL	5/20/2015	15057044	000056-23-5	Carbon tetrachloride	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
B206989	WL	5/20/2015	15057044	000108-90-7	Chlorobenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	000124-48-1	Chlorodibromomethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-00-3	Chloroethane	N001	0.41	ug/L	U	F	0.41		FQ	G	STD
B206989	WL	5/20/2015	15057044	000067-66-3	Chloroform	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000074-87-3	Chloromethane	N001	0.3	ug/L	U	F	0.3		FQ	G	STD
B206989	WL	5/20/2015	15057044	000156-59-2	cis-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
B206989	WL	5/20/2015	15057044	010061-01-5	cis-1,3-Dichloropropene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000074-95-3	Dibromomethane	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-71-8	Dichlorodifluoromethane	N001	0.31	ug/L	U	F	0.31		FQ	G	STD
B206989	WL	5/20/2015	15057044	000100-41-4	Ethylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000087-68-3	Hexachlorobutadiene	N001	0.36	ug/L	U	F	0.36		FQ	G	STD
B206989	WL	5/20/2015	15057044	000098-82-8	Isopropylbenzene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-09-2	Methylene chloride	N001	0.32	ug/L	U	F	0.32		FQ	G	STD
B206989	WL	5/20/2015	15057044	000091-20-3	Naphthalene	N001	0.22	ug/L	U	F	0.22		FQ	G	STD
B206989	WL	5/20/2015	15057044	000104-51-8	n-Butylbenzene	N001	0.32	ug/L	U	F	0.32		FQ	G	STD
B206989	WL	5/20/2015	15057044	NO3-NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	2.6	mg/L	U	F	0.019		FQ	G	STD
B206989	WL	5/20/2015	15057044	000103-65-1	n-Propylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000099-87-6	p-Isopropyltoluene	N001	0.2	ug/L	U	F	0.2		FQ	G	STD
B206989	WL	5/20/2015	15057044	000135-98-8	sec-Butylbenzene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	000100-42-5	Styrene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	000098-06-6	tert-Butylbenzene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000127-18-4	Tetrachloroethene	N001	0.2	ug/L	U	F	0.2		FQ	G	STD
B206989	WL	5/20/2015	15057044	000108-88-3	Toluene	N001	0.17	ug/L	U	F	0.17		FQ	G	STD
B206989	WL	5/20/2015	15057044	001330-20-7	Total Xylenes	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
B206989	WL	5/20/2015	15057044	000156-60-5	trans-1,2-Dichloroethene	N001	0.15	ug/L	U	F	0.15		FQ	G	STD
B206989	WL	5/20/2015	15057044	010061-02-6	trans-1,3-dichloropropene	N001	0.19	ug/L	U	F	0.19		FQ	G	STD
B206989	WL	5/20/2015	15057044	000079-01-6	Trichloroethene	N001	0.16	ug/L	U	F	0.16		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-69-4	Trichlorofluoromethane	N001	0.29	ug/L	U	F	0.29		FQ	G	STD
B206989	WL	5/20/2015	15057044	07440-61-1	Uranium	N001	110	ug/L	U	F	0.05		FQ	G	STD
B206989	WL	5/20/2015	15057044	000075-01-4	Vinyl chloride	N001	0.1	ug/L	U	F	0.1		FQ	G	STD
B3OUTFLOW	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	14	ug/L	U	F	0.05			G	STD
B3OUTFLOW	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	15	ug/L	U	F	0.05			G	STD
B3OUTFLOW	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	9.7	ug/L	U	F	0.05			G	STD
B3OUTFLOW	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	10	ug/L	U	F	0.05			G	STD
B3OUTFLOW	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	8.9	ug/L	U	F	0.05			G	STD
B3OUTFLOW	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	6.9	ug/L	U	F	0.05		J	G	STD
B3OUTFLOW	SL	7/9/2015	15077226	07440-61-1	Uranium	N002	9.2	ug/L	U	D	0.05		J	G	STD
B3OUTFLOW	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	8.1	ug/L	U	F	0.05			G	STD
B5 POND	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	11	ug/L	U	F	0.05			G	STD
B5 POND	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	7.4	ug/L	U	F	0.05			G	STD
B5 POND	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	6.1	ug/L	U	F	0.05			G	STD
B5 POND	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	5.7	ug/L	U	F	0.05			G	STD
B5 POND	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	7.3	ug/L	U	F	0.05			G	STD
B5 POND	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	7.4	ug/L	U	F	0.05			G	STD
B5INFLOW	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	13	ug/L	U	F	0.05			G	STD
B5INFLOW	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	15	ug/L	U	F	0.05			G	STD
B5INFLOW	SL	5/18/2015	15057098	07440-61-1	Uranium	N001	6.98	ug/L	U	F	0.067			C	GEN
B5INFLOW	SL	5/26/2015	15067162	07440-61-1	Uranium	N001	8.39	ug/L	U	F	0.067			C	GEN
B5INFLOW	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	9.5	ug/L	U	F	0.05			G	STD
B5INFLOW	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	11	ug/L	U	F	0.05			G	STD
B5INFLOW	SL	6/11/2015	15077227	07440-61-1	Uranium	N001	8.13	ug/L	U	F	0.067			C	GEN
B5INFLOW	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	8.3	ug/L	U	F	0.05			G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
B5INFLOW	SL	7/9/2015	15077242	07440-61-1	Uranium	N001	2.8	ug/L		F	0.05			G	STD
B5INFLOW	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	7.8	ug/L		F	0.05			G	STD
GS01	SL	4/27/2015	15057011	AM-241	Americium-241	N001	-0.0125	pCi/L	U	F	0.0222	0.013		C	GEN
GS01	SL	4/27/2015	15057011	AM-241	Americium-241	N002	0.00629	pCi/L	U	D	0.0178	0.00742		C	GEN
GS01	SL	4/27/2015	15057011	PU-239,240	Plutonium-239, 240	N001	0.00148	pCi/L	U	F	0.0277	0.00871		C	GEN
GS01	SL	4/27/2015	15057011	PU-239,240	Plutonium-239, 240	N002	0.00356	pCi/L	U	D	0.0333	0.011		C	GEN
GS01	SL	4/27/2015	15057011	07440-61-1	Uranium	N001	1.62	ug/L		F	0.067			C	GEN
GS01	SL	4/27/2015	15057011	07440-61-1	Uranium	N002	1.61	ug/L		D	0.067			C	GEN
GS01	SL	5/8/2015	15057049	AM-241	Americium-241	N001	0.0145	pCi/L	U	F	0.0228	0.0115		C	GEN
GS01	SL	5/8/2015	15057049	PU-239,240	Plutonium-239, 240	N001	0.0209	pCi/L	U	F	0.0205	0.0104	J	C	GEN
GS01	SL	5/8/2015	15057049	07440-61-1	Uranium	N001	1.08	ug/L		F	0.067			C	GEN
GS01	SL	5/13/2015	15057098	AM-241	Americium-241	N001	0.00128	pCi/L	U	F	0.0181	0.0109		C	GEN
GS01	SL	5/13/2015	15057098	PU-239,240	Plutonium-239, 240	N001	0.0131	pCi/L	U	F	0.0272	0.0118		C	GEN
GS01	SL	5/13/2015	15057098	07440-61-1	Uranium	N001	1.21	ug/L		F	0.067			C	GEN
GS01	SL	5/26/2015	15067141	AM-241	Americium-241	N001	0.02	pCi/L	U	F	0.0367	0.0156		C	GEN
GS01	SL	5/26/2015	15067141	PU-239,240	Plutonium-239, 240	N001	0.0257	pCi/L	U	F	0.0168	0.0135	J	C	GEN
GS01	SL	5/26/2015	15067141	07440-61-1	Uranium	N001	1.07	ug/L		F	0.067			C	GEN
GS01	SL	6/8/2015	15067162	AM-241	Americium-241	N001	0.0228	pCi/L	U	F	0.0196	0.0142	J	C	GEN
GS01	SL	6/8/2015	15067162	PU-239,240	Plutonium-239, 240	N001	0.0451	pCi/L	U	F	0.0155	0.0158	J	C	GEN
GS01	SL	6/8/2015	15067162	07440-61-1	Uranium	N001	1.51	ug/L		F	0.067			C	GEN
GS03	SL	5/18/2015	15057098	AM-241	Americium-241	N002	0.00956	pCi/L	U	F	0.0169	0.00814		C	GEN
GS03	SL	5/18/2015	15057098	PU-239,240	Plutonium-239, 240	N002	0.00797	pCi/L	U	F	0.0248	0.00904		C	GEN
GS03	SL	5/18/2015	15057098	07440-61-1	Uranium	N002	3.66	ug/L		F	0.067			C	GEN
GS03	SL	5/26/2015	15067141	AM-241	Americium-241	N001	0.0176	pCi/L	U	F	0.043	0.0182		C	GEN
GS03	SL	5/26/2015	15067141	PU-239,240	Plutonium-239, 240	N001	0.0112	pCi/L	U	F	0.0147	0.0121		C	GEN
GS03	SL	5/26/2015	15067141	07440-61-1	Uranium	N001	3.93	ug/L		F	0.067			C	GEN
GS03	SL	5/28/2015	15057098	NO3-NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	2.01	mg/L		F	0.085			G	GEN
GS03	SL	6/8/2015	15067162	AM-241	Americium-241	N002	0.00953	pCi/L	U	D	0.0175	0.00937		C	GEN
GS03	SL	6/8/2015	15067162	AM-241	Americium-241	N003	0.0181	pCi/L	U	F	0.019	0.013		C	GEN
GS03	SL	6/8/2015	15067141	NO3-NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	2.06	mg/L		F	0.085			G	GEN
GS03	SL	6/8/2015	15067162	PU-239,240	Plutonium-239, 240	N002	0.0115	pCi/L	U	D	0.0168	0.0115		C	GEN
GS03	SL	6/8/2015	15067162	PU-239,240	Plutonium-239, 240	N003	0.00798	pCi/L	U	F	0.0174	0.0157		C	GEN
GS03	SL	6/8/2015	15067162	07440-61-1	Uranium	N002	3.77	ug/L		D	0.067			C	GEN
GS03	SL	6/8/2015	15067162	07440-61-1	Uranium	N003	3.59	ug/L		F	0.067			C	GEN
GS03	SL	6/12/2015	15067162	NO3-NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.976	mg/L		F	0.017			G	GEN
GS03	SL	6/12/2015	15067162	NO3-NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	0.972	mg/L		D	0.017			G	GEN
GS03	SL	7/20/2015	15077241	NO3-NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.019	mg/L	U	F	0.019			G	STD
GS08	SL	4/28/2015	15057011	AM-241	Americium-241	N001	0.00145	pCi/L	U	F	0.0206	0.00855		C	GEN
GS08	SL	4/28/2015	15057011	PU-239,240	Plutonium-239, 240	N001	0.00971	pCi/L	U	F	0.0227	0.0122		C	GEN
GS08	SL	4/28/2015	15057011	07440-61-1	Uranium	N001	11.4	ug/L		F	0.067			C	GEN
GS08	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	10	ug/L		F	0.05			G	STD
GS08	SL	5/9/2015	15057049	AM-241	Americium-241	N001	-0.00298	pCi/L	U	F	0.0211	0.00826		C	GEN
GS08	SL	5/9/2015	15057049	PU-239,240	Plutonium-239, 240	N001	0.0205	pCi/L	U	F	0.0213	0.0142		C	GEN
GS08	SL	5/9/2015	15057049	07440-61-1	Uranium	N001	6.04	ug/L		F	0.067			C	GEN
GS08	SL	5/18/2015	15057070	AM-241	Americium-241	N001	0.00993	pCi/L	U	F	0.0176	0.00976		C	GEN
GS08	SL	5/18/2015	15057070	PU-239,240	Plutonium-239, 240	N001	0.0106	pCi/L	U	F	0.0282	0.0115		C	GEN
GS08	SL	5/18/2015	15057070	07440-61-1	Uranium	N001	6.05	ug/L		F	0.067			C	GEN
GS08	SL	5/21/2015	15057098	AM-241	Americium-241	N001	0.00555	pCi/L	U	F	0.0157	0.00654		C	GEN
GS08	SL	5/21/2015	15057098	PU-239,240	Plutonium-239, 240	N001	0.0124	pCi/L	U	F	0.0232	0.0109		C	GEN
GS08	SL	5/21/2015	15057098	07440-61-1	Uranium	N001	7.8	ug/L		F	0.067			C	GEN
GS08	SL	5/27/2015	15067141	AM-241	Americium-241	N002	0.0416	pCi/L	U	F	0.0382	0.0253	J	C	GEN
GS08	SL	5/27/2015	15067141	PU-239,240	Plutonium-239, 240	N002	0.024	pCi/L	U	F	0.0143	0.0115	J	C	GEN
GS08	SL	5/27/2015	15057068	07440-61-1	Uranium	N001	7	ug/L		F	0.05		J	G	STD
GS08	SL	5/27/2015	15067141	07440-61-1	Uranium	N002	6.33	ug/L		F	0.067			C	GEN
GS08	SL	6/8/2015	15067162	AM-241	Americium-241	N001	0.0189	pCi/L	U	F	0.0232	0.0176		C	GEN
GS08	SL	6/8/2015	15067162	PU-239,240	Plutonium-239, 240	N001	0.0207	pCi/L	U	F	0.0159	0.0125	J	C	GEN
GS08	SL	6/8/2015	15067162	07440-61-1	Uranium	N001	6.88	ug/L		F	0.067			C	GEN
GS08	SL	6/8/2015	15067140	07440-61-1	Uranium	N002	5.7	ug/L		F	0.05			G	STD
GS08	SL	6/12/2015	15077217	AM-241	Americium-241	N001	0.00686	pCi/L	U	F	0.0178	0.00893		C	GEN
GS08	SL	6/12/2015	15077217	PU-239,240	Plutonium-239, 240	N001	0.00587	pCi/L	U	F	0.0175	0.00892		C	GEN
GS08	SL	6/12/2015	15077217	07440-61-1	Uranium	N001	7.59	ug/L		F	0.067			C	GEN
GS08	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	7.5	ug/L		F	0.05			G	STD
GS08	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	7.1	ug/L		F	0.05			G	STD
GS08	SL	7/9/2015	15077226	07440-61-1	Uranium	N002	5.9	ug/L		D	0.05			G	STD
GS08	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	7.7	ug/L		F	0.05			G	STD
GS10	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	14	ug/L		F	0.05			G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
GS10	SL	5/14/2015	15057048	07440-61-1	Uranium	N002	15	ug/L		F	0.05			G	STD
GS10	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	11	ug/L		F	0.05			G	STD
GS10	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	12	ug/L		F	0.05			G	STD
GS10	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	11	ug/L		F	0.05			G	STD
GS10	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	11	ug/L		F	0.05		J	G	STD
GS10	SL	7/9/2015	15077226	07440-61-1	Uranium	N002	9	ug/L		D	0.05		J	G	STD
GS10	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	10	ug/L		F	0.05			G	STD
GS11	SL	4/27/2015	15057011	AM-241	Americium-241	N002	0.00896	pCi/L	U	D	0.0211	0.011		C	GEN
GS11	SL	4/27/2015	15057011	AM-241	Americium-241	N004	0.00217	pCi/L	U	F	0.0307	0.00952		C	GEN
GS11	SL	4/27/2015	15057011	PU-239,240	Plutonium-239, 240	N002	0.00567	pCi/L	U	D	0.0265	0.013		C	GEN
GS11	SL	4/27/2015	15057011	PU-239,240	Plutonium-239, 240	N004	0.00731	pCi/L	U	F	0.0273	0.0118		C	GEN
GS11	SL	4/27/2015	15057011	07440-61-1	Uranium	N002	12.1	ug/L		D	0.067			C	GEN
GS11	SL	4/27/2015	15057011	07440-61-1	Uranium	N004	12.4	ug/L		F	0.067			C	GEN
GS11	SL	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	8.9	mg/L		F	0.038			G	STD
GS11	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	10	ug/L		F	0.05			G	STD
GS11	SL	5/4/2015	15057011	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	10.4	mg/L	Q	F	0.17		J	G	GEN
GS11	SL	5/9/2015	15057049	AM-241	Americium-241	N002	0.0187	pCi/L	U	F	0.0203	0.0124		C	GEN
GS11	SL	5/9/2015	15057049	PU-239,240	Plutonium-239, 240	N002	0.0497	pCi/L		F	0.0227	0.0174	J	C	GEN
GS11	SL	5/9/2015	15057049	07440-61-1	Uranium	N002	5.39	ug/L		F	0.067			C	GEN
GS11	SL	5/14/2015	15057049	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	8.08	mg/L		F	0.17			G	GEN
GS11	SL	5/18/2015	15057070	AM-241	Americium-241	N002	0.0245	pCi/L		F	0.0183	0.0142	J	C	GEN
GS11	SL	5/18/2015	15057070	PU-239,240	Plutonium-239, 240	N002	0.0293	pCi/L		F	0.0238	0.0136	J	C	GEN
GS11	SL	5/18/2015	15057070	07440-61-1	Uranium	N002	5.67	ug/L		F	0.067			C	GEN
GS11	SL	5/21/2015	15057098	AM-241	Americium-241	N002	0.0141	pCi/L	U	F	0.02	0.0147		C	GEN
GS11	SL	5/21/2015	15057070	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	6.95	mg/L		F	0.085			C	GEN
GS11	SL	5/21/2015	15057098	PU-239,240	Plutonium-239, 240	N002	0.0366	pCi/L		F	0.0236	0.0149	J	C	GEN
GS11	SL	5/21/2015	15057098	07440-61-1	Uranium	N002	7.97	ug/L		F	0.067			C	GEN
GS11	SL	5/27/2015	15067141	AM-241	Americium-241	N002	0.0338	pCi/L	U	F	0.0552	0.0384		C	GEN
GS11	SL	5/27/2015	15057068	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	7.8	mg/L		F	0.038			G	STD
GS11	SL	5/27/2015	15067141	PU-239,240	Plutonium-239, 240	N002	0.0497	pCi/L		F	0.0155	0.0166		C	GEN
GS11	SL	5/27/2015	15057068	07440-61-1	Uranium	N001	7	ug/L		F	0.05			G	STD
GS11	SL	5/27/2015	15067141	07440-61-1	Uranium	N002	6.9	ug/L		F	0.067			C	GEN
GS11	SL	6/8/2015	15067162	AM-241	Americium-241	N001	0.02	pCi/L		F	0.0184	0.0121	J	C	GEN
GS11	SL	6/8/2015	15067140	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	890	mg/L		F	3.8		R	G	STD
GS11	SL	6/8/2015	15067162	PU-239,240	Plutonium-239, 240	N001	0.0403	pCi/L		F	0.0182	0.0164	J	C	GEN
GS11	SL	6/8/2015	15067162	07440-61-1	Uranium	N001	7.88	ug/L		F	0.067			C	GEN
GS11	SL	6/8/2015	15067140	07440-61-1	Uranium	N002	6.8	ug/L		F	0.05			G	STD
GS11	SL	6/12/2015	15067162	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	3.76	mg/L		F	0.085			G	GEN
GS11	SL	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	9.8	mg/L		F	0.095			G	STD
GS11	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	9.9	ug/L		F	0.05			G	STD
GS11	SL	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	6.1	mg/L		F	0.038		J	G	STD
GS11	SL	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	4.7	mg/L		D	0.038		J	G	STD
GS11	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	9.1	ug/L		F	0.05			G	STD
GS11	SL	7/9/2015	15077226	07440-61-1	Uranium	N002	11	ug/L		D	0.05			G	STD
GS11	SL	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	3.1	mg/L		F	0.038			G	STD
GS11	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	12	ug/L		F	0.05			G	STD
GS12	SL	4/23/2015	15056998	07440-61-1	Uranium	N001	11.5	ug/L		F	0.067			C	GEN
GS12	SL	5/18/2015	15057098	07440-61-1	Uranium	N001	7.63	ug/L		F	0.067			C	GEN
GS12	SL	5/26/2015	15067141	07440-61-1	Uranium	N001	7.47	ug/L		F	0.067			C	GEN
GS12	SL	6/8/2015	15067162	07440-61-1	Uranium	N001	10.2	ug/L		F	0.067			C	GEN
GS12	SL	6/16/2015	15077217	07440-61-1	Uranium	N001	9.19	ug/L		F	0.067			C	GEN
GS13	SL	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	27	mg/L		F	0.38			G	STD
GS13	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	13	ug/L		F	0.05			G	STD
GS13	SL	5/14/2015	15057048	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	26	mg/L		F	0.38			G	STD
GS13	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	15	ug/L		F	0.05			G	STD
GS13	SL	5/27/2015	15057068	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	22	mg/L		F	0.19			G	STD
GS13	SL	5/27/2015	15057068	07440-61-1	Uranium	N001	11	ug/L		F	0.05			G	STD
GS13	SL	6/8/2015	15067140	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	33	mg/L		F	0.19			G	STD
GS13	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	13	ug/L		F	0.05			G	STD
GS13	SL	6/16/2015	15067157	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	30	mg/L		F	0.19			G	STD
GS13	SL	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	50	mg/L		F	0.19			G	STD
GS13	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	16	ug/L		F	0.05			G	STD
GS13	SL	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	27	mg/L		F	0.38			G	STD
GS13	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	12	ug/L		F	0.05			G	STD
GS13	SL	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	88	mg/L		F	1.9			G	STD
GS13	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	24	ug/L		F	0.05			G	STD

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
GS31	SL	5/5/2015	15057019	TSS	Total Suspended Solids	N002	8.8	mg/L		F	1.1			C	STD
GS31	SL	5/6/2015	15057021	TSS	Total Suspended Solids	N003	29	mg/L		F	1.1			C	STD
GS31	SL	5/6/2015	15057021	TSS	Total Suspended Solids	N004	28	mg/L		D	1.1			C	STD
GS31	SL	5/19/2015	15057070	AM-241	Americium-241	N001	0.0211	pCi/L	U	F	0.0213	0.0188		C	GEN
GS31	SL	5/19/2015	15067141	AM-241	Americium-241	N003	0.209	pCi/L		F	0.06	0.0661		C	GEN
GS31	SL	5/19/2015	15057070	PU-239,240	Plutonium-239, 240	N001	0.141	pCi/L		F	0.0261	0.0316		C	GEN
GS31	SL	5/19/2015	15067141	PU-239,240	Plutonium-239, 240	N003	1.21	pCi/L		F	0.025	0.137		C	GEN
GS31	SL	5/19/2015	15057061	TSS	Total Suspended Solids	N002	8.21	mg/L	J	F	2.04			C	GEN
GS31	SL	5/19/2015	15057070	07440-61-1	Uranium	N001	3.41	ug/L		F	0.067			C	GEN
GS31	SL	5/19/2015	15067141	07440-61-1	Uranium	N003	3.43	ug/L		F	0.067			C	GEN
GS31	SL	6/4/2015	15067141	AM-241	Americium-241	N001	0.717	pCi/L		F	0.0546	0.125		C	GEN
GS31	SL	6/4/2015	15067141	PU-239,240	Plutonium-239, 240	N001	2.59	pCi/L		F	0.015	0.231		C	GEN
GS31	SL	6/4/2015	15067141	07440-61-1	Uranium	N001	2.72	ug/L		F	0.067			C	GEN
GS31	SL	6/8/2015	15067162	AM-241	Americium-241	N001	0.202	pCi/L		F	0.0174	0.0346		C	GEN
GS31	SL	6/8/2015	15067162	PU-239,240	Plutonium-239, 240	N001	1.36	pCi/L		F	0.0144	0.13		C	GEN
GS31	SL	6/8/2015	15067162	07440-61-1	Uranium	N001	3.3	ug/L		F	0.067			C	GEN
SPOUT	TS	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	1300	mg/L		F	19		R	G	STD
SPOUT	TS	4/30/2015	15057003	07440-61-1	Uranium	N001	57	ug/L		F	0.05			G	STD
SPOUT	TS	5/27/2015	15057068	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	330	mg/L		F	19			G	STD
SPOUT	TS	5/27/2015	15057068	07440-61-1	Uranium	N001	57	ug/L		F	0.05			G	STD
SPOUT	TS	6/8/2015	15067140	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	420	mg/L		F	1.9			G	STD
SPOUT	TS	6/8/2015	15067140	07440-61-1	Uranium	N001	64	ug/L		F	0.05			G	STD
SPOUT	TS	6/16/2015	15067157	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	340	mg/L		F	0.95			G	STD
SPOUT	TS	6/16/2015	15067157	07440-61-1	Uranium	N001	68	ug/L		F	0.05			G	STD
SPOUT	TS	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	450	mg/L		F	1.9			G	STD
SPOUT	TS	6/22/2015	15067175	07440-61-1	Uranium	N001	63	ug/L		F	0.05			G	STD
SPOUT	TS	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	450	mg/L		F	1.9			G	STD
SPOUT	TS	7/9/2015	15077226	07440-61-1	Uranium	N001	94	ug/L		F	0.05			G	STD
SPOUT	TS	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	360	mg/L		F	1.9			G	STD
SPOUT	TS	7/22/2015	15077242	07440-61-1	Uranium	N001	64	ug/L		F	0.05			G	STD
SW093	SL	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	17	mg/L		F	0.095			G	STD
SW093	SL	4/30/2015	15057003	07440-61-1	Uranium	N001	10	ug/L		F	0.05			G	STD
SW093	SL	5/14/2015	15057048	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	19	mg/L		F	0.38			G	STD
SW093	SL	5/14/2015	15057048	07440-61-1	Uranium	N001	14	ug/L		F	0.05			G	STD
SW093	SL	5/27/2015	15057067	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	17	mg/L		F	0.095			G	STD
SW093	SL	5/27/2015	15057067	07440-61-1	Uranium	N001	9.6	ug/L		F	0.05			G	STD
SW093	SL	6/8/2015	15067140	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	22	mg/L		F	0.095			G	STD
SW093	SL	6/8/2015	15067140	07440-61-1	Uranium	N001	10	ug/L		F	0.05			G	STD
SW093	SL	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	32	mg/L		F	0.19			G	STD
SW093	SL	6/22/2015	15067175	07440-61-1	Uranium	N001	15	ug/L		F	0.05			G	STD
SW093	SL	7/9/2015	15077226	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	15	mg/L		F	0.19			G	STD
SW093	SL	7/9/2015	15077226	07440-61-1	Uranium	N001	9	ug/L		F	0.05			G	STD
SW093	SL	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	61	mg/L		F	0.19			G	STD
SW093	SL	7/22/2015	15077242	07440-61-1	Uranium	N001	24	ug/L		F	0.05			G	STD
WALPOC	SL	2/24/2015	15026823	AM-241	Americium-241	N002	0.00513	pCi/L	U	F	0.0333	0.0201		C	GEN
WALPOC	SL	2/24/2015	15026823	PU-239,240	Plutonium-239, 240	N002	0.00674	pCi/L	U	F	0.0309	0.0105		C	GEN
WALPOC	SL	2/24/2015	15026823	07440-61-1	Uranium	N002	17	ug/L		F	0.067			C	GEN
WALPOC	SL	4/28/2015	15057012	AM-241	Americium-241	N001	0.00277	pCi/L	U	F	0.0196	0.00769		C	GEN
WALPOC	SL	4/28/2015	15057012	PU-239,240	Plutonium-239, 240	N001	-0.00149	pCi/L	U	F	0.0278	0.00876		C	GEN
WALPOC	SL	4/28/2015	15057012	07440-61-1	Uranium	N001	11.3	ug/L		F	0.067			C	GEN
WALPOC	SL	4/30/2015	15057003	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	3.3	mg/L		F	0.019			G	STD
WALPOC	SL	5/5/2015	15057024	AM-241	Americium-241	N001	0.0134	pCi/L	U	F	0.0211	0.00975		C	GEN
WALPOC	SL	5/5/2015	15057012	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	4.91	mg/L		F	0.085			G	GEN
WALPOC	SL	5/5/2015	15057024	PU-239,240	Plutonium-239, 240	N001	0.00856	pCi/L	U	F	0.0229	0.012		C	GEN
WALPOC	SL	5/5/2015	15057024	07440-61-1	Uranium	N001	9.46	ug/L	E	F	0.067		J	C	GEN
WALPOC	SL	5/8/2015	15057024	AM-241	Americium-241	N003	0.021	pCi/L	U	F	0.0228	0.0146		C	GEN
WALPOC	SL	5/8/2015	15057024	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	4.47	mg/L		F	0.085			G	GEN
WALPOC	SL	5/8/2015	15057024	PU-239,240	Plutonium-239, 240	N003	0.0646	pCi/L		F	0.0257	0.0227	J	C	GEN
WALPOC	SL	5/8/2015	15057024	07440-61-1	Uranium	N003	6.77	ug/L	E	F	0.067		J	C	GEN
WALPOC	SL	5/9/2015	15057059	AM-241	Americium-241	N001	0.0243	pCi/L	U	F	0.0264	0.0144		C	GEN
WALPOC	SL	5/9/2015	15057024	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	1.2	mg/L		F	0.017			G	GEN
WALPOC	SL	5/9/2015	15057059	PU-239,240	Plutonium-239, 240	N001	0.0196	pCi/L		F	0.0183	0.00914	J	C	GEN
WALPOC	SL	5/9/2015	15057059	07440-61-1	Uranium	N001	5.7	ug/L		F	0.067			C	GEN
WALPOC	SL	5/18/2015	15057092	AM-241	Americium-241	N001	0.00968	pCi/L	U	F	0.0196	0.0105		C	GEN
WALPOC	SL	5/18/2015	15057059	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	2.89	mg/L		F	0.085			G	GEN
WALPOC	SL	5/18/2015	15057092	PU-239,240	Plutonium-239, 240	N001	0.0102	pCi/L	U	F	0.0238	0.01		C	GEN

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
WALPOC	SL	5/18/2015	15057092	07440-61-1	Uranium	N001	7.12	ug/L		F	0.067			C	GEN
WALPOC	SL	5/26/2015	15067142	AM-241	Americium-241	N001	0.0182	pCi/L	U	F	0.0445	0.0238		C	GEN
WALPOC	SL	5/26/2015	15067142	PU-239,240	Plutonium-239, 240	N001	0.0248	pCi/L		F	0.0141	0.013	J	C	GEN
WALPOC	SL	5/26/2015	15067142	07440-61-1	Uranium	N001	6.29	ug/L		F	0.067			C	GEN
WALPOC	SL	5/27/2015	15057068	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	2.7	mg/L		F	0.019			G	STD
WALPOC	SL	6/8/2015	15067163	AM-241	Americium-241	N001	0.00898	pCi/L	U	F	0.044	0.0227		C	GEN
WALPOC	SL	6/8/2015	15067142	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	2.07	mg/L		F	0.085			G	GEN
WALPOC	SL	6/8/2015	15067163	PU-239,240	Plutonium-239, 240	N001	0.0605	pCi/L		F	0.0203	0.021	J	C	GEN
WALPOC	SL	6/8/2015	15067163	07440-61-1	Uranium	N001	5.88	ug/L		F	0.067			C	GEN
WALPOC	SL	6/12/2015	15077218	AM-241	Americium-241	N002	0.0172	pCi/L	U	D	0.0187	0.0127		C	GEN
WALPOC	SL	6/12/2015	15077218	AM-241	Americium-241	N003	0.0113	pCi/L	U	F	0.0164	0.0096		C	GEN
WALPOC	SL	6/12/2015	15067163	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	1.25	mg/L		F	0.017			G	GEN
WALPOC	SL	6/12/2015	15077218	PU-239,240	Plutonium-239, 240	N002	0.0295	pCi/L		D	0.021	0.0174	J	C	GEN
WALPOC	SL	6/12/2015	15077218	PU-239,240	Plutonium-239, 240	N003	0.0135	pCi/L	U	F	0.0183	0.011		C	GEN
WALPOC	SL	6/12/2015	15077218	07440-61-1	Uranium	N002	7.95	ug/L		D	0.067			C	GEN
WALPOC	SL	6/12/2015	15077218	07440-61-1	Uranium	N003	7.77	ug/L		F	0.067			C	GEN
WALPOC	SL	6/22/2015	15067175	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	3.3	mg/L		F	0.019			G	STD
WALPOC	SL	7/7/2015	15077218	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	1.08	mg/L		F	0.017		J	G	GEN
WALPOC	SL	7/7/2015	15077218	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N002	0.815	mg/L		D	0.017		J	G	GEN
WALPOC	SL	7/22/2015	15077242	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N001	0.16	mg/L		F	0.019			G	STD
WOMPOC	SL	4/27/2015	15057012	AM-241	Americium-241	N001	0.00633	pCi/L	U	F	0.0179	0.00824		C	GEN
WOMPOC	SL	4/27/2015	15057012	PU-239,240	Plutonium-239, 240	N001	0.00956	pCi/L	U	F	0.0223	0.0105		C	GEN
WOMPOC	SL	4/27/2015	15057012	07440-61-1	Uranium	N001	1.62	ug/L		F	0.067			C	GEN
WOMPOC	SL	5/5/2015	15057024	AM-241	Americium-241	N001	0.00266	pCi/L	U	F	0.0188	0.0104		C	GEN
WOMPOC	SL	5/5/2015	15057024	PU-239,240	Plutonium-239, 240	N001	0.0162	pCi/L	U	F	0.0337	0.0128		C	GEN
WOMPOC	SL	5/5/2015	15057024	07440-61-1	Uranium	N001	1.37	ug/L	E	F	0.067		J	C	GEN
WOMPOC	SL	5/8/2015	15057024	AM-241	Americium-241	N001	0.0174	pCi/L		F	0.0164	0.0095	J	C	GEN
WOMPOC	SL	5/8/2015	15057024	PU-239,240	Plutonium-239, 240	N001	0.0836	pCi/L		F	0.0237	0.0218		C	GEN
WOMPOC	SL	5/8/2015	15057024	07440-61-1	Uranium	N001	1.23	ug/L	E	F	0.067		J	C	GEN
WOMPOC	SL	5/9/2015	15057059	AM-241	Americium-241	N001	0.00205	pCi/L	U	F	0.029	0.0106		C	GEN
WOMPOC	SL	5/9/2015	15057059	AM-241	Americium-241	N002	0.00975	pCi/L	U	D	0.0197	0.00988		C	GEN
WOMPOC	SL	5/9/2015	15057059	PU-239,240	Plutonium-239, 240	N001	0.00754	pCi/L	U	F	0.0235	0.0121		C	GEN
WOMPOC	SL	5/9/2015	15057059	PU-239,240	Plutonium-239, 240	N002	0.0215	pCi/L	U	D	0.0223	0.0145		C	GEN
WOMPOC	SL	5/9/2015	15057059	07440-61-1	Uranium	N001	1.24	ug/L		F	0.067			C	GEN
WOMPOC	SL	5/9/2015	15057059	07440-61-1	Uranium	N002	1.32	ug/L		D	0.067			C	GEN
WOMPOC	SL	5/18/2015	15057092	AM-241	Americium-241	N001	0.00278	pCi/L	U	F	0.0196	0.00861		C	GEN
WOMPOC	SL	5/18/2015	15057092	PU-239,240	Plutonium-239, 240	N001	0.018	pCi/L	U	F	0.0259	0.0119		C	GEN
WOMPOC	SL	5/18/2015	15057092	07440-61-1	Uranium	N001	1.65	ug/L		F	0.067			C	GEN
WOMPOC	SL	5/26/2015	15067142	AM-241	Americium-241	N001	0.00815	pCi/L	U	F	0.0399	0.0206		C	GEN
WOMPOC	SL	5/26/2015	15067142	PU-239,240	Plutonium-239, 240	N001	0.0569	pCi/L		F	0.0155	0.0183		C	GEN
WOMPOC	SL	5/26/2015	15067142	07440-61-1	Uranium	N001	1.5	ug/L		F	0.067			C	GEN
WOMPOC	SL	6/8/2015	15067163	AM-241	Americium-241	N001	0.0213	pCi/L	U	F	0.0348	0.0214		C	GEN
WOMPOC	SL	6/8/2015	15067163	PU-239,240	Plutonium-239, 240	N001	0.0446	pCi/L		F	0.0142	0.015	J	C	GEN
WOMPOC	SL	6/8/2015	15067163	07440-61-1	Uranium	N001	1.85	ug/L		F	0.067			C	GEN
WOMPOC	SL	6/12/2015	15077218	AM-241	Americium-241	N001	0.00822	pCi/L	U	F	0.0153	0.00894		C	GEN
WOMPOC	SL	6/12/2015	15077218	PU-239,240	Plutonium-239, 240	N001	0.0114	pCi/L	U	F	0.017	0.0105		C	GEN
WOMPOC	SL	6/12/2015	15077218	07440-61-1	Uranium	N001	2.36	ug/L		F	0.067			C	GEN

Table 1. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	LAB REQUISITION NUMBER	CAS	ANALYTE	SAMPLE ID	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
---------------	---------------	--------------	------------------------	-----	---------	-----------	--------	-------	----------------	-------------	-----------------	-------------	----------------------------	-------------------	----------

EXPLANATION

SAMPLE_ID

N00x = Sample was not filtered.
 000x = Sample was filtered.

WATER_UNIT_OF_MEASURE

mg/L; ppm = milligrams per liter
 pCi/L = picocuries per liter
 ug/L = micrograms per liter
 C = degrees celsius
 mS/cm = milliSiemens per centimeter
 NTU = normal turbidity units
 s.u. = standard pH units
 uS/cm = microSiemens per centimeter
 umhos/cm = microSiemens per centimeter

SAMPLE_TYPE

F = Field Sample
 D = Duplicate

DATA_VALIDATION_QUALIFIERS

valid Result is valid.
 F Low flow sampling method used.
 G Possible grout contamination, pH > 9.
 J Estimated value.
 L Less than 3 bore volumes purged prior to sampling.
 Q Qualitative result due to sampling technique
 R Unusable result.
 U Parameter analyzed for but was not detected.
 X Location is undefined.
 999 Validation not complete

LAB_QUALIFIERS

* Replicate analysis not within control limits.
 + Correlation coefficient for MSA < 0.995.
 > Result above upper detection limit.
 A TIC is a suspected aldol-condensation product.
 B Inorganic: Result is between the IDL and CRDL. Organic & Radiochemistry: Analyte also found in method blank.
 C Pesticide result confirmed by GC-MS.
 D Analyte determined in diluted sample.
 E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
 H Holding time expired, value suspect.
 I Increased detection limit due to required dilution.
 J Estimated
 M GFAA duplicate injection precision not met.
 N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
 P > 25% difference in detected pesticide or Arochlor concentrations between 2 columns.
 S Result determined by method of standard addition (MSA).
 U Analytical result below detection limit.
 W Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
 X Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
 Y Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
 Z Laboratory defined (USEPA CLP organic) qualifier, see case narrative.

LOCATION_TYPE

SL SURFACE LOCATION
 TS TREATMENT SYSTEM
 WL WELL

LAB_CODE

GEN Gel Laboratories
 STD Test America

COLLECTION_METHOD

G Grab
 C Composite

Table 2. Water Sampling Events: Third Quarter CY 2015

Location Code	Sampling Dates		Sample Info			Analytes					Sample Tracking Info	
	Start	End	Collection Method	Type	Filtered	VOC	U	Nitrate	Pu/Am	TSS	Ticket	RIN #
GS12	4/23/2015 10:07	4/30/2015 13:07	composite	F	No		X				NGZ 527	15056998
GS01	4/27/2015 10:52	5/4/2015 14:00	composite	D	No		X		X		NGZ 656	15057011
GS01	4/27/2015 10:52	5/4/2015 14:00	composite	F	No		X		X		NGZ 651	15057011
WOMPOC	4/27/2015 11:12	5/5/2015 10:25	composite	F	No		X		X		NGZ 660	15057012
GS11	4/27/2015 11:59	5/4/2015 12:04	composite	D	No		X		X		NGZ 657	15057011
GS11	4/27/2015 11:59	5/4/2015 12:04	composite	F	No		X		X		NGZ 649	15057011
WALPOC	4/28/2015 11:13	5/5/2015 10:50	composite	F	No		X		X		NGZ 662	15057012
GS08	4/28/2015 11:45	5/5/2015 11:03	composite	F	No		X		X		NGZ 654	15057011
SW093	4/30/2015 12:04	4/30/2015 12:04	grab	F	No		X	X			NGZ 555	15057003
SPOUT	4/30/2015 12:18	4/30/2015 12:18	grab	F	No		X	X			NGZ 557	15057003
GS13	4/30/2015 12:32	4/30/2015 12:32	grab	F	No		X	X			NGZ 558	15057003
A1EFF	4/30/2015 12:40	4/30/2015 12:40	grab	F	No		X	X			NGZ 559	15057003
A2EFF	4/30/2015 12:45	4/30/2015 12:45	grab	F	No		X	X			NGZ 560	15057003
A3EFF	4/30/2015 13:06	4/30/2015 13:06	grab	F	No		X	X			NGZ 561	15057003
WALPOC	4/30/2015 13:18	4/30/2015 13:18	grab	F	No			X			NGZ 571	15057003
GS11	4/30/2015 13:32	4/30/2015 13:32	grab	F	No		X	X			NGZ 569	15057003
GS08	4/30/2015 13:38	4/30/2015 13:38	grab	F	No		X				NGZ 570	15057003
A4 POND	4/30/2015 13:43	4/30/2015 13:43	grab	F	No		X	X			NGZ 562	15057003
B5 POND	4/30/2015 13:47	4/30/2015 13:47	grab	F	No		X				NGZ 556	15057003
B5INFLOW	4/30/2015 13:51	4/30/2015 13:51	grab	F	No		X				NGZ 564	15057003
B3OUTFLOW	4/30/2015 14:27	4/30/2015 14:27	grab	F	No		X				NGZ 554	15057003
GS10	4/30/2015 14:37	4/30/2015 14:37	grab	F	No		X				NGZ 553	15057003
GS11	5/4/2015 12:04	5/4/2015 12:04	grab	F	No			X			NGZ 650	15057011
WOMPOC	5/5/2015 10:25	5/8/2015 13:22	composite	F	No		X		X		NGZ 798	15057024
WALPOC	5/5/2015 10:44	5/5/2015 10:44	grab	F	No			X			NGZ 659	15057012
WALPOC	5/5/2015 10:50	5/8/2015 12:17	composite	F	No		X		X		NGZ 795	15057024
00997	5/5/2015 11:35	5/5/2015 11:35	grab	F	No	X		X			NGZ 578	15057004
00997	5/5/2015 11:35	5/5/2015 11:35	grab	F	Yes		X				NGZ 578	15057004
GS31	5/5/2015 17:50	5/6/2015 1:50	composite	F	No					X	NGZ 742	15057019
GS31	5/6/2015 12:30	5/9/2015 15:54	composite	D	No					X	NGZ 771	15057021
GS31	5/6/2015 12:30	5/9/2015 15:54	composite	F	No					X	NGZ 770	15057021
00193	5/6/2015 14:31	5/6/2015 14:31	grab	F	No	X					NGZ 592	15057004
00193	5/6/2015 14:31	5/6/2015 14:31	grab	F	Yes		X				NGZ 592	15057004
10304	5/7/2015 12:48	5/7/2015 12:48	grab	F	No	X		X			NGZ 603	15057004
10304	5/7/2015 12:48	5/7/2015 12:48	grab	F	Yes		X				NGZ 603	15057004
89104	5/7/2015 15:01	5/7/2015 15:01	grab	F	No	X					NGZ 599	15057004
WALPOC	5/8/2015 12:14	5/8/2015 12:14	grab	F	No			X			NGZ 794	15057024
WALPOC	5/8/2015 12:17	5/9/2015 14:35	composite	F	No		X		X		NGZ 797	15057024
WOMPOC	5/8/2015 13:22	5/9/2015 16:04	composite	F	No		X		X		NGZ 799	15057024
GS01	5/8/2015 13:35	5/13/2015 14:10	composite	F	No		X		X		NGQ 798	15057049
GS08	5/9/2015 13:54	5/14/2015 13:00	composite	F	No		X		X		NGQ 793	15057049
GS11	5/9/2015 14:18	5/14/2015 12:48	composite	F	No		X		X		NGQ 797	15057049
WALPOC	5/9/2015 14:27	5/9/2015 14:27	grab	F	No			X			NGZ 796	15057024
WALPOC	5/9/2015 14:35	5/18/2015 14:00	composite	F	No		X		X		NGQ 864	15057059

Table 2. Water Sampling Events: Third Quarter CY 2015

Location Code	Sampling Dates		Sample Info			Analytes					Sample Tracking Info	
	Start	End	Collection Method	Type	Filtered	VOC	U	Nitrate	Pu/Am	TSS	Ticket	RIN #
WOMPOC	5/9/2015 16:04	5/18/2015 16:25	composite	D	No		X		X		NGQ 870	15057059
WOMPOC	5/9/2015 16:04	5/18/2015 16:25	composite	F	No		X		X		NGQ 871	15057059
11104	5/12/2015 11:50	5/12/2015 11:50	grab	F	No	X					NGZ 825	15057026
11104	5/12/2015 11:50	5/12/2015 11:50	grab	F	Yes		X				NGZ 825	15057026
11104	5/12/2015 11:50	5/12/2015 11:50	grab	D	No	X					NGZ 826	15057026
11104	5/12/2015 11:50	5/12/2015 11:50	grab	D	Yes		X				NGZ 826	15057026
GS01	5/13/2015 14:10	5/26/2015 17:15	composite	F	No		X		X		NGR 419	15057098
B3OUTFLOW	5/14/2015 10:44	5/14/2015 10:44	grab	F	No		X				NGQ 790	15057048
GS10	5/14/2015 10:48	5/14/2015 10:48	grab	F	No		X				NGQ 789	15057048
SW093	5/14/2015 11:26	5/14/2015 11:26	grab	F	No		X	X			NGQ 779	15057048
GS13	5/14/2015 11:42	5/14/2015 11:42	grab	F	No		X	X			NGQ 781	15057048
A1EFF	5/14/2015 12:03	5/14/2015 12:03	grab	F	No		X	X			NGQ 783	15057048
A2EFF	5/14/2015 12:08	5/14/2015 12:08	grab	F	No		X	X			NGQ 784	15057048
A3EFF	5/14/2015 12:26	5/14/2015 12:26	grab	F	No		X	X			NGQ 785	15057048
GS11	5/14/2015 12:42	5/14/2015 12:42	grab	F	No		X	X			NGQ 794	15057049
A4 POND	5/14/2015 13:04	5/14/2015 13:04	grab	F	No		X	X			NGQ 786	15057048
B5 POND	5/14/2015 13:08	5/14/2015 13:08	grab	F	No		X				NGQ 792	15057048
B5INFLOW	5/14/2015 13:13	5/14/2015 13:13	grab	F	No		X				NGQ 791	15057048
GS12	5/18/2015 13:48	5/26/2015 13:24	composite	F	No		X				NGR 417	15057098
WALPOC	5/18/2015 13:56	5/18/2015 13:56	grab	F	No			X			NGQ 872	15057059
WALPOC	5/18/2015 14:00	5/26/2015 13:51	composite	F	No		X		X		NGR 353	15057092
GS11	5/18/2015 14:10	5/21/2015 12:08	composite	F	No		X		X		NGR 072	15057070
GS08	5/18/2015 14:17	5/21/2015 12:15	composite	F	No		X		X		NGR 070	15057070
B5INFLOW	5/18/2015 14:28	5/26/2015 13:06	composite	F	No		X				NGR 416	15057098
WOMPOC	5/18/2015 16:25	5/26/2015 16:49	composite	F	No		X		X		NGR 356	15057092
GS03	5/18/2015 17:00	5/26/2015 17:37	composite	F	No		X		X		NGR 414	15057098
GS31	5/19/2015 6:11	5/19/2015 15:11	composite	F	No		X		X		NGR 073	15057070
GS31	5/19/2015 6:11	5/19/2015 15:11	composite	F	No					X	NGQ 981	15057061
GS31	5/19/2015 14:25	6/8/2015 15:10	composite	F	No		X		X		NHT 078	15067141
B206989	5/20/2015 14:20	5/20/2015 14:20	grab	F	No	X		X			NGQ 750	15057044
B206989	5/20/2015 14:20	5/20/2015 14:20	grab	F	Yes		X				NGQ 750	15057044
4087	5/20/2015 15:25	5/20/2015 15:25	grab	F	No	X		X			NGQ 749	15057044
4087	5/20/2015 15:25	5/20/2015 15:25	grab	F	Yes		X				NGQ 749	15057044
GS11	5/21/2015 12:03	5/21/2015 12:03	grab	F	No			X			NGR 071	15057070
GS11	5/21/2015 12:08	5/27/2015 12:29	composite	F	No		X		X		NGR 422	15057098
GS08	5/21/2015 12:15	5/27/2015 12:54	composite	F	No		X		X		NGR 425	15057098
B5INFLOW	5/26/2015 13:06	6/11/2015 13:50	composite	F	No		X				NHV 192	15067162
GS12	5/26/2015 13:24	6/8/2015 12:43	composite	F	No		X				NHT 076	15067141
WALPOC	5/26/2015 13:51	6/8/2015 13:00	composite	F	No		X		X		NHT 082	15067142
WOMPOC	5/26/2015 16:49	6/8/2015 15:22	composite	F	No		X		X		NHT 087	15067142
GS01	5/26/2015 17:15	6/8/2015 15:35	composite	F	No		X		X		NHT 073	15067141
GS03	5/26/2015 17:37	6/8/2015 15:56	composite	F	No		X		X		NHT 079	15067141
SPOUT	5/27/2015 11:25	5/27/2015 11:25	grab	F	No		X	X			NGR 049	15057068
SW093	5/27/2015 11:28	5/27/2015 11:28	grab	F	No		X	X			NGR 065	15057067
GS13	5/27/2015 11:40	5/27/2015 11:40	grab	F	No		X	X			NGR 050	15057068
A1EFF	5/27/2015 11:47	5/27/2015 11:47	grab	F	No		X	X			NGR 035	15057067
A2EFF	5/27/2015 11:53	5/27/2015 11:53	grab	F	No		X	X			NGR 036	15057067
A3EFF	5/27/2015 12:08	5/27/2015 12:08	grab	F	No		X	X			NGR 037	15057067

Table 2. Water Sampling Events: Third Quarter CY 2015

Location Code	Sampling Dates		Sample Info			Analytes					Sample Tracking Info	
	Start	End	Collection Method	Type	Filtered	VOC	U	Nitrate	Pu/Am	TSS	Ticket	RIN #
WALPOC	5/27/2015 12:18	5/27/2015 12:18	grab	F	No			X			NGR 062	15057068
GS11	5/27/2015 12:29	6/8/2015 13:15	composite	F	No		X		X		NHT 077	15067141
GS11	5/27/2015 12:30	5/27/2015 12:30	grab	F	No		X	X			NGR 060	15057068
GS08	5/27/2015 12:48	5/27/2015 12:48	grab	F	No		X				NGR 061	15057068
GS08	5/27/2015 12:54	6/8/2015 13:24	composite	F	No		X		X		NHT 080	15067141
A4 POND	5/27/2015 13:00	5/27/2015 13:00	grab	F	No		X	X			NGR 038	15057067
B5 POND	5/27/2015 13:13	5/27/2015 13:13	grab	F	No		X				NGR 032	15057067
B5INFLOW	5/27/2015 13:22	5/27/2015 13:22	grab	F	No		X				NGR 040	15057067
GS10	5/27/2015 13:32	5/27/2015 13:32	grab	F	No		X				NGR 029	15057067
B3OUTFLOW	5/27/2015 13:49	5/27/2015 13:49	grab	F	No		X				NGR 030	15057067
GS03	5/28/2015 13:45	5/28/2015 13:45	grab	F	No			X			NGR 415	15057098
10594	6/4/2015 14:47	6/4/2015 14:47	grab	F	No	X		X			NHS 169	15067109
10594	6/4/2015 14:47	6/4/2015 14:47	grab	F	Yes		X				NHS 169	15067109
GS31	6/4/2015 23:26	6/5/2015 7:26	composite	F	No		X		X		NHT 081	15067141
A4 POND	6/8/2015 10:22	6/8/2015 10:22	grab	F	No		X	X			NHT 061	15067140
GS10	6/8/2015 10:56	6/8/2015 10:56	grab	F	No		X				NHT 072	15067140
B3OUTFLOW	6/8/2015 10:58	6/8/2015 10:58	grab	F	No		X				NHT 065	15067140
A1EFF	6/8/2015 11:10	6/8/2015 11:10	grab	F	No		X	X			NHT 058	15067140
A2EFF	6/8/2015 11:15	6/8/2015 11:15	grab	F	No		X	X			NHT 059	15067140
GS13	6/8/2015 11:15	6/8/2015 11:15	grab	F	No		X	X			NHT 056	15067140
SPOUT	6/8/2015 11:58	6/8/2015 11:58	grab	F	No		X	X			NHT 069	15067140
SW093	6/8/2015 12:00	6/8/2015 12:00	grab	F	No		X	X			NHT 071	15067140
A3EFF	6/8/2015 12:36	6/8/2015 12:36	grab	F	No		X	X			NHT 060	15067140
GS12	6/8/2015 12:43	6/16/2015 11:45	composite	F	No		X				NHW 308	15067162
WALPOC	6/8/2015 12:55	6/8/2015 12:55	grab	F	No			X			NHT 083	15067142
WALPOC	6/8/2015 13:00	6/12/2015 16:16	composite	F	No		X		X		NHV 202	15067163
GS11	6/8/2015 13:15	6/12/2015 16:28	composite	F	No		X		X		NHV 193	15067162
GS11	6/8/2015 13:15	6/8/2015 13:15	grab	F	No		X	X			NHT 055	15067140
GS08	6/8/2015 13:23	6/8/2015 13:23	grab	F	No		X				NHT 070	15067140
GS08	6/8/2015 13:24	6/12/2015 16:01	composite	F	No		X		X		NHV 196	15067162
B5 POND	6/8/2015 13:29	6/8/2015 13:29	grab	F	No		X				NHT 067	15067140
B5INFLOW	6/8/2015 13:45	6/8/2015 13:45	grab	F	No		X				NHT 066	15067140
GS31	6/8/2015 15:10	6/16/2015 13:16	composite	F	No		X		X		NHW 309	15067162
WOMPOC	6/8/2015 15:22	6/12/2015 16:52	composite	F	No		X		X		NHV 204	15067163
GS01	6/8/2015 15:35	6/16/2015 13:34	composite	F	No		X		X		NHW 307	15067162
GS03	6/8/2015 15:52	6/8/2015 15:52	grab	F	No			X			NHT 074	15067141
GS03	6/8/2015 15:56	6/12/2015 17:21	composite	F	No		X		X		NHV 195	15067162
GS03	6/8/2015 15:56	6/12/2015 17:21	composite	D	No		X		X		NHV 199	15067162
B5INFLOW	6/11/2015 13:50	7/9/2015 14:09	composite	F	No		X				NIZ 032	15077227
GS08	6/12/2015 16:01	7/6/2015 14:31	composite	F	No		X		X		NIY 906	15077217
WALPOC	6/12/2015 16:07	6/12/2015 16:07	grab	F	No			X			NHV 203	15067163
WALPOC	6/12/2015 16:16	7/7/2015 12:50	composite	F	No		X		X		NIY 911	15077218
WALPOC	6/12/2015 16:16	7/7/2015 12:50	composite	D	No		X		X		NIY 916	15077218
GS11	6/12/2015 16:27	6/12/2015 16:27	grab	F	No			X			NHV 200	15067162
WOMPOC	6/12/2015 16:52	7/7/2015 14:41	composite	F	No		X		X		NIY 913	15077218
GS03	6/12/2015 17:21	6/12/2015 17:21	grab	F	No			X			NHV 191	15067162
GS03	6/12/2015 17:21	6/12/2015 17:21	grab	D	No			X			NHV 198	15067162
GS13	6/16/2015 11:40	6/16/2015 11:40	grab	F	No			X			NHT 614	15067157

Table 2. Water Sampling Events: Third Quarter CY 2015

Location Code	Sampling Dates		Sample Info			Analytes					Sample Tracking Info	
	Start	End	Collection Method	Type	Filtered	VOC	U	Nitrate	Pu/Am	TSS	Ticket	RIN #
GS12	6/16/2015 11:45	7/6/2015 14:48	composite	F	No		X				NIY 909	15077217
SPOUT	6/16/2015 12:20	6/16/2015 12:20	grab	F	No		X	X			NHT 612	15067157
10304	6/17/2015 11:32	6/17/2015 11:32	grab	F	No	X		X			NHT 615	15067157
10304	6/17/2015 11:32	6/17/2015 11:32	grab	F	Yes		X				NHT 615	15067157
SW093	6/22/2015 11:10	6/22/2015 11:10	grab	F	No		X	X			NHW 462	15067175
GS13	6/22/2015 11:20	6/22/2015 11:20	grab	F	No		X	X			NHW 456	15067175
A1EFF	6/22/2015 11:35	6/22/2015 11:35	grab	F	No		X	X			NHW 464	15067175
A2EFF	6/22/2015 11:40	6/22/2015 11:40	grab	F	No		X	X			NHW 465	15067175
SPOUT	6/22/2015 11:55	6/22/2015 11:55	grab	F	No		X	X			NHW 455	15067175
A3EFF	6/22/2015 12:08	6/22/2015 12:08	grab	F	No		X	X			NHW 466	15067175
WALPOC	6/22/2015 12:25	6/22/2015 12:25	grab	F	No			X			NHW 459	15067175
GS11	6/22/2015 12:46	6/22/2015 12:46	grab	F	No		X	X			NHW 457	15067175
GS08	6/22/2015 13:31	6/22/2015 13:31	grab	F	No		X				NHW 458	15067175
A4 POND	6/22/2015 13:42	6/22/2015 13:42	grab	F	No		X	X			NHW 467	15067175
B5 POND	6/22/2015 13:45	6/22/2015 13:45	grab	F	No		X				NHW 471	15067175
B5INFLOW	6/22/2015 13:56	6/22/2015 13:56	grab	F	No		X				NHW 470	15067175
GS10	6/22/2015 14:34	6/22/2015 14:34	grab	F	No		X				NHW 468	15067175
B3OUTFLOW	6/22/2015 14:44	6/22/2015 14:44	grab	F	No		X				NHW 469	15067175
WALPOC	7/7/2015 12:33	7/7/2015 12:33	grab	F	No			X			NIY 912	15077218
WALPOC	7/7/2015 12:33	7/7/2015 12:33	grab	D	No			X			NIY 917	15077218
B3OUTFLOW	7/9/2015 10:54	7/9/2015 10:54	grab	D	No		X				NIZ 027	15077226
B3OUTFLOW	7/9/2015 10:54	7/9/2015 10:54	grab	F	No		X				NIZ 017	15077226
GS10	7/9/2015 10:57	7/9/2015 10:57	grab	D	No		X				NIZ 028	15077226
GS10	7/9/2015 10:57	7/9/2015 10:57	grab	F	No		X				NIZ 024	15077226
SW093	7/9/2015 11:22	7/9/2015 11:22	grab	F	No		X	X			NIZ 023	15077226
GS13	7/9/2015 11:53	7/9/2015 11:53	grab	F	No		X	X			NIZ 011	15077226
A1EFF	7/9/2015 12:02	7/9/2015 12:02	grab	F	No		X	X			NIZ 013	15077226
A2EFF	7/9/2015 12:08	7/9/2015 12:08	grab	F	No		X	X			NIZ 014	15077226
SPOUT	7/9/2015 12:24	7/9/2015 12:24	grab	F	No		X	X			NIZ 021	15077226
A3EFF	7/9/2015 12:58	7/9/2015 12:58	grab	F	No		X	X			NIZ 015	15077226
GS11	7/9/2015 13:18	7/9/2015 13:18	grab	D	No		X	X			NIZ 026	15077226
GS11	7/9/2015 13:18	7/9/2015 13:18	grab	F	No		X	X			NIZ 010	15077226
GS08	7/9/2015 13:28	7/9/2015 13:28	grab	D	No		X				NIZ 025	15077226
GS08	7/9/2015 13:28	7/9/2015 13:28	grab	F	No		X				NIZ 022	15077226
A4 POND	7/9/2015 13:33	7/9/2015 13:33	grab	F	No		X	X			NIZ 016	15077226
B5INFLOW	7/9/2015 14:05	7/9/2015 14:05	grab	F	No		X				NIZ 666	15077242
GS03	7/20/2015 14:16	7/20/2015 14:16	grab	F	No			X			NIZ 647	15077241
B5 POND	7/22/2015 7:54	7/22/2015 7:54	grab	F	No		X				NIZ 667	15077242
WALPOC	7/22/2015 8:10	7/22/2015 8:10	grab	F	No			X			NIZ 655	15077242
GS11	7/22/2015 8:37	7/22/2015 8:37	grab	F	No		X	X			NIZ 653	15077242
GS08	7/22/2015 9:28	7/22/2015 9:28	grab	F	No		X				NIZ 654	15077242
A3EFF	7/22/2015 11:00	7/22/2015 11:00	grab	F	No		X	X			NIZ 662	15077242
A4 POND	7/22/2015 11:24	7/22/2015 11:24	grab	F	No		X	X			NIZ 663	15077242
B5INFLOW	7/22/2015 11:30	7/22/2015 11:30	grab	F	No		X				NIZ 669	15077242
GS13	7/22/2015 11:40	7/22/2015 11:40	grab	F	No		X	X			NIZ 652	15077242
SPOUT	7/22/2015 11:45	7/22/2015 11:45	grab	F	No		X	X			NIZ 651	15077242
A1EFF	7/22/2015 11:57	7/22/2015 11:57	grab	F	No		X	X			NIZ 660	15077242
A2EFF	7/22/2015 12:00	7/22/2015 12:00	grab	F	No		X	X			NIZ 661	15077242

Table 2. Water Sampling Events: Third Quarter CY 2015

Location Code	Sampling Dates		Sample Info			Analytes					Sample Tracking Info	
	Start	End	Collection Method	Type	Filtered	VOC	U	Nitrate	Pu/Am	TSS	Ticket	RIN #
SW093	7/22/2015 12:12	7/22/2015 12:12	grab	F	No		X	X			NIZ 658	15077242
B3OUTFLOW	7/22/2015 15:19	7/22/2015 15:19	grab	F	No		X				NIZ 665	15077242
GS10	7/22/2015 15:30	7/22/2015 15:30	grab	F	No		X				NIZ 664	15077242

EXPLANATION

Sample Info: Type

F = Field Sample
D = Duplicate

Analytes

VOC = volatile organic compounds
U = uranium
Nitrate = nitrate + nitrite as N
Pu/Am = plutonium-239,240 and americium-241
SVOC = semi-volatile organic compounds
TSS = total suspended solids

Sample Tracking Info: Ticket

- tracking identifier

Sample Tracking Info: RIN#

- lab requisition number

Sample Tracking Info: COC Date

- Chain of Custody date