Data Validation Package

July 2014
Natural Gas and Produced Water
Sampling at the Rulison, Colorado, Site

November 2014



Available for sale to the public from:

U.S. Department of Commerce National Technical Information Service 5301 Shawnee Road Alexandria, VA 22312 Telephone: 800.553.6847

Fax: 703.605.6900 E-mail: orders@ntis.gov

Online Ordering: http://www.ntis.gov/help/ordermethods.aspx

Available electronically at http://www.osti.gov/scitech/

Available for a processing fee to U.S. Department of Energy and its contractors, in paper, from:

U.S. Department of Energy Office of Scientific and Technical Information P.O. Box 62 Oak Ridge, TN 37831-0062 Phone: 865.576.8401

Phone: 865.576.8401 Fax: 865.576.5728

Email: reports@adonis.osti.gov

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Contents

| Sampling Event Summary | |
|--|--|
| Rulison, Colorado, Site Sample Location Map | |
| Data Assessment Summary | |
| Water Sampling Field Activities Verification Checklist | |
| Laboratory Performance Assessment | |
| Sampling Quality Control Assessment | |
| Certification | |

Attachment 1—Data Presentation

Natural Gas Data Produced Water Data

Attachment 2—Trip Report

This page intentionally left blank

Sampling Event Summary

Site:

Rulison, Colorado, Site

Sampling Period:

July 14, 2014

The U.S. Department of Energy Office of Legacy Management conducted sampling at the Rulison, Colorado, Site on July 14, 2014, in accordance with the 2010 Rulison Monitoring *Plan.* The Monitoring Plan provides guidance regarding the type and frequency of sample collection as a function of distance and heading from the Rulison detonation point; it also specifies the types of analyses. Natural gas and produced water samples are analyzed for radionuclides to determine if contamination is migrating from the Rulison detonation zone to producing gas wells. Samples were submitted for analysis as follows:

- Natural gas samples were submitted under requisition 14066310 to Isotech Laboratories in Champaign, Illinois, for the determination of carbon-14 and tritium.
- Produced water samples were submitted under requisition 14066311 to ALS Laboratory Group in Fort Collins, Colorado, for the determination of chloride, gross alpha/beta, gamma-emitting nuclides, and tritium.

Sampling and analyses were conducted as specified in the Sampling and Analysis Plan for U.S. Department of Energy Office of Legacy Management Sites (LMS/PRO/S04351, continually updated). A duplicate produced water sample was collected at location 05-045-15745.

Sample radionuclide results are compared to the screening levels listed in the Monitoring Plan to determine if any further action is merited. None of the results for the 13 wells sampled during this event exceeded the screening levels specified in the Monitoring Plan. The natural gas and produced water sample results are presented in Attachment 1.


Rick Hutton

Site Lead

The S.M. Stoller Corporation,

a wholly owned subsidiary of Huntington Ingalls Industries

U.S. Department of Energy November 2014



Rulison, Colorado, Site Sample Location Map

Data Assessment Summary

This page intentionally left blank

Water Sampling Field Activities Verification Checklist

| Project Rulison, Colorado | | Date(s) of Wate | r Sampling | July 14, 2014 | | | |
|--|---|---------------------------|-----------------------------|---|--|--|--|
| Date(s) of Verification | October 6, 2014 | Name of Verifie | r | Stephen Donivan | | | |
| | | Response (Yes, No, NA) | | Comments | | | |
| 1. Is the SAP the primary docum | ent directing field procedures? | Yes | | | | | |
| List any Program Directives or | other documents, SOPs, instructions. | | Program Directiv | e RUL-2013-01. | | | |
| Were the sampling locations s | pecified in the planning documents sampled? | No | Limited volume o the wells. | f produced water was available from four of | | | |
| 3. Were calibrations conducted a | is specified in the above-named documents? | NA | Field measureme | ents were not required. | | | |
| 4. Was an operational check of the | he field equipment conducted daily? | | | | | | |
| Did the operational checks me | eet criteria? | | | | | | |
| | alkalinity, temperature, specific conductance, d measurements taken as specified? | | | | | | |
| 6. Were wells categorized correct | tly? | NA | This sampling ev | ent did not include groundwater. | | | |
| 7. Were the following conditions | met when purging a Category I well: | | | | | | |
| Was one pump/tubing volume | purged prior to sampling? | NA | This sampling ev | ent did not include groundwater. | | | |
| Did the water level stabilize pr | ior to sampling? | | | | | | |
| Did pH, specific conductance, prior to sampling? | and turbidity measurements meet criteria | | | | | | |
| Was the flow rate less than 50 | 0 mL/min? | | | | | | |
| | | | | | | | |

Water Sampling Field Activities Verification Checklist (continued)

| | Response (Yes, No, NA) | Comments |
|--|---------------------------|--|
| 8. Were the following conditions met when purging a Category II well: | | |
| Was the flow rate less than 500 mL/min? | NA | This sampling event did not include groundwater. |
| Was one pump/tubing volume removed prior to sampling? | | |
| 9. Were duplicates taken at a frequency of one per 20 samples? | Yes | A duplicate sample was collected at location 05-045-15745. |
| 10. Were equipment blanks taken at a frequency of one per 20 samples that were collected with non-dedicated equipment? | NA | An equipment blank was not required. |
| 11. Were trip blanks prepared and included with each shipment of VOC samples? | NA | |
| 12. Were the true identities of the QC samples documented? | Yes | |
| 13. Were samples collected in the containers specified? | Yes | |
| 14. Were samples filtered and preserved as specified? | Yes | |
| 15. Were the number and types of samples collected as specified? | Yes | Limited volume of produced water was available. |
| 16. Were chain of custody records completed and was sample custody maintained? | Yes | |
| 17. Was all pertinent information documented on the field data sheets? | Yes | |
| 18. Was the presence or absence of ice in the cooler documented at every sample location? | NA | Sample cooling was not required. |
| 19. Were water levels measured at the locations specified in the planning documents? | NA | |

Laboratory Performance Assessment

General Information

Requisition (RIN): 14066310
Sample Event: July 14, 2014
Site(s): Rulison, Colorado
Laboratory: Isotech Laboratories

Work Order No.: 25901

Analysis: Radiochemistry
Validator: Stephen Donivan
Review Date: October 6, 2014

This validation was performed according to the *Environmental Procedures Catalog*, (LMS/POL/S04325, continually updated) "Standard Practice for Validation of Environmental Data." The procedure was applied at Level 1, Data Deliverables Examination. The data were examined to assess the completeness of the deliverables, identify any reporting errors, and assess the usability of the data based on the results of the field duplicate and the laboratory's evaluation of their data, as described in the narrative provided. The data are acceptable as received. The samples were prepared and analyzed using accepted procedures based on methods specified by line item code, which are listed in Table 1.

Table 1. Analytes and Methods

| Analyte | Line Item Code | Prep Method | Analytical Method | | | |
|-----------------------|----------------|-------------|-------------------------------|--|--|--|
| Natural Gas Analysis | LMG-01 | NA | Gas Chromatography | | | |
| Carbon-14 and Tritium | LMG-03 | Combustion | Liquid Scintillation Counting | | | |

Data Qualifier Summary

None of the analytical results required qualification.

Sample Shipping/Receiving

Isotech Laboratories received 13 natural gas samples on July 17, 2014, accompanied by a Chain of Custody (COC) form. The COC form was checked to confirm that all of the samples were listed with sample collection dates and times, and that signatures and dates were present indicating sample relinquishment and receipt. The COC form was complete with no errors or omissions with the following exception. There was no relinquishment signature on the form.

Summary

Thirteen natural gas samples were received at Isotech Laboratories and analyzed by gas chromatography to determine the natural gas composition. The samples were then combusted with the resulting water collected for analysis. Carbon-14 and tritium were measured in the water collected by liquid scintillation counting. There were no analytical difficulties noted by the laboratory.

Completeness

The results of the gas chromatography analysis were reported in volume percent showing the average sample composition of 90 percent methane.

The carbon-14 results were reported in percent modern carbon (pMC). The tritium results were reported in tritium units. Carbon-14 and tritium were not detected in any of the samples.

General Information

Requisition No. (RIN): 14066311 Sample Event: July 14, 2014 Site(s): Rulison Site

Laboratory: ALS Laboratory Group, Fort Collins, Colorado

Work Order No.: 1407289

Analysis: Radiochemistry and Wet Chemistry

Validator: Stephen Donivan Review Date: October 6, 2014

This validation was performed according to the *Environmental Procedures Catalog*, (LMS/POL/S04325, continually updated) "Standard Practice for Validation of Environmental Data." The procedure was applied at Level 3, Data Validation. See attached Data Validation Worksheets for supporting documentation on the data review and validation. All analyses were successfully completed. The samples were prepared and analyzed using accepted procedures based on methods specified by line item code, which are listed in Table 2.

Table 2. Analytes and Methods

| Analyte | Line Item Code | Prep Method | od Analytical Method | | | |
|--------------------|----------------|--------------|----------------------|--|--|--|
| Chloride | WCH-B-011 | EPA 300.0 | EPA 300.0 | | | |
| Gamma Spectrometry | GAM-A-001 | PA SOP713R11 | PA SOP713R11 | | | |
| Gross Alpha/Beta | GPC-A-001 | PA SOP702R19 | PA SOP724R10 | | | |
| Tritium | LCS-A-001 | PA SOP700R10 | PA SOP704R9 | | | |

Data Qualifier Summary

Analytical results were qualified as listed in Table 3. Refer to the sections below for an explanation of the data qualifiers applied.

Table 3. Data Qualifier Summary

| Sample Number | Location | Analyte | Flag | Reason |
|------------------|-----------|--------------|------|-----------------------------------|
| 1407289-2 | BM 26-22C | Actinium-228 | J | Less than the determination limit |
| 1407289-3 | BM 26-22D | Actinium-228 | U | Nuclide identification criteria |
| 1407289-5 | BM 26-33C | Gross Alpha | J | Less than the determination limit |
| 1407289-6 | BM 26-34A | Potassium-40 | J | Less than the determination limit |
| 1407289-7 | BM 26-34B | Uranium-235 | U | Nuclide identification criteria |
| 1407289-7 | BM 26-34B | Gross Beta | J | Less than the determination limit |
| 1407289-10 | BM 35-32A | Actinium-228 | U | Nuclide identification criteria |
| 1407289-10 | BM 35-32A | Potassium-40 | J | Less than the determination limit |
| 1407289-11 | BM 36-13 | Actinium-228 | U | Nuclide identification criteria |
| 1407289-12 | BM 36-13B | Actinium-228 | U | Nuclide identification criteria |

Sample Shipping/Receiving

ALS Laboratory Group in Fort Collins, Colorado, received 12 water samples on July 16, 2014, accompanied by a Chain of Custody form. The Chain of Custody form was checked to confirm that all of the samples were listed with sample collection dates and times, and that signatures and dates were present indicating sample relinquishment and receipt. Copies of the shipping labels were included in the receiving documentation. The Chain of Custody form was complete with no errors or omissions.

Preservation and Holding Times

The sample shipment was received intact at ambient temperature which complies with requirements. All samples were received in the correct container types and had been preserved correctly for the requested analyses. Sample analysis was completed within the applicable holding times.

Detection and Quantitation Limits

The method detection limit (MDL) was reported for all metal, organic, and wet chemical analytes as required. The MDL, as defined in 40 CFR 136, is the minimum concentration of an analyte that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero. The practical quantitation limit (PQL) for these analytes is the lowest concentration that can be reliably measured, and is defined as 5 times the MDL.

For radiochemical analytes (those measured by radiometric counting) the MDL and PQL are not applicable, and these results are evaluated using the Minimum Detectable Concentration (MDC), Decision Level Concentration (DLC), and Determination Limit (DL). The MDC is a measure of radiochemical method performance and was calculated and reported as specified in *Quality Systems for Analytical Services*. The DLC is the minimum concentration of an analyte that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero, and is estimated as 3 times the one-sigma total propagated uncertainty. Results that are greater than the MDC, but less than the DLC are qualified with a "U" flag (not detected). The DL for radiochemical results is the lowest concentration that can be reliably measured, and is defined as 3 times the MDC. Results not previously "U" qualified that are less than the DL are qualified with a "J" flag as estimated values.

The reported MDLs for the wet chemical analyte and MDCs for radiochemical analytes met the detection limit requirements with the following exceptions. The required detection limits were not met for several gross alpha and gross beta samples because of elevated dissolved solids levels in the samples.

Laboratory Instrument Calibration

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing acceptable qualitative and quantitative data for all analytes. Initial calibration demonstrates that the instrument is capable of acceptable performance in the beginning of the analytical run and of producing a linear curve. Compliance requirements for continuing calibration checks are established to ensure that the instrument continues to be

capable of producing acceptable qualitative and quantitative data. All laboratory instrument calibrations were performed correctly in accordance with the cited methods. All calibration and laboratory spike standards were prepared from independent sources.

Method EPA 300.0, Chloride

Calibration for chloride was performed using five calibration standards on June 15, 2014. The calibration curve correlation coefficient values were greater than 0.995 and the absolute values of the intercepts were less than three times the MDL. Initial and continuing calibration verification checks were made at the required frequency with all calibration checks meeting the laboratory's acceptance criteria.

Gamma Spectrometry

Activity concentrations above the MDC were reported in some instances where minimum nuclide identification criteria were not met. Such tentative identifications result when the software attempts to calculate net activity concentrations for analytes where either one or both of the following criteria are not satisfied: one or more characteristic peaks for a nuclide must be identified above the critical level, or the minimum library peak abundance must be attained. Sample results for gamma-emitting radionuclides that do not meet the identification criteria are qualified with a "U" flag as not detected.

Method and Calibration Blanks

Method blanks are analyzed to assess any contamination that may have occurred during sample preparation. Calibration blanks are analyzed to assess instrument contamination prior to and during sample analysis. All radiochemical method blank results were below the Decision Level Concentration.

Laboratory Control Sample

Laboratory control samples were analyzed at the correct frequency to provide information on the accuracy of the analytical method and the overall laboratory performance, including sample preparation. All control sample results were acceptable.

Laboratory Replicate Analysis

Laboratory replicate sample results demonstrate acceptable laboratory precision. The relative percent difference value for the chloride matrix spike replicate met the acceptance criteria. The radiochemical relative error ratio (calculated using the one-sigma total propagated uncertainty) for the sample replicates was less than three for all duplicates.

Matrix Spike Analysis

Matrix spike and matrix spike duplicate (MS/MSD) samples are used to measure method performance in the sample matrix. The MS/MSD data are not evaluated when the concentration of the unspiked sample is greater than four times the spike concentration. The spike recoveries met the recovery and precision criteria for all analytes evaluated.

Completeness

Results were reported in the correct units for all analytes requested using contract-required laboratory qualifiers.

Electronic Data Deliverable (EDD) File

The EDD file arrived on August 12, 2014. The Sample Management System EDD validation module was used to verify that the EDD files were complete and in compliance with requirements. The module compares the contents of the file to the requested analyses to ensure all and only the requested data are delivered. The contents of the EDD was manually examined to verify that the sample results accurately reflect the data contained in the sample data package.

SAMPLE MANAGEMENT SYSTEM **General Data Validation Report** RIN: 14066311 Validator: Stephen Donivan _ Lab Code: PAR Validation Date: 10/06/2014 Analysis Type: Metals General Chem Project: Rulison Site ✓ Rad Organics # of Samples: 12 Matrix: WATER Requested Analysis Completed: Yes Chain of Custody Sample-Present: OK Dated: OK Integrity: OK Temperature: OK Signed: OK Preservation: OK **Select Quality Parameters** ✓ Holding Times All analyses were completed within the applicable holding times. ✓ Detection Limits There are 20 detection limit failures. Field/Trip Blanks ✓ Field Duplicates There was 1 duplicate evaluated.

SAMPLE MANAGEMENT SYSTEM Non-Compliance Report: Detection Limits

Page 1 of 1

| RIN: | 14066311 | Lab Code: | PAR | |
|------|----------|-----------|-----|--|
| | 11000011 | | . , | |

Project: Rulison Site

Validation Date: 10/06/2014

| Ticket | Location | Lab Sample ID | Method Code | Lab Method | Analyte Name | Result | Qualifier | Reported Detection Limit | Required Detection Limit | Units | |
|---------|-----------|------------------|----------------|---------------|-----------------|--------|-----------|-----------------------------|-----------------------------|-------|--|
| MIZ 162 | 2657 | 1407289-1 | GPC-A-001 | 724R11 | GROSS ALPHA | 3.5 | U | 30 | 2 | pCi/L | |
| VIZ 162 | 2657 | 1407289-1 | GPC-A-001 | 724R11 | GROSS BETA | 66.3 | | 21 | 4 | pCi/L | |
| VHW 502 | BM 26-22C | 1407289-2 | GPC-A-001 | 724R11 | GROSS BETA | 170 | Т | 42 | 4 | pCi/L | |
| инW 502 | BM 26-22C | 1407289-2 | GPC-A-001 | 724R11 | GROSS ALPHA | 19.4 | U | 43 | 2 | pCi/L | |
| MHW 503 | BM 26-22D | 1407289-3 | GPC-A-001 | 724R11 | GROSS ALPHA | 29.4 | U | 38 | 2 | pCi/L | |
| иHW 503 | BM 26-22D | 1407289-3 | GPC-A-001 | 724R11 | GROSS BETA | 195 | İ | 41 | 4 | pCi/L | |
| MHW 498 | BM 26-33C | 1407289-5 | GPC-A-001 | 724R11 | GROSS ALPHA | 36.2 | T | 26 | 2 | pCi/L | |
| иHW 498 | BM 26-33C | 1407289-5 | GPC-A-001 | 724R11 | GROSS BETA | 123 | | 21 | 4 | pCi/L | |
| MHW 508 | BM 26-34A | 1407289-6 | GPC-A-001 | 724R11 | GROSS BETA | 368 | | 110 | 4 | pCi/L | |
| MHW 508 | BM 26-34A | 1407289-6 | GPC-A-001 | 724R11 | GROSS ALPHA | -31 | U | 120 | 2 | pCi/L | |
| MHW 500 | BM 26-34B | 1407289-7 | GPC-A-001 | 724R11 | GROSS BETA | 64.7 | T | 22 | 4 | pCi/L | |
| MHW 500 | BM 26-34B | 1407289-7 | GPC-A-001 | 724R11 | GROSS ALPHA | 25.9 | U | 26 | 2 | pCi/L | |
| MHW 501 | BM 26-34D | 1407289-9 | GPC-A-001 | 724R11 | GROSS BETA | 134 | | 44 | 4 | pCi/L | |
| MHW 501 | BM 26-34D | 1407289-9 | GPC-A-001 | 724R11 | GROSS ALPHA | 18.6 | U | 44 | 2 | pCi/L | |
| MHW 504 | BM 35-32A | 1407289-10 | GPC-A-001 | 724R11 | GROSS ALPHA | 25.8 | U | 38 | 2 | pCi/L | |
| MHW 504 | BM 35-32A | 1407289-10 | GPC-A-001 | 724R11 | GROSS BETA | 199 | | 43 | 4 | pCi/L | |
| MHW 505 | BM 36-13 | 1407289-11 | GPC-A-001 | 724R11 | GROSS BETA | 164 | | 42 | 4 | pCi/L | |
| VHW 505 | BM 36-13 | 1407289-11 | GPC-A-001 | 724R11 | GROSS ALPHA | 20.7 | U | 38 | 2 | pCi/L | |
| | BM 36-13B | 1407289-12 | GPC-A-001 | 724R11 | GROSS BETA | 170 | | 44 | 4 | pCi/L | |
| MHW 506 | BM 36-13B | 1407289-12 | GPC-A-001 | 724R11 | GROSS ALPHA | 25.1 | U | 43 | 2 | pCi/L | |

Page 1 of 2

SAMPLE MANAGEMENT SYSTEM Radiochemistry Data Validation Worksheet

 RIN:
 14066311
 Lab Code:
 PAR
 Date Due:
 08/13/2014

 Matrix:
 Water
 Site Code:
 RUL01
 Date Completed:
 08/13/2014

| Sample | Analyte | Date Analyzed | Result | Flag | Tracer %R | LCS %R | MS %R | Duplicate RER |
|-------------|----------------|------------------|---------|------|--------------|-----------|----------|------------------|
| BM 26-34A | Actinium-228 | 08/08/2014 | | | | | | 0.07 |
| BM 26-34A | Americium-241 | 08/08/2014 | | | | Ì | | 0.34 |
| Blank_Spike | Americium-241 | 08/08/2014 | | | | 97.80 | | |
| BM 26-34A | Antimony-125 | 08/08/2014 | | | | ĺ | | 0.27 |
| BM 26-34A | Cerium-144 | 08/08/2014 | | | | İ | | 0.87 |
| BM 26-34A | Cesium-134 | 08/08/2014 | | | | Ì | | 1.10 |
| BM 26-34A | Cesium-137 | 08/08/2014 | | | | Ì | | 0.62 |
| Blank_Spike | Cesium-137 | 08/08/2014 | | | | 103.00 | | |
| BM 26-34A | Cobalt-60 | 08/08/2014 | | | | Ì | | 0.07 |
| Blank_Spike | Cobalt-60 | 08/08/2014 | | | | 98.90 | | |
| BM 26-34A | Europium-152 | 08/08/2014 | | | | ĺ | | 1.76 |
| BM 26-34A | Europium-154 | 08/08/2014 | | | | İ | | 1.88 |
| BM 26-34A | Europium-155 | 08/08/2014 | | | | Ì | | 1.51 |
| BM 26-34D | GROSS ALPHA | 07/24/2014 | | | | Ì | | 0.39 |
| Blank_Spike | GROSS ALPHA | 07/24/2014 | | | | 115.00 | | |
| 2657 | GROSS ALPHA | 07/24/2014 | | | | Ì | 112.0 | |
| Blank | GROSS ALPHA | 07/24/2014 | 0.0080 | U | | | | |
| BM 26-34D | GROSS BETA | 07/24/2014 | | | | ĺ | | 0.46 |
| Blank_Spike | GROSS BETA | 07/24/2014 | | | | 109.00 | | |
| 2657 | GROSS BETA | 07/24/2014 | | | | | 106.0 | |
| Blank | GROSS BETA | 07/24/2014 | 0.7800 | U | | Ì | | |
| BM 26-34A | H-3 | 07/23/2014 | | | | Ì | | 0.41 |
| Blank_Spike | H-3 | 07/23/2014 | | | | 107.00 | | |
| BM 26-34D | H-3 | 07/23/2014 | | | | ĺ | 107.0 | |
| Blank | H-3 | 07/23/2014 | 15.0000 | U | | ĺ | | |
| BM 26-34A | Lead-212 | 08/08/2014 | | | | İ | | 0.54 |
| BM 26-34A | Potassium-40 | 08/08/2014 | | | | ĺ | | 0.60 |
| BM 26-34A | Promethium-144 | 08/08/2014 | | | | Ì | | 0.20 |
| BM 26-34A | Promethium-146 | 08/08/2014 | | | | | | 0.39 |
| BM 26-34A | Ruthenium-106 | 08/08/2014 | | | | Ì | | 2.31 |
| BM 26-34A | Thorium-234 | 08/08/2014 | | | | | | 0.28 |
| BM 26-34A | Uranium-235 | 08/08/2014 | | | | | | 2.22 |

Page 2 of 2

SAMPLE MANAGEMENT SYSTEM Radiochemistry Data Validation Worksheet

 RIN:
 14066311
 Lab Code:
 PAR
 Date Due:
 08/13/2014

 Matrix:
 Water
 Site Code:
 RUL01
 Date Completed:
 08/13/2014

| Sample | Analyte | Date Analyzed | Result | Flag | Tracer %R | LCS %R | MS %R | Duplicate RER |
|-----------|------------|------------------|--------|------|--------------|-----------|----------|------------------|
| BM 26-34A | Yttrium-88 | 08/08/2014 | | | | | | 0.85 |

Page 1 of 1

SAMPLE MANAGEMENT SYSTEM Wet Chemistry Data Validation Worksheet

 RIN: 14066311
 Lab Code: PAR
 Date Due: 08/13/2014

 Matrix: Water
 Site Code: RUL01
 Date Completed: 08/13/2014

| Analyte | Date Analyzed | yzed CALIBRATION | | | | Method | LCS %R | MS %R | MSD %R | DUP RPD | Serial Dil. %R |
|----------|---------------|------------------|--------|-----|-----|--------|-----------|----------|-----------|------------|-------------------|
| | - | Int. | R^2 | ccv | ССВ | Blank | | | | | |
| CHLORIDE | 07/21/2014 | 0.000 | 1.0000 | ОК | ОК | ОК | 98.00 | | | | |

Sampling Quality Control Assessment

The following information summarizes and assesses quality control for this sampling event.

Sampling Protocol

The produced water samples were collected from a tap on a common line connecting the output of two separators (each servicing a well) and the nearby accumulation tanks. The collected water sample from one separator was isolated from the other separator by valves. Lines from each of the two separators were purged before sample collection.

Natural gas samples were collected as specified in Program Directive RUL-2013-01 in an evacuated 17.8-liter gas cylinder provided by Isotech Laboratories, Inc. Each sampling container was filled to approximately 25 pounds per square inch with natural gas from each well.

Equipment Blank Assessment

An equipment blank was not required.

Field Duplicate Analysis

Field duplicate samples are collected and analyzed as an indication of overall precision of the measurement process. The precision observed includes both field and laboratory precision and has more variability than laboratory duplicates, which measure only laboratory performance. A duplicate sample was collected from location BM 26-34B. For non-radiochemical measurements, the relative percent difference for duplicate results that are greater than five times the practical quantitation limit (PQL) should be less than 20 percent. For results less than five times the PQL, the range should be no greater than the PQL. For radiochemical measurements, the relative error ratio (the ratio of the absolute difference between the sample and duplicate results and the sum of the 1-sigma uncertainties) is used to evaluate duplicate results and should be less than 3. All duplicate results met these criteria demonstrating acceptable precision.

SAMPLE MANAGEMENT SYSTEM

Page 1 of 1

Validation Report: Field Duplicates

 RIN:
 14066311
 Lab Code:
 PAR
 Project:
 Rulison Site
 Validation Date:
 10/06/2014

Duplicate: 2657

Sample: BM 26-34B

| | _ Sample — | | | | Duplicate — | | | | | | |
|----------------|------------|------|-------|----------|-------------|------|-------|----------|------|-----|-------|
| Analyte | Result | Flag | Error | Dilution | Result | Flag | Error | Dilution | RPD | RER | Units |
| Actinium-228 | 4.12 | U | 19.6 | 1 | 15.6 | U | 17.1 | 1 | | 0.9 | pCi/L |
| Americium-241 | 3.2 | U | 18.4 | 1 | 17.5 | U | 31.2 | 1 | | 0.8 | pCi/L |
| Antimony-125 | 0.0052 | U | 6.81 | 1 | 11.2 | U | 7.63 | 1 | | 2.1 | pCi/L |
| Cerium-144 | -1.66 | U | 14.4 | 1 | 0.407 | U | 15.3 | 1 | | 0.2 | pCi/L |
| Cesium-134 | -1.23 | U | 3.22 | 1 | -2.04 | U | 3.41 | 1 | | 0.3 | pCi/L |
| Cesium-137 | 0.921 | U | 2.81 | 1 | 2.88 | U | 3.26 | 1 | | 0.9 | pCi/L |
| CHLORIDE | 8200 | | | 500 | 8500 | | | 500 | 3.59 | | MG/L |
| Cobalt-60 | -0.16 | U | 3.25 | 1 | 1.28 | U | 3.41 | 1 | | 0.6 | pCi/L |
| Europium-152 | -0.132 | U | 15.9 | 1 | -5.64 | U | 17 | 1 | | 0.5 | pCi/L |
| Europium-154 | 10.8 | U | 16.8 | 1 | -3.92 | U | 18.5 | 1 | | 1.2 | pCi/L |
| Europium-155 | 8.18 | U | 7.28 | 1 | -0.766 | U | 9.08 | 1 | | 1.5 | pCi/L |
| GROSS ALPHA | 25.9 | U | 17.4 | 1 | 3.5 | U | 17.8 | 1 | | 1.8 | pCi/L |
| GROSS BETA | 64.7 | | 17.9 | 1 | 66.3 | | 17.2 | 1 | | 0.1 | pCi/L |
| H-3 | -84.3 | U | 194 | 1 | -23.8 | U | 201 | 1 | | 0.4 | pCi/L |
| Lead-212 | -0.289 | U | 8.41 | 1 | -0.0942 | U | 8.06 | 1 | | 0 | pCi/L |
| Potassium-40 | 80.1 | U | 77 | 1 | 84.7 | U | 101 | 1 | | 0.1 | pCi/L |
| Promethium-144 | 2.07 | U | 3.31 | 1 | 4.36 | U | 3.64 | 1 | | 0.9 | pCi/L |
| Promethium-146 | -0.21 | U | 3.3 | 1 | -0.695 | U | 3.61 | 1 | | 0.2 | pCi/L |
| Ruthenium-106 | 3.82 | U | 26.8 | 1 | -13.2 | U | 31.2 | 1 | | 0.8 | pCi/L |
| Thorium-234 | 13.6 | U | 81.4 | 1 | 5.1 | U | 106 | 1 | | 0.1 | pCi/L |
| Uranium-235 | 22.1 | | 13.6 | 1 | -7.74 | U | 26.5 | 1 | | 2.0 | pCi/L |
| Yttrium-88 | 4.14 | U | 3.92 | 1 | -0.115 | U | 3.92 | 1 | | 1.5 | pCi/L |

Certification

All laboratory analytical quality control criteria were met except as qualified in this report. The data qualifiers listed on the SEEPro database reports are defined on the last page of each report. All data in this package are considered validated and available for use.

Laboratory Coordinator:

Stephen Donivan

Onto

Data Validation Lead:

Stephen Donivan

Date

Attachment 1 Data Presentation

This page intentionally left blank

Natural Gas Data

This page intentionally left blank

REPORT DATE: 10/28/2014

Location: 05-045-10840 WELL, Natural Gas Well - Angle, BM 36-13

| Parameter | Units | Sample Date | e ID | Ticket Number | Elev. Range (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|----------------|---------|------------------|---------------------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 495 | 8683 - 8683 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 495 | 8683 - 8683 | | 0.0514 | U | | # | | |

Gas Matrix Chemistry Data by Location (USEE510) FOR SITE RUL01, Rulison Site REPORT DATE: 10/28/2014

Location: 05-045-10919 WELL, Natural Gas Well - Angle, BM 35-32A

| Parameter | Units | Sample Date | e ID | Ticket Number | Elev. Range (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|----------------|---------|------------------|---------------------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 494 | 9236 - 9236 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 494 | 9236 - 9236 | | 0.0514 | U | | # | | |

REPORT DATE: 10/28/2014

Location: 05-045-15469 WELL, Natural Gas Well - Angle, BM 36-13B

| Parameter | Units | Sample Date | e ID | Ticket Number | Elev. Range (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|----------------|---------|------------------|---------------------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 496 | 8901 - 8901 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 496 | 8901 - 8901 | | 0.0514 | U | | # | | |

Gas Matrix Chemistry Data by Location (USEE510) FOR SITE RUL01, Rulison Site REPORT DATE: 10/28/2014

Location: 05-045-15739 WELL, Natural Gas Well - Angle, BM 26-33D

| Parameter | Units | Sampl Date | e ID | Ticket Number | Elev. Range | (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|---------------|---------|------------------|-------------|--------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N001 | MHW 486 | 8963.5 - | 8963.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N001 | MHW 486 | 8963.5 - | 8963.5 | | 0.0514 | U | | # | | |

Gas Matrix Chemistry Data by Location (USEE510) FOR SITE RUL01, Rulison Site REPORT DATE: 10/28/2014

Location: 05-045-15741 WELL, Natural Gas Well - Angle, BM 26-34C

| Parameter | Units | Sample Date | e ID | Ticket Number | Elev. Range | (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|----------------|---------|------------------|-------------|--------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 489 | 8963.5 - 8 | 8963.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 489 | 8963.5 - 8 | 8963.5 | | 0.0514 | U | | # | | _ |

REPORT DATE: 10/28/2014

Location: 05-045-15742 WELL, Natural Gas Well - Angle, BM 26-33C

| Parameter Units | Unite | Sample | | Ticket | Elev. Range | Matrix Subtype | Result | (| Qualifiers | | Detection | Uncertainty |
|-----------------|--------|------------|------|---------|-----------------|----------------|--------|-----|------------|----|-----------|-------------|
| | Ullits | Date | ID | Number | (Ft) | Matrix Subtype | Result | Lab | Data | QA | Limit | Uncertainty |
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 485 | 8963.5 - 8963.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 485 | 8963.5 - 8963.5 | | 0.0514 | U | | # | | |

REPORT DATE: 10/28/2014

Location: 05-045-15743 WELL, Natural Gas Well - Angle, BM 26-33B

| Parameter | Units | Sample Date | e ID | Ticket Number | Elev. Range (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|----------------|---------|------------------|---------------------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 484 | 8963.5 - 8963.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 484 | 8963.5 - 8963.5 | | 0.0514 | U | | # | | |

REPORT DATE: 10/28/2014

Location: 05-045-15744 WELL, Natural Gas Well - Angle, BM 26-34A

| Parameter | Units | Sample | | Ticket | Elev. Range | Matrix Subtype | Result | | Qualifiers | | Detection | Uncertainty |
|-----------|-------|------------|------|---------|-----------------|----------------|--------|-----|------------|----|-----------|-------------|
| | | Date | טו | Number | (Ft) | | | Lab | Data | QA | Limit | • |
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 487 | 8963.5 - 8963.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 487 | 8963.5 - 8963.5 | | 0.0514 | U | | # | | |

Gas Matrix Chemistry Data by Location (USEE510) FOR SITE RUL01, Rulison Site

REPORT DATE: 10/28/2014

Location: 05-045-15745 WELL, Natural Gas Well - Angle, BM 26-34B

| Parameter | Units | Sample Date | e ID | Ticket Number | Elev. Range (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|----------------|---------|------------------|---------------------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N003 | MHW 488 | 8963.5 - 8963.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N003 | MHW 488 | 8963.5 - 8963.5 | | 0.0514 | U | | # | | |

Gas Matrix Chemistry Data by Location (USEE510) FOR SITE RUL01, Rulison Site

REPORT DATE: 10/28/2014

Location: 05-045-15748 WELL, Natural Gas Well - Angle, BM 26-34D

| Parameter | Units | Sampl Date | e ID | Ticket Number | Elev. Range (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|---------------|---------|------------------|---------------------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 490 | 8963.5 - 8963.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 490 | 8963.5 - 8963.5 | | 0.0514 | U | | # | | |

Gas Matrix Chemistry Data by Location (USEE510) FOR SITE RUL01, Rulison Site REPORT DATE: 10/28/2014

Location: 05-045-16074 WELL, Natural Gas Well - Angle, BM 26-22D

| Parameter | Unito | Sampl | le | Ticket | Elev. Range | Matrix Subtype | Docult | (| Qualifiers | | Detection | Uncertainty |
|-----------|-------|------------|------|---------|-----------------|----------------|--------|-----|------------|----|-----------|--------------|
| Parameter | Units | Date | ID | Number | (Ft) | watrix Subtype | Result | Lab | Data | QA | Limit | Unicertainty |
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 493 | 8983.5 - 8983.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 493 | 8983.5 - 8983.5 | | 0.0514 | U | | # | | |

Gas Matrix Chemistry Data by Location (USEE510) FOR SITE RUL01, Rulison Site REPORT DATE: 10/28/2014

Location: 05-045-16086 WELL, Natural Gas Well - Angle, BM 26-22B

| Parameter | Units | Sampl Date | e ID | Ticket Number | Elev. Range (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|---------------|---------|------------------|---------------------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N001 | MHW 491 | 8983.5 - 8983.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N001 | MHW 491 | 8983.5 - 8983.5 | | 0.0514 | U | | # | | |

Gas Matrix Chemistry Data by Location (USEE510) FOR SITE RUL01, Rulison Site

REPORT DATE: 10/28/2014

Location: 05-045-16087 WELL, Natural Gas Well - Angle, BM 26-22C

| Parameter | Units | Sample Date | e ID | Ticket Number | Elev. Range (Ft) | Matrix Subtype | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|-----------|-------|----------------|---------|------------------|---------------------|----------------|--------|-----|--------------------|----|--------------------|-------------|
| Carbon-14 | рМС | 07/14/2014 | N002 | MHW 492 | 8983.5 - 8983.5 | | 0.2 | U | | # | | |
| Tritium | pCi/L | 07/14/2014 | N002 | MHW 492 | 8983.5 - 8983.5 | | 0.0514 | U | | # | | |

SAMPLE ID CODES: $000X = Filtered sample (0.45 \mu m)$. N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- * Replicate analysis not within control limits.
- > Result above upper detection limit.
- A TIC is a suspected aldol-condensation product.
- B Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- C Pesticide result confirmed by GC-MS.
- D Analyte determined in diluted sample.
- E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- H Holding time expired, value suspect.
- I Increased detection limit due to required dilution.
- J Estimated
- N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
- > 25% difference in detected pesticide or Aroclor concentrations between 2 columns.
- U Analytical result below detection limit.
- W Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
- X,Y,Z Laboratory defined qualifier, see case narrative.

DATA QUALIFIERS:

- F Low flow sampling method used.
 - Less than 3 bore volumes purged prior to sampling.
- U Parameter analyzed for but was not detected.
- G Possible grout contamination, pH > 9. J Estimated value.
- Q Qualitative result due to sampling technique R Unusable result.
- X Location is undefined.

QA QUALIFIER:

L

Validated according to quality assurance guidelines.

This page intentionally left blank

Produced Water Data

This page intentionally left blank

Location: 05-045-10840 WELL BM 36-13

| Parameter | Units | Sam _l Date | ple ID | Result | C Lab | Qualifiers Data QA | Detection Limit | Uncertainty |
|----------------|-------|--------------------------|-----------|--------|----------|-----------------------|--------------------|-------------|
| Actinium-228 | pCi/L | 07/14/2014 | N001 | 20.8 | | U # | 19 | 8.44 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | 0.307 | U | # | 25 | 14.9 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | -1.95 | U | # | 13 | 7.68 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | 7.21 | U | # | 22 | 13.6 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | -6.27 | U | # | 5.9 | 3.36 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | -1.66 | U | # | 6.1 | 3.53 |
| Chloride | mg/L | 07/14/2014 | N001 | 11000 | | # | 200 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | -0.753 | U | # | 7.6 | 4.37 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | 3.92 | U | # | 32 | 18.6 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | -1.78 | U | # | 33 | 19.1 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | -2.92 | U | # | 13 | 7.6 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | 20.7 | U | # | 38 | 23.5 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 164 | | # | 42 | 38.3 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | -3.01 | U | # | 14 | 8.51 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 160 | U | # | 170 | 106 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | -1.66 | U | # | 29 | 17.3 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | 0.739 | U | # | 5.8 | 3.47 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | 1.1 | U | # | 56 | 33.1 |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | 53.4 | U | # | 140 | 79.5 |
| Tritium | pCi/L | 07/14/2014 | N001 | -23.5 | U | # | 350 | 205 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 7.94 | U | # | 14 | 8.31 |

REPORT DATE: 10/06/2014

Location: 05-045-10840 WELL BM 36-13

| Parameter | Units | Sam | ole | Result | (| Qualifiers | | Detection | Uncertainty |
|------------|--------|------------|------|--------|-----|------------|----|-----------|-------------|
| Parameter | UIIIIS | Date | ID | Result | Lab | Data | QA | Limit | Uncertainty |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | 2.22 | U | | # | 7.1 | 4.25 |

Location: 05-045-10919 WELL BM 35-32A

| Parameter | Units | Sam _l Date | ole ID | Result | (Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|----------------|-------|--------------------------|-----------|--------|----------|--------------------|----|--------------------|-------------|
| Actinium-228 | pCi/L | 07/14/2014 | N001 | 21.9 | | U | # | 21 | 11.1 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | 0.0753 | U | | # | 4.5 | 2.67 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | 3.02 | U | | # | 10 | 5.21 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | -4.88 | U | | # | 24 | 14.1 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | 1.63 | U | | # | 2.8 | 1.75 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | -1.72 | U | | # | 4.1 | 2.32 |
| Chloride | mg/L | 07/14/2014 | N001 | 10000 | | | # | 200 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | -0.814 | U | | # | 4.5 | 2.59 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | 12.5 | U | | # | 20 | 12.3 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | -1.29 | U | | # | 23 | 13.4 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | 1.22 | U | | # | 6.1 | 3.66 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | 25.8 | U | | # | 38 | 24.2 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 199 | | | # | 43 | 43 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | 0.515 | U | | # | 11 | 6.46 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 162 | | J | # | 110 | 73.1 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | 2.68 | U | | # | 2.8 | 1.8 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | -1.31 | U | | # | 4.4 | 2.57 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | -25.9 | U | | # | 39 | 22.4 |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | 19.2 | U | | # | 72 | 43.6 |
| Tritium | pCi/L | 07/14/2014 | N001 | -14 | U | | # | 310 | 185 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 17 | U | | # | 18 | 10.3 |

Location: 05-045-10919 WELL BM 35-32A

| Parameter | Units | Sam | ple | Result | (| Qualifiers | | Detection | Uncertainty |
|------------|--------|------------|------|--------|-----|------------|----|-----------|-------------|
| Parameter | Ullits | Date | ID | Result | Lab | Data | QA | Limit | Uncertainty |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | -1.84 | U | | # | 10 | 6.07 |

Location: 05-045-15469 WELL BM 36-13B

| Parameter | Units | Sam _l Date | ole ID | Result | | alifiers Data QA | Detection Limit | Uncertainty |
|----------------|-------|--------------------------|-----------|--------|---|---------------------|--------------------|-------------|
| Actinium-228 | pCi/L | 07/14/2014 | N001 | 35 | | U # | 23 | 12 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | -9.9 | U | # | 110 | 64.4 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | 1.69 | U | # | 11 | 6.25 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | 0.525 | U | # | 26 | 15.8 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | -1.32 | U | # | 4.7 | 2.76 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | -1.38 | U | # | 4.5 | 2.62 |
| Chloride | mg/L | 07/14/2014 | N001 | 12000 | | # | 200 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | -1.38 | U | # | 4.4 | 2.5 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | 10.5 | U | # | 22 | 13.1 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | -2.49 | U | # | 23 | 13.5 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | 0 | U | # | 17 | 10.1 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | 25.1 | U | # | 43 | 26.5 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 170 | | # | 44 | 39.7 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | 3.04 | U | # | 13 | 8.06 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 110 | U | # | 120 | 73 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | 0.0605 | U | # | 4.5 | 2.69 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | 0.0462 | U | # | 4.9 | 2.93 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | 11.3 | U | # | 41 | 24.6 |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | 30.4 | U | # | 200 | 120 |
| Tritium | pCi/L | 07/14/2014 | N001 | -105 | U | # | 340 | 197 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 3.07 | U | # | 25 | 14.8 |

REPORT DATE: 10/06/2014

Location: 05-045-15469 WELL BM 36-13B

| Parameter | Units | Sam | ple | Result | (| Qualifiers | | Detection | Uncertainty |
|------------|--------|------------|------|--------|-----|------------|----|-----------|-------------|
| Parameter | Ullits | Date | ID | Result | Lab | Data | QA | Limit | Uncertainty |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | 2.62 | U | | # | 4.2 | 2.59 |

Location: 05-045-15741 WELL BM 26-34C

| Parameter | Units | Sam | ple | Result | (| Qualifiers | ; | Detection | Uncertainty |
|-----------|-------|------------|------|--------|-----|------------|----|-----------|-------------|
| Parameter | Units | Date | ID | Result | Lab | Data | QA | Limit | Uncertainty |
| Chloride | mg/L | 07/14/2014 | N001 | 8200 | | | # | 100 | |
| Tritium | pCi/L | 07/14/2014 | N001 | -115 | U | | # | 330 | 195 |

Location: 05-045-15742 WELL BM 26-33C

| Parameter | Units | Sam Date | ple ID | Result | Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|----------------|-------|--------------------------|-----------|--------|-----|--------------------|----|--------------------|-------------|
| Actinium-228 | pCi/L | 07/14/2014 | N001 | 19 | U | | # | 38 | 17.3 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | 18.3 | U | | # | 44 | 26.7 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | 5.18 | U | | # | 13 | 7.35 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | 3.42 | U | | # | 26 | 15.4 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | 3.82 | U | | # | 7.9 | 4.9 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | 3.01 | U | | # | 5.4 | 3.31 |
| Chloride | mg/L | 07/14/2014 | N001 | 8600 | | | # | 100 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | 1.46 | U | | # | 6.4 | 3.8 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | 18.9 | U | | # | 28 | 17.6 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | 0.521 | U | | # | 31 | 18.1 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | 2 | U | | # | 15 | 9.11 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | 36.2 | | J | # | 26 | 18.4 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 123 | | | # | 21 | 24.5 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | -2.87 | U | | # | 14 | 8.08 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 66.6 | U | | # | 150 | 89.7 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | 2.03 | U | | # | 5.6 | 3.4 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | -2.91 | U | | # | 6.8 | 3.91 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | -14.6 | U | | # | 53 | 30.8 |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | 4.3 | U | | # | 130 | 80.3 |
| Tritium | pCi/L | 07/14/2014 | N001 | 10.6 | U | | # | 300 | 177 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 1.08 | U | | # | 25 | 14.8 |

Location: 05-045-15742 WELL BM 26-33C

| Parameter | Unito | Sam | ple | Result | (| Qualifiers | | Detection | Uncertainty |
|------------|-------|------------|------|--------|-----|------------|----|-----------|---------------|
| Parameter | Units | Date | ID | Result | Lab | Data | QA | Limit | Officertainty |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | -1.12 | U | | # | 9.9 | 5.79 |

Location: 05-045-15743 WELL BM 26-33B

| Parameter | Units | Sam | ple | Result | (| Qualifiers | i | Detection | Uncertainty |
|-----------|--------|------------|------|--------|-----|------------|----|-----------|---------------|
| | Ullits | Date | ID | Result | Lab | Data | QA | Limit | Officertainty |
| Chloride | mg/L | 07/14/2014 | N001 | 9400 | | | # | 100 | |
| Tritium | pCi/L | 07/14/2014 | N001 | -44.7 | U | | # | 340 | 199 |

Location: 05-045-15744 WELL BM 26-34A

| Parameter | Units | Sam _l Date | ole ID | Result | Quali Lab Da | | Detection Limit | Uncertainty |
|----------------|-------|--------------------------|-----------|--------|-----------------|---|--------------------|-------------|
| Actinium-228 | pCi/L | 07/14/2014 | N001 | 19.3 | U | # | 20 | 13 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | 10.8 | U | # | 29 | 17.7 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | -0.734 | U | # | 16 | 9.47 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | 2.38 | U | # | 27 | 16 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | 0.924 | U | # | 9.2 | 5.51 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | 0.0375 | U | # | 6.6 | 3.88 |
| Chloride | mg/L | 07/14/2014 | N001 | 30000 | | # | 1000 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | -3.64 | U | # | 9.3 | 5.24 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | 20.1 | U | # | 39 | 24.1 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | 26.9 | U | # | 37 | 23.1 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | 6.62 | U | # | 15 | 9.01 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | -31 | U | # | 120 | 67.5 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 368 | | # | 110 | 93.2 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | -2.78 | U | # | 15 | 9.07 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 425 | J | # | 180 | 127 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | 1.46 | U | # | 29 | 17.4 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | -1.12 | U | # | 7 | 4.05 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | -43 | U | # | 66 | 37.5 |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | 31.2 | U | # | 140 | 84.5 |
| Tritium | pCi/L | 07/14/2014 | N001 | -22.2 | U | # | 300 | 180 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 18.6 | U | # | 25 | 15.6 |

Location: 05-045-15744 WELL BM 26-34A

| Parameter | Units Sa | | ple | Result | (| Qualifiers | | Detection | Uncertainty |
|-------------|----------|------------|------|--------|-----|------------|----|-----------|-------------|
| Farailletei | Ullits | Date | ID | Result | Lab | Data | QA | Limit | Uncertainty |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | 0.6 | U | | # | 8.6 | 5.02 |

Location: 05-045-15745 WELL BM 26-34B

| Actinium-228 | | Date | ID | | | | | Uncertainty |
|---------------|--------|------------|------|--------|---------|---|-------|-------------|
| | - C:/I | 07/44/0044 | | 4.40 | Lab Dat | | Limit | 40.0 |
| Actinium-220 | pCi/L | 07/14/2014 | N001 | 4.12 | U | # | 33 | 19.6 |
| Actinium-228 | pCi/L | 07/14/2014 | N002 | 15.6 | U | # | 37 | 17.1 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | 3.2 | U | # | 31 | 18.4 |
| Americium-241 | pCi/L | 07/14/2014 | N002 | 17.5 | U | # | 52 | 31.2 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | 0.0052 | U | # | 12 | 6.81 |
| Antimony-125 | pCi/L | 07/14/2014 | N002 | 11.2 | U | # | 13 | 7.63 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | -1.66 | U | # | 24 | 14.4 |
| Cerium-144 | pCi/L | 07/14/2014 | N002 | 0.407 | U | # | 26 | 15.3 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | -1.23 | U | # | 5.5 | 3.22 |
| Cesium-134 | pCi/L | 07/14/2014 | N002 | -2.04 | U | # | 5.9 | 3.41 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | 0.921 | U | # | 4.7 | 2.81 |
| Cesium-137 | pCi/L | 07/14/2014 | N002 | 2.88 | U | # | 5.3 | 3.26 |
| Chloride | mg/L | 07/14/2014 | N001 | 8200 | | # | 100 | |
| Chloride | mg/L | 07/14/2014 | N002 | 8500 | | # | 100 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | -0.16 | U | # | 5.7 | 3.25 |
| Cobalt-60 | pCi/L | 07/14/2014 | N002 | 1.28 | U | # | 5.8 | 3.41 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | -0.132 | U | # | 28 | 15.9 |
| Europium-152 | pCi/L | 07/14/2014 | N002 | -5.64 | U | # | 30 | 17 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | 10.8 | U | # | 28 | 16.8 |
| Europium-154 | pCi/L | 07/14/2014 | N002 | -3.92 | U | # | 32 | 18.5 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | 8.18 | U | # | 12 | 7.28 |

Location: 05-045-15745 WELL BM 26-34B

| Parameter | Units | Sam _l Date | ple ID | Result | C Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|----------------|-------|--------------------------|-----------|---------|----------|--------------------|----|--------------------|-------------|
| Europium-155 | pCi/L | 07/14/2014 | N002 | -0.766 | U | | # | 15 | 9.08 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | 25.9 | U | | # | 26 | 17.4 |
| Gross Alpha | pCi/L | 07/14/2014 | N002 | 3.5 | U | | # | 30 | 17.8 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 64.7 | | J | # | 22 | 17.9 |
| Gross Beta | pCi/L | 07/14/2014 | N002 | 66.3 | | | # | 21 | 17.2 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | -0.289 | U | | # | 14 | 8.41 |
| Lead-212 | pCi/L | 07/14/2014 | N002 | -0.0942 | U | | # | 14 | 8.06 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 80.1 | U | | # | 120 | 77 |
| Potassium-40 | pCi/L | 07/14/2014 | N002 | 84.7 | U | | # | 160 | 101 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | 2.07 | U | | # | 5.5 | 3.31 |
| Promethium-144 | pCi/L | 07/14/2014 | N002 | 4.36 | U | | # | 5.8 | 3.64 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | -0.21 | U | | # | 5.6 | 3.3 |
| Promethium-146 | pCi/L | 07/14/2014 | N002 | -0.695 | U | | # | 6.2 | 3.61 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | 3.82 | U | | # | 45 | 26.8 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N002 | -13.2 | U | | # | 54 | 31.2 |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | 13.6 | U | | # | 140 | 81.4 |
| Thorium-234 | pCi/L | 07/14/2014 | N002 | 5.1 | U | | # | 180 | 106 |
| Tritium | pCi/L | 07/14/2014 | N001 | -84.3 | U | | # | 330 | 194 |
| Tritium | pCi/L | 07/14/2014 | N002 | -23.8 | U | | # | 340 | 201 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 22.1 | | U | # | 22 | 13.6 |
| Uranium-235 | pCi/L | 07/14/2014 | N002 | -7.74 | U | | # | 44 | 26.5 |

Location: 05-045-15745 WELL BM 26-34B

| Parameter | Units Sample | | ple | Result | (| Qualifiers | | Detection | Uncertainty |
|------------|--------------|------------|------|--------|-----|------------|----|-----------|-------------|
| | Office | Date | ID | Result | Lab | Data | QA | Limit | Uncertainty |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | 4.14 | U | | # | 6.3 | 3.92 |
| Yttrium-88 | pCi/L | 07/14/2014 | N002 | -0.115 | U | | # | 6.8 | 3.92 |

Location: 05-045-15748 WELL BM 26-34D

| Parameter | Units | Sam _l Date | ole ID | Result | | lifiers ata QA | Detection Limit | Uncertainty |
|----------------|-------|--------------------------|-----------|--------|---|-------------------|--------------------|-------------|
| Actinium-228 | pCi/L | 07/14/2014 | N001 | 19.3 | U | # | 19 | 9.33 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | 0.94 | U | # | 5 | 2.97 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | 3.62 | U | # | 11 | 5.62 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | 3.06 | U | # | 23 | 13.9 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | -1.17 | U | # | 4.6 | 2.67 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | -1.42 | U | # | 4.5 | 2.57 |
| Chloride | mg/L | 07/14/2014 | N001 | 12000 | | # | 200 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | -0.128 | U | # | 5 | 2.86 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | -1.9 | U | # | 25 | 14.2 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | -0.832 | U | # | 25 | 14.7 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | 1.08 | U | # | 6.8 | 4.05 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | 18.6 | U | # | 44 | 27 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 134 | | # | 44 | 35.6 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | 3.42 | U | # | 11 | 6.45 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 53.3 | U | # | 110 | 67.1 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | -1.1 | U | # | 4.8 | 2.77 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | 0.602 | U | # | 4.8 | 2.86 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | 5.83 | U | # | 38 | 22.8 |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | 20.6 | U | # | 70 | 42.6 |
| Tritium | pCi/L | 07/14/2014 | N001 | 27.6 | U | # | 310 | 187 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 7.57 | U | # | 16 | 8.73 |

Location: 05-045-15748 WELL BM 26-34D

| Parameter | Units 5 | | ple | Result | (| Qualifiers | | Detection | Uncertainty |
|-------------|---------|------------|------|--------|-----|------------|----|-----------|-------------|
| Farailletei | Ullits | Date | ID | Result | Lab | Data | QA | Limit | Uncertainty |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | 1.73 | U | | # | 9.7 | 5.81 |

REPORT DATE: 10/06/2014

Location: 05-045-16074 WELL BM 26-22D

| Parameter | Units | Samր Date | ole ID | Result | (Lab | Qualifiers Data | QA | Detection Limit | Uncertainty |
|----------------|-------|--------------|-----------|--------|----------|--------------------|----|--------------------|-------------|
| Actinium-228 | pCi/L | 07/14/2014 | N001 | 26.5 | | U | # | 20 | 11.9 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | -17.3 | U | | # | 45 | 26.4 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | -2.29 | U | | # | 13 | 7.35 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | 13.2 | U | | # | 25 | 15.4 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | -3.74 | U | | # | 5.8 | 3.37 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | -0.319 | U | | # | 5.3 | 3.1 |
| Chloride | mg/L | 07/14/2014 | N001 | 11000 | | | # | 200 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | -1.27 | U | | # | 6.3 | 3.62 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | 10.6 | U | | # | 31 | 18.7 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | 9.92 | U | | # | 30 | 18.2 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | 1.54 | U | | # | 15 | 8.77 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | 29.4 | U | | # | 38 | 24.4 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 195 | | | # | 41 | 42 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | -0.441 | U | | # | 15 | 8.88 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 89.3 | U | | # | 160 | 97 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | 1.44 | U | | # | 5.8 | 3.49 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | -1.99 | U | | # | 6.4 | 3.75 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | -6.6 | U | | # | 52 | 30.6 |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | -5.5 | U | | # | 140 | 87 |
| Tritium | pCi/L | 07/14/2014 | N001 | 7.49 | U | | # | 300 | 177 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 18.8 | U | | # | 23 | 11.8 |

REPORT DATE: 10/06/2014

Location: 05-045-16074 WELL BM 26-22D

| Parameter | Unito | Samp | ole | Result | (| Qualifiers | | Detection | Uncertainty |
|------------|-------|------------|------|--------|-----|------------|----|-----------|-------------|
| Farameter | Units | Date | ID | Result | Lab | Data | QA | Limit | Uncertainty |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | -0.275 | U | | # | 10 | 6.21 |

REPORT DATE: 10/06/2014

Location: 05-045-16087 WELL BM 26-22C

| Parameter | Units | Samր Date | ole ID | Result | Qı Lab | ualifiers Data | QA | Detection Limit | Uncertainty |
|----------------|-------|--------------|-----------|--------|-----------|-------------------|----|--------------------|-------------|
| Actinium-228 | pCi/L | 07/14/2014 | N001 | 35.1 | | J | # | 32 | 16.1 |
| Americium-241 | pCi/L | 07/14/2014 | N001 | -17 | U | | # | 78 | 46.3 |
| Antimony-125 | pCi/L | 07/14/2014 | N001 | 3.96 | U | | # | 19 | 11.5 |
| Cerium-144 | pCi/L | 07/14/2014 | N001 | -11.1 | U | | # | 39 | 23 |
| Cesium-134 | pCi/L | 07/14/2014 | N001 | -6.96 | U | | # | 8.8 | 5.01 |
| Cesium-137 | pCi/L | 07/14/2014 | N001 | -3.5 | U | | # | 8.5 | 4.86 |
| Chloride | mg/L | 07/14/2014 | N001 | 11000 | | | # | 200 | |
| Cobalt-60 | pCi/L | 07/14/2014 | N001 | -3.88 | U | | # | 8.9 | 4.92 |
| Europium-152 | pCi/L | 07/14/2014 | N001 | -10.2 | U | | # | 45 | 25.5 |
| Europium-154 | pCi/L | 07/14/2014 | N001 | -2.81 | U | | # | 46 | 26.6 |
| Europium-155 | pCi/L | 07/14/2014 | N001 | 3.4 | U | | # | 22 | 13.3 |
| Gross Alpha | pCi/L | 07/14/2014 | N001 | 19.4 | U | | # | 43 | 26.3 |
| Gross Beta | pCi/L | 07/14/2014 | N001 | 170 | | | # | 42 | 38.9 |
| Lead-212 | pCi/L | 07/14/2014 | N001 | 7.88 | U | | # | 24 | 14.4 |
| Potassium-40 | pCi/L | 07/14/2014 | N001 | 35 | U | | # | 280 | 167 |
| Promethium-144 | pCi/L | 07/14/2014 | N001 | 5.39 | U | | # | 9.2 | 5.66 |
| Promethium-146 | pCi/L | 07/14/2014 | N001 | -1.96 | U | | # | 9.1 | 5.31 |
| Ruthenium-106 | pCi/L | 07/14/2014 | N001 | -13.8 | U | | # | 81 | 47 |

REPORT DATE: 10/06/2014

Location: 05-045-16087 WELL BM 26-22C

| Parameter | Units | Sample | | Result | Qualifiers | | | Detection | Uncertainty |
|-------------|---------------------------------------|------------|------|--------|------------|------|----|-----------|--------------|
| . a. amotor | • • • • • • • • • • • • • • • • • • • | Date | ID | | Lab | Data | QA | Limit | oncontaining |
| Thorium-234 | pCi/L | 07/14/2014 | N001 | 68.3 | U | | # | 300 | 183 |
| Tritium | pCi/L | 07/14/2014 | N001 | 45.2 | U | | # | 330 | 197 |
| Uranium-235 | pCi/L | 07/14/2014 | N001 | 0.39 | U | | # | 74 | 44.3 |
| Yttrium-88 | pCi/L | 07/14/2014 | N001 | 6.71 | U | | # | 8.1 | 5.15 |

SAMPLE ID CODES: 000X = Filtered sample (0.45 μm). N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- Replicate analysis not within control limits.
- Result above upper detection limit. >
- Α TIC is a suspected aldol-condensation product.
- Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- Pesticide result confirmed by GC-MS. С
- Analyte determined in diluted sample. D
- Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- Holding time expired, value suspect.
- Increased detection limit due to required dilution.
- Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
- > 25% difference in detected pesticide or Aroclor concentrations between 2 columns.
- Analytical result below detection limit. IJ
- W Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
- Laboratory defined qualifier, see case narrative. X,Y,Z

DATA QUALIFIERS:

- F Low flow sampling method used.
- Less than 3 bore volumes purged prior to sampling. L
- U Parameter analyzed for but was not detected.
- G Possible grout contamination, pH > 9.
- J Estimated value. Q Qualitative result due to sampling technique. R Unusable result.
- X Location is undefined.

QA QUALIFIER:

#Validated according to quality assurance guidelines.

This page intentionally left blank

Attachment 2 Trip Report This page intentionally left blank

Trip Report Natural Gas Wells near Project Rulison Third Quarter 2014

U.S. Department of Energy Office of Legacy Management Grand Junction, Colorado

Date Sampled

July 1, 2014

Background

Project Rulison was the second Plowshare Program test to investigate using a nuclear detonation to stimulate natural gas recovery from deep, low-permeability formations. On September 10, 1969, a 40-kiloton-yield nuclear device was detonated 8,426 feet (1.6 miles) below ground surface in the Williams Fork Formation, at what is now the Rulison, Colorado, Site. A series of production tests followed the detonation, and the site was subsequently shut down, the emplacement well (R-E) and reentry well (R-Ex) were plugged, and the surface soils were remediated.

Purpose


As part of the U.S. Department of Energy (DOE) Office of Legacy Management (LM) mission to protect human health and the environment, LM is monitoring natural gas wells near the Rulison site for radionuclides associated with the detonation. The very low permeability of the Williams Fork Formation limits contaminant migration in the subsurface and institutional controls limit subsurface access near the detonation zone. The Colorado Oil and Gas Conservation Commission notifies DOE of any drilling permit activity within 3 miles of the site. The State and DOE review drilling permits and gas well development practices within this boundary to ensure that drilling activities maintain a safe distance from the detonation zone. The DOE *Rulison Monitoring Plan* (LMS/RUL/S06178) provides guidance for sample collection frequency based on distance from the Rulison detonation point, the types of analyses, and the reporting thresholds. The purpose of this trip was to collect natural gas and production water from producing natural gas wells in the Battlement Mesa (BM) field. The sampled wells collect natural gas from the formation horizon where the Project Rulison detonation occurred. The well locations are within 1.5 miles of the detonation location (surface ground zero on Figure 1).

Summary of Results

The following wells were sampled: seven producing gas wells on Pad 26N, three gas wells on Pad 26K, one well on Pad 35C, one well on Pad 36L, and one well on Pad 36B.

For the 10 wells sampled on Pads 26N and 26K, the bottom-hole locations are between 0.76 mile and 1.1 miles from the Project Rulison vertical emplacement well 25-95 (R-E). Wells on

Pads 35C and 36L are approximately 0.95 mile from the detonation point. The well on Pad 36B is approximately 0.55 mile southeast of well 25-95 (R-E). Surface projections of the bottom-hole well locations and Project Rulison surface ground zero, at well 25-95 (R-E) (i.e., the detonation point), are shown in Figure 1.



Notes

All wells sampled have been previously sampled by DOE.

The first two numerals in the well name designate the section number of the bottom-well location in the BM field. The Project Rulison emplacement well, 25-95 (R-E) (i.e., ground zero), is located in Lot 11, Section 25.

Figure 1. Wells Sampled and Well 25-95 (R-E)

Table 1 lists the wells by sample-collection sequence. Before sample collection occurs at each well, each well's pressure and temperature (see Table 1) were read and recorded from surface transducers in the wells. Latitude and longitude values (not shown in Table 1) were compiled from survey plats included with the applications for permits to drill and from Colorado Oil and Gas Conservation Commission scout cards.

All planned wellheads were available for sampling, and wellhead pressures and temperatures were within the normal range. A total of seven 1-gallon production-water samples were collected

for total analysis. At two locations, 26-33C and 26-22D, approximately 0.5–0.75 gallon of production water was collected. At four locations—26-33B, 26-33D, 26-34C, and 26-22B—no production water was collected. A duplicate sample was collected from 26-34B and is noted in Table 1. All other well functions were performing normally, so no impact to the analytical data is expected.

Table 1. Samples Collected

| Sample | | Well | Location | | | Sample | Phase | Well | |
|---------------------|-----|-----------|------------------|------|---------|--------|------------------|-----------|------------|
| Collection Sequence | Pad | Name | API # 05-045- | Туре | Subtype | Gas | Liquid | T (°F) | P (psi) |
| 1 | 26N | BM 26-33B | 15739 | WL | NGSA | Yes | No | 68.8 | 262 |
| 2 | 26N | BM 26-33C | 15742 | WL | NGSA | Yes | Yes ^a | 68.1 | 286 |
| 3 | 26N | BM 26-33D | 15743 | WL | NGSA | Yes | No | 69.1 | 288 |
| 4 | 26N | BM 26-34A | 15744 | WL | NGSA | Yes | Yes | 62.9 | 280 |
| 5 | 26N | BM 26-34B | 15745 | WL | NGSA | Yes | Yes | 62.3 | 284 |
| Duplicate | 26N | BM 26-34B | 15741 | WL | NGSA | No | Yes | 62.3 | 284 |
| 6 | 26N | BM 26-34C | 15741 | WL | NGSA | Yes | No | 61.9 | 281 |
| 7 | 26N | BM 26-34D | 15748 | WL | NGSA | Yes | Yes | 63.9 | 267 |
| 8 | 26K | BM 26-22B | 16086 | WL | NGSA | Yes | No | 69.3 | 257 |
| 9 | 26K | BM 26-22C | 16087 | WL | NGSA | Yes | Yes | 68.1 | 260 |
| 10 | 26K | BM 26-22D | 16074 | WL | NGSA | Yes | Yes ¹ | 68.8 | 260 |
| 11 | 35C | BM 35-32A | 10919 | WL | NGSV | Yes | Yes | 74.6 | 268 |
| 12 | 36L | BM 36-13B | 15469 | WL | NGSV | Yes | Yes | 78 | 282 |
| 13 | 36B | BM 36-13 | 10840 | WL | NGSV | Yes | Yes | 80 | 279 |

^a BM 26-33C included approximately 0.75 gallon of produced water, and BM-22D included approximately 0.5 gallon of produced water, which should be enough sample volume for total analysis from both wells.

Abbreviations:

API American Petroleum Institute

NGSA natural gas well-angle

NGSV natural gas well–vertical P (psi) pressure in pounds per squar

P (psi) pressure in pounds per square inch T (°F) temperature in degrees Fahrenheit

WL well

The produced-water samples were collected from a tap on a common line connecting the output of two separators (each servicing a well) and the nearby accumulation tanks. The collected water sample from one separator was isolated from the other separator by valves. Lines from each of the two separators were purged before sample collection.

Water condensation is variable and often not desired for the planned analytes. Collected sample volumes (Table 2) varied due to the water vapor concentration in the gas, temperature, age of the well, the cycle times of the well plunger, and transfer to the accumulation tank. Analysis priorities are tritium, gross alpha/beta, technetium-99, and high-resolution gamma spectrometry.

If condensate was collected with a sample, which happens for most samples, the condensate naturally separated from water after a short time in the sample bottle. The condensate was decanted in the field and returned to the operator. Table 2 lists the estimated sample volumes (including the condensate).

Table 2. Collected Water Sample Volumes (Before Decanting)

| Sample Ticket | Well Name | Planned Analytes | Sample Volume (L) | |
|------------------|--------------|---|----------------------|--|
| 1 | BM 26-33B | NA | No Sample | |
| 2 | BM 26-33C | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 2.0 L | |
| 3 | BM 26-33D | NA | No Sample | |
| 4 | BM 26-34A | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 2.5 L | |
| 5 | BM 26-34B | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 2.5 L | |
| Duplicate | BM 26-34B | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 2.5 L | |
| 6 | BM 26-34C | NA | No Sample | |
| 7 | BM 26-34D | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 2.5 L | |
| 8 | BM 26-22B | NA | No Sample | |
| 9 | BM 26-22C | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 2.5 L | |
| 10 | BM 26-22D | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 1.75 L | |
| 11 | BM 35-32A | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 2.5 L | |
| 12 | BM 36-13B | ³ H, Gross α/β, Gamma spec, CΓ, ⁹⁹ Tc | ≈ 2.5 L | |
| 13 | BM 36-13 | ³ H, Gross α/β, Gamma spec, Cl ⁻ , ⁹⁹ Tc | ≈ 2.5 L | |

Notes:

Water sample information is listed in the order of collection.

Wells BM 26-33B, BM 26-33D, BM 26-34C, and BM 26-22B did not produce water for laboratory analyses.

Abbreviations:

Cl⁻ chloride

Gamma spec high-resolution gamma spectrometry analysis

Gross α/β gross alpha and beta analyses

³H tritium L liter

NA not applicable ⁹⁹Tc technetium-99

Equipment

Each produced-water sample was collected in a new, 1-gallon plastic bottle. After decanting, each water sample was poured into white, high-density polyethylene bottles of appropriate volumes for analysis.