

Data Validation Package

**September 2013
Groundwater and Surface Water
Sampling at the
Slick Rock East and West, Colorado,
Processing Sites**

November 2013



**U.S. DEPARTMENT OF
ENERGY**

Legacy
Management

This page intentionally left blank

Contents

Sampling Event Summary	1
Slick Rock East and West, Colorado, Processing Sites, Sample Location Map	5
Data Assessment Summary.....	7
Water Sampling Field Activities Verification Checklist	9
Laboratory Performance Assessment	11
Sampling Quality Control Assessment	21
Certification	24

Attachment 1—Assessment of Anomalous Data

Potential Outliers Report

Attachment 2—Data Presentation

Groundwater Quality Data
Surface Water Quality Data
Equipment Blank and Trip Blank Data
Static Water Level Data
Hydrographs
Groundwater Time-Concentration Graphs
Surface Water Time-Concentration Graphs

Attachment 3—Sampling and Analysis Work Order

Attachment 4—Trip Report

This page intentionally left blank

Sampling Event Summary

Site: Slick Rock, Colorado, Processing Sites

Sampling Period: September 11–12, 2013

The Slick Rock, Colorado, Processing Sites are referred to as the Slick Rock West Processing Site (SRK05) and the Slick Rock East Processing Site (SRK06). This annual event involved sampling both sites for a total of 16 monitoring wells and 7 surface water locations as required by the 2006 *Draft Final Ground Water Compliance Action Plan for the Slick Rock, Colorado, Processing Sites* (GCAP). Water levels were measured at all sampled wells.

The proposed compliance strategy for the Slick Rock sites is natural flushing in conjunction with institutional controls and compliance monitoring. Contaminant concentrations at the Slick Rock sites are compared to their respective maximum concentration limit (MCL) to assess compliance with Title 40, *Code of Federal Regulations*, Part 192 (40 CFR 192), with the exception of manganese and selenium. Manganese concentrations are compared to the maximum background concentration of 4.2 milligrams per liter (mg/L) to assess compliance because manganese does not have an MCL. A human-health risk-based alternate concentration limit of 0.18 mg/L has been proposed to assess compliance for selenium because groundwater modeling predicts that selenium concentrations at the Slick Rock West Processing Site will not be reduced to below the MCL within 100 years.

The constituents of potential concern (COPCs) defined in the GCAP for the West Processing Site are manganese, molybdenum, nitrate, selenium, and uranium. Additional COPCs (radium-226, radium-228, benzene, toluene, ethylbenzene, and xylenes) are isolated to one well (0319). As shown in Table 1, results from this sampling event demonstrate elevated concentrations for most contaminants at West Processing Site locations.

Selenium and uranium are the COPCs at the East Processing Site. Uranium concentrations exceed the MCL at most East Processing Site groundwater locations. The selenium contamination is isolated to onsite well 0305. Wells with analyte concentrations that exceeded applicable groundwater standards are listed in Table 1.

Table 2 lists the drinking water maximum contaminant levels and results for benzene, toluene, ethyl benzene, and xylenes (total) in well 0319. The radium-226 plus radium-228 concentration has decreased in this well since 2006, and remains below the maximum contaminant level of 5 picocuries per liter.

Table 1. Slick Rock Wells with Samples that Exceeded Standards in September 2013

Analyte	Standard (mg/L)	Site	Location	Concentration (mg/L)
Manganese ^a	4.2	West	0340	5.2
Molybdenum	0.1	West	0317	0.16
			0318A	0.69
			0339	0.95
			0340	1.5
			0508	0.81
			0510	0.79
Nitrate + Nitrite as Nitrogen	10	West	0318A	24
			0339	36
			0340	310
			0508	130
			0510	200
Selenium ^b	0.18	West	0318A	2.2
			0339	1.8
			0340	1.9
			0508	0.69
			0510	0.74
	0.01	East	0305	0.020
Uranium	0.044	West	0508	0.058
			0510	0.074
		East	0303	1.3
			0305	0.71
			0307	0.42
			0311	0.056

Standards are listed in 40 CFR 192.02 Table 1 to Subpart A; concentrations are in milligrams per liter (mg/L).

^a Manganese standard is the maximum background concentration observed in well SRK06 0300.

^b Selenium standard for the West Processing Site is the proposed Alternate Concentration Limit.

Table 2. BTEX ^a Maximum Contaminant Levels and Results for Well 0319 in September 2013

Analyte	Maximum Contaminant Level (mg/L)	Concentration in Well 0319 (mg/L)
Benzene	0.005	2.0
Ethyl benzene	0.7	0.33
Toluene	1	0.79
Xylenes, Total	10	5.3

Maximum Contaminant Levels are listed in the 2009 *National Primary Drinking Water Regulations* (EPA 816-F-09-0004, May 2009); concentrations are in milligrams per liter (mg/L).

^a BTEX = Benzene, toluene, ethyl benzene, and xylenes (total).

Surface water results from Dolores River locations downstream of and adjacent to the processing sites were compared to statistical benchmark values derived using historical data (from 1997 to present) at background river locations. The background locations are 0693, which is located upstream of the West Processing Site, but downstream of the East Processing Site, and 0696, which is located upstream of the East Processing Site.

Surface water location 0692 at the East Processing Site is monitored for uranium because it is the predicted location where the centroid of the uranium plume will intersect the river. The uranium concentrations at this location and at 0700, which is farther downstream, remain well below the benchmark concentration for background location 0696, as shown in Table 3.

*Table 3. Comparison of Slick Rock East Processing Site September 2013
Surface Water Concentrations to Historical Upgradient Benchmarks*

Analyte	Benchmark Value for 0696 (mg/L)	0692 Concentration (mg/L)	0700 Concentration (mg/L)
Uranium	0.003	0.002	0.002

West Processing Site surface water locations in the Dolores River are monitored to verify that the compliance strategy is protective of the environment. The potential for environmental exposure to site contaminants exists in the Dolores River because it receives groundwater discharge from the contaminated alluvial aquifer. As shown in Table 4, benchmark values were not exceeded during this event. Location 0349 is the predicted location where the centroid of the contaminant plumes will intersect the river.

*Table 4. Comparison of Slick Rock West Processing Site September 2013
Surface Water Concentrations to Historical Upgradient Benchmarks*

Analyte	Benchmark Value for 0693 (mg/L)	0347 Concentration (mg/L)	0349 Concentration (mg/L)	0694 Concentration (mg/L)
Manganese	0.016	0.0035	0.0025	0.0024
Molybdenum	0.0085	0.0083	0.0084	0.0084
Nitrate + Nitrite as N	0.43	0.37	0.35	0.34
Selenium	0.0047	0.0033	0.0033	0.0026
Uranium	0.0033	0.0024	0.0025	0.0024




 David Traub
 Site Lead, S.M. Stoller Corporation


12-5-13

 Date

This page intentionally left blank



- LEGEND**
- WELL TO BE SAMPLED
 - SURFACE LOCATION TO BE SAMPLED
 - - - SITE BOUNDARY



U.S. DEPARTMENT OF ENERGY GRAND JUNCTION, COLORADO	Work Performed by S.M. Stoller Corporation Under DOE Contract No. DE-AM01-07LM00060
Planned Sampling Map Slick Rock East and West, CO, Processing Sites September 2013	
DATE PREPARED: August 8, 2013	FILENAME: S1053100

M:\LTS\11110001\16\000\IS1053100_11x17.mxd smithw 08/08/2013 11:46:22 AM

Slick Rock East and West, Colorado, Processing Sites, Sample Location Map

This page intentionally left blank

Data Assessment Summary

This page intentionally left blank

Water Sampling Field Activities Verification Checklist

Project	<u>Slick Rock, Colorado</u>	Date(s) of Water Sampling	<u>September 11–12, 2013</u>
Date(s) of Verification	<u>November 6, 2013</u>	Name of Verifier	<u>Stephen Donovan</u>

	Response (Yes, No, NA)	Comments
1. Is the SAP the primary document directing field procedures? List any Program Directives or other documents, SOPs, instructions.	<u>Yes</u>	<u>Work Order letter dated August 12, 2013.</u>
2. Were the sampling locations specified in the planning documents sampled?	<u>No</u>	<u>Location 0312 was dry.</u>
3. Were calibrations conducted as specified in the above-named documents?	<u>Yes</u>	<u>Calibrations were performed on September 9, 2013.</u>
4. Was an operational check of the field equipment conducted daily? Did the operational checks meet criteria?	<u>Yes</u> <u>Yes</u>	
5. Were the number and types (alkalinity, temperature, specific conductance, pH, turbidity, DO, ORP) of field measurements taken as specified?	<u>Yes</u>	
6. Were wells categorized correctly?	<u>Yes</u>	
7. Were the following conditions met when purging a Category I well: Was one pump/tubing volume purged prior to sampling? Did the water level stabilize prior to sampling? Did pH, specific conductance, and turbidity measurements meet criteria prior to sampling? Was the flow rate less than 500 mL/min?	<u>Yes</u> <u>Yes</u> <u>Yes</u> <u>Yes</u>	

Water Sampling Field Activities Verification Checklist (continued)

	Response (Yes, No, NA)	Comments
8. Were the following conditions met when purging a Category II well: Was the flow rate less than 500 mL/min? Was one pump/tubing volume removed prior to sampling?	NA	All wells were Category I.
9. Were duplicates taken at a frequency of one per 20 samples?	Yes	Duplicate samples were collected from locations 0319, 0340, and 0510.
10. Were equipment blanks taken at a frequency of one per 20 samples that were collected with non-dedicated equipment?	Yes	One equipment blank was collected.
11. Were trip blanks prepared and included with each shipment of VOC samples?	Yes	One trip blank was collected.
12. Were the true identities of the QC samples documented?	Yes	
13. Were samples collected in the containers specified?	Yes	
14. Were samples filtered and preserved as specified?	Yes	
15. Were the number and types of samples collected as specified?	Yes	
16. Were chain of custody records completed and was sample custody maintained?	Yes	
17. Was all pertinent information documented on the field data sheets?	Yes	
18. Was the presence or absence of ice in the cooler documented at every sample location?	Yes	Sample chilling was confirmed when required.
19. Were water levels measured at the locations specified in the planning documents?	Yes	

Laboratory Performance Assessment

General Information

Report Number (RIN): 13095593
 Sample Event: September 11-12, 2013
 Site(s): Slick Rock, Colorado; Processing Sites
 Laboratory: ALS Laboratory Group, Fort Collins, Colorado
 Work Order No.: 1309229
 Analysis: Metals, Organics, Wet Chemistry, and Radiochemistry
 Validator: Stephen Donivan
 Review Date: November 6, 2013

This validation was performed according to the *Environmental Procedures Catalog* (LMS/POL/S04325, continually updated), “Standard Practice for Validation of Environmental Data.” The procedure was applied at Level 3, Data Validation. All analyses were successfully completed. The samples were prepared and analyzed using accepted procedures based on methods specified by line item code, which are listed in Table 5.

Table 5. Analytes and Methods

Analyte	Line Item Code	Prep Method	Analytical Method
Manganese	LMM-01	SW-846 3005A	SW-846 6010B
Molybdenum, Selenium, Uranium	LMM-02	SW-846 3005A	SW-846 6020A
Nitrite + Nitrate as N	WCH-A-022	MCAWW 353.2	MCAWW 353.2
Radium-226	ASP-A-016	SOP 783	SOP 783, EPA 903.1m
Radium-228	GPC-A-020	SOP 749	SOP 724
Volatile Organics	VOA-A-009	SW-846 5030C	SW-846 8260

Data Qualifier Summary

Analytical results were qualified as listed in Table 6. Refer to the sections below for an explanation of the data qualifiers applied.

Table 6. Data Qualifier Summary

Sample Number	Location	Analyte	Flag	Reason
1309229-8	0349	Manganese	J	Less than 5 times the equipment blank
1309229-12	0694	Manganese	J	Less than 5 times the equipment blank

Sample Shipping/Receiving

ALS Laboratory Group in Fort Collins, Colorado, received 28 water samples on September 17, 2013, accompanied by a Chain of Custody (COC) form. Copies of the two air bills were included in the receiving documentation. The COC form was checked to confirm that

all of the samples were listed with sample collection dates and times, and that signatures and dates were present indicating sample relinquishment and receipt. The COC form was complete with no errors or omissions with the following exception. The sample received from location SRK05-0693 was not listed on the COC form.

Preservation and Holding Times

The sample shipment was received intact with the temperature inside the iced cooler at 3 °C, which complies with requirements. All samples were received in the correct container types and had been preserved correctly. All samples were analyzed within the applicable holding times.

Detection and Quantitation Limits

The method detection limit (MDL) was reported for all metal, organic, and wet chemical analytes as required. The MDL, as defined in 40 CFR 136, is the minimum concentration of an analyte that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero. The practical quantitation limit (PQL) for these analytes is the lowest concentration that can be reliably measured, and is defined as 5 times the MDL.

For radiochemical analytes (those measured by radiometric counting) the MDL and PQL are not applicable, and these results are evaluated using the minimum detectable concentration (MDC), Decision Level Concentration (DLC), and Determination Limit (DL). The MDC is a measure of radiochemical method performance and was calculated and reported as specified in *Quality Systems for Analytical Services*. The DLC is the minimum concentration of an analyte that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero, and is estimated as 3 times the one-sigma total propagated uncertainty. Results that are greater than the MDC, but less than the DLC are qualified with a “U” flag (not detected). The DL for radiochemical results is the lowest concentration that can be reliably measured, and is defined as 3 times the MDC. Results not previously “U” qualified that are less than the DL are qualified with a “J” flag as estimated values.

The reported MDLs for all metal, organic, and wet chemical analytes; and MDCs for radiochemical analytes demonstrate compliance with contractual requirements.

Laboratory Instrument Calibration

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing acceptable qualitative and quantitative data for all analytes. Initial calibration demonstrates that the instrument is capable of acceptable performance in the beginning of the analytical run and of producing a linear curve. Compliance requirements for continuing calibration checks are established to ensure that the instrument continues to be capable of producing acceptable qualitative and quantitative data. All laboratory instrument calibrations were performed correctly in accordance with the cited methods. All calibration and laboratory spike standards were prepared from independent sources.

Method MCAWW 353.2, Nitrate+Nitrite as N

Calibrations for nitrate + nitrite as N were performed using seven calibration standards on September 23, 2013. The calibration curve correlation coefficient values were greater than 0.995

and the absolute values of the intercepts were less than 3 times the MDL. Initial and continuing calibration verification checks were made at the required frequency with all calibration check results within the acceptance range.

Method SW-846 6010B, Manganese

Calibration for manganese was performed on September 27, 2013, using four calibration standards. The calibration curve correlation coefficient value was greater than 0.995 and the absolute value of the intercept was only slightly greater than 3 times the MDL. Initial and continuing calibration verification checks were made at the required frequency with all calibration checks meeting the acceptance criteria. Reporting limit verification checks were made at the required frequency to verify the linearity of the calibration curve near the PQL and all results were within the acceptance range.

Method SW-846 6020, Molybdenum, Selenium, Uranium

Calibrations were performed on September 27, 2013, using four calibration standards. The calibration curve correlation coefficient values were greater than 0.995 and the absolute values of the intercepts were less than 3 times the MDL. Initial and continuing calibration verification checks were made at the required frequency with all calibration checks meeting the acceptance criteria. Reporting limit verification checks were made at the required frequency to verify the linearity of the calibration curve near the PQL and all results were within the acceptance range. Mass calibration and resolution verifications were performed at the beginning of each analytical run in accordance with the analytical procedure. Internal standard recoveries associated with requested analytes were stable and within acceptable ranges.

Method SW-846 8260, Volatiles

The initial calibrations for benzene, ethylbenzene, toluene, and xylenes were performed using nine calibration standards on August 23, 2013. Calibration curves are established using linear regression, quadratic regression, or the average response factor approach. Calibrations using average response factors had relative standard deviations of less than 15 percent. Initial and continuing calibration verification checks were made at the required frequency. The verification checks met all acceptance criteria. The mass spectrometer calibration and resolution were checked at the beginning of each analytical run in accordance with the procedure.

Radiochemical Analysis

Radium-226

Emanation cell plateau voltage determinations and cell efficiency calibrations were performed March 2012. Daily instrument checks performed on September 28, 2012, met the acceptance criteria. All sample chemical recoveries were within the acceptance range of 40 to 110 percent.

Radium-228

Plateau voltage determinations were performed in October 2012 and detector efficiency calibrations were performed in May 2013. Background determinations were performed on September 26, 2013. The daily instrument checks performed on September 27, 2013, met the acceptance criteria. All sample chemical recoveries were within the acceptance range of 40 to 110 percent.

Method and Calibration Blanks

Method blanks are analyzed to assess any contamination that may have occurred during sample preparation. Calibration blanks are analyzed to assess instrument contamination prior to and during sample analysis.

Metals and Wet Chemistry

All method blank and calibration blank results associated with the samples were below the PQLs for all analytes. In cases where a blank concentration exceeds the MDL, the associated sample results are qualified with a “U” flag (not detected) when the sample result is greater than the MDL but less than 5 times the blank concentration. For manganese, some blank results were negative and the absolute values were greater than the MDL but less than the PQL. All associated manganese results were greater than 5 times the MDL, not requiring qualification.

Volatile Organics

The method blank results were below the MDLs for all target compounds.

Radiochemistry

The radiochemical method blank results were below the DLC.

Inductively Coupled Plasma (ICP) Interference Check Sample (ICS) Analysis

ICP interference check samples ICSA and ICSAB were analyzed at the required frequency to verify the instrumental interelement and background correction factors. All check sample results met the acceptance criteria.

Matrix Spike Analysis

Matrix spike and matrix spike duplicate (MS/MSD) pairs were analyzed for metals and nitrate + nitrite as N as a measure of method performance in the sample matrix. The MS/MSD data are not evaluated when the concentration of the unspiked sample is greater than 4 times the spike concentration. MS/MSD pairs were not analyzed for volatile organics. The spike recoveries met the recovery and precision criteria for all analytes evaluated.

Laboratory Replicate Analysis

Laboratory replicate analyses are used to determine laboratory precision for each sample matrix. The relative percent difference for non-radiochemical replicate results that are greater than 5 times the PQL should be less than 20 percent (or less than the laboratory-derived control limits for organics). For results that are less than 5 times the PQL, the range should be no greater than the PQL. The replicate results met these criteria. The relative error ratio for radiochemical replicate results (calculated using the one-sigma total propagated uncertainty) was less than 3, indicating acceptable precision.

Laboratory Control Sample

Laboratory control samples were analyzed at the correct frequency to provide information on the accuracy of the analytical method and the overall laboratory performance, including sample preparation. All control sample results were acceptable.

Metals Serial Dilution

Serial dilutions were prepared and analyzed for metals analyses to monitor chemical or physical interferences in the sample matrix. Serial dilution data are evaluated when the concentration of the undiluted sample is greater than 50 times the MDL. All evaluated serial dilution data were acceptable.

Volatile Organics Internal Standard and Surrogate Recovery

Laboratory performance for individual samples is evaluated by means of surrogate spikes. All samples are spiked with surrogate compounds prior to sample preparation. Surrogate recoveries are used to monitor factors such as interference and high concentrations of analytes. Surrogate recoveries may also be influenced by the success in recoveries of the internal standards. Internal standard recoveries were stable and within acceptance ranges. All surrogate recoveries were within the acceptance ranges.

Chromatography Peak Integration

The integration of analyte peaks was reviewed for all volatile organics data. All peak integrations were satisfactory.

Completeness

Results were reported in the correct units for all analytes requested using contract-required laboratory qualifiers. The analytical report included the MDL (MDC for radiochemistry) and PQL for all analytes and all required supporting documentation.

Electronic Data Deliverable (EDD) File

The EDD file arrived on October 1, 2013. The Sample Management System EDD validation module was used to verify that the EDD file was complete and in compliance with requirements. The module compares the contents of the file to the requested analyses to ensure all and only the requested data are delivered. The contents of the EDD were manually examined to verify that the sample results accurately reflect the data contained in the sample data package.

SAMPLE MANAGEMENT SYSTEM

General Data Validation Report

RIN: 13095593 Lab Code: PAR Validator: Stephen Donovan Validation Date: 11/05/2013
Project: Slick Rock Analysis Type: Metals General Chem Rad Organics
of Samples: 28 Matrix: WATER Requested Analysis Completed: Yes

Chain of Custody

Present: OK Signed: OK Dated: OK

Sample

Integrity: OK Preservation: OK Temperature: OK

Select Quality Parameters

- Holding Times
- Detection Limits
- Field/Trip Blanks
- Field Duplicates

All analyses were completed within the applicable holding times.

The reported detection limits are equal to or below contract requirements.

There were 2 trip/equipment blanks evaluated.

There were 3 duplicates evaluated.

SAMPLE MANAGEMENT SYSTEM
Metals Data Validation Worksheet

RIN: 13095593 Lab Code: PAR Date Due: 10/15/2013
 Matrix: Water Site Code: SRK01 Date Completed: 10/02/2013

Analyte	Method Type	Date Analyzed	CALIBRATION				Method Blank	LCS %R	MS %R	MSD %R	Dup. RPD	ICSAB %R	Serial Dil. %R	CRI %R
			Int.	R^2	CCV	CCB								
Manganese	ICP/ES	09/27/2013	0.0000	1.0000	OK	OK	OK	107.0	92.0	93.0	0.0	96.0	7.0	109.0
Manganese	ICP/ES	09/27/2013					OK	106.0			3.0	99.0		113.0
Molybdenum	ICP/MS	09/27/2013	0.0000	1.0000	OK	OK	OK	96.0	75.0	107.0	4.0	91.0	3.0	84.0
Molybdenum	ICP/MS	09/27/2013					OK	97.0						
Selenium	ICP/MS	09/27/2013	0.0000	1.0000	OK	OK	OK	108.0			7.0	98.0	9.0	105.0
Selenium	ICP/MS	09/27/2013					OK	105.0						
Uranium	ICP/MS	09/27/2013	0.0000	1.0000	OK	OK	OK	99.0			3.0	103.0	0.0	110.0
Uranium	ICP/MS	09/27/2013					OK	99.0	88.0	83.0	2.0		2.0	

SAMPLE MANAGEMENT SYSTEM Organics Data Validation Summary

RIN: 13095593

Project: Slick Rock

Lab Code: PAR

Validation Date: 11/06/2013

LCS Recovery: All LCS recoveries were within the laboratory acceptance limits.

Method Blank(s): All method blanks results were below the method detection limit.

MS/MSD Recovery: All MS/MSD recoveries were within the laboratory acceptance limits.

Surrogate Recovery: All surrogate recoveries were within the laboratory acceptance limits.

SAMPLE MANAGEMENT SYSTEM
Radiochemistry Data Validation Worksheet

RIN: 13095593 **Lab Code:** PAR **Date Due:** 10/15/2013
Matrix: Water **Site Code:** SRK01 **Date Completed:** 10/02/2013

Sample	Analyte	Date Analyzed	Result	Flag	Tracer %R	LCS %R	MS %R	Duplicate
0319	Radium-226	09/30/2013			93.2			
2498	Radium-226	09/30/2013			91.5			
Blank_Spike	Radium-226	09/30/2013			89.1	99.20		
Blank_Spike_Du	Radium-226	09/30/2013			95.4	99.50		0
Blank	Radium-226	09/30/2013	0.0200	U	92.5			
0319	Radium-228	09/27/2013			85.1			
2498	Radium-228	09/27/2013			86.7			
Blank_Spike	Radium-228	09/27/2013			93.2	108.00		
Blank_Spike_Du	Radium-228	09/27/2013			90.9	112.00		0.20
Blank	Radium-228	09/27/2013	0.1780	U	85.2			

SAMPLE MANAGEMENT SYSTEM
Wet Chemistry Data Validation Worksheet

RIN: 13095593 **Lab Code:** PAR **Date Due:** 10/15/2013
Matrix: Water **Site Code:** SRK01 **Date Completed:** 10/02/2013

Analyte	Date Analyzed	CALIBRATION				Method Blank	LCS %R	MS %R	MSD %R	DUP RPD	Serial Dil. %R
		Int.	R ²	CCV	CCB						
Nitrate+Nitrite as N	09/23/2013	0.000	0.9996	OK	OK	OK	106.00	104.0	103.0	0	

Sampling Quality Control Assessment

The following information summarizes and assesses quality control for this sampling event.

Sampling Protocol

Surface water locations were sampled using a peristaltic pump and tubing reel. Monitoring wells were sampled using a peristaltic pump and dedicated tubing. All monitoring wells met the Category I low-flow sampling criteria. Sample results for these wells were qualified with an “F” flag in the database, indicating the wells were purged and sampled using the low-flow sampling method.

Equipment Blank

Equipment blanks are prepared and analyzed to document contamination attributable to the sample collection process. An equipment blank (field ID 2533) was taken from the tubing reel used to collect the surface water samples. This blank was filtered before being containerized and preserved according to analytical requirements. Manganese, nitrate + nitrite as N, and selenium were detected in the equipment blank. Associated sample results that are less than 5 times the equipment blank concentration are qualified with a “J” flag (estimated).

Trip Blank Assessment

A trip blank (field ID 2500) was prepared and analyzed for volatile organics to document contamination attributable to shipping and field handling procedures. There were no target analytes detected in the trip blank.

Field Duplicate Assessment

Field duplicate samples are collected and analyzed as an indication of overall precision of the measurement process. The precision observed includes both field and laboratory precision and has more variability than laboratory duplicates, which measure only laboratory performance. The relative percent difference for duplicate results that are greater than 5 times the PQL should be less than 20 percent. For results that are less than 5 times the PQL, the range should be no greater than the PQL. Duplicate samples were collected from locations 0510, 0319, and 0340 (field duplicate IDs 2399, 2498, 2676). The non-radiochemical duplicate results met the criteria, demonstrating acceptable overall precision. The relative error ratio for radiochemical duplicate results (calculated using the one-sigma total propagated uncertainty) was less than 3, indicating acceptable precision.

SAMPLE MANAGEMENT SYSTEM

Validation Report: Equipment/Trip Blanks

RIN: 13095593 Lab Code: PAR Project: Slick Rock Validation Date: 11/05/2013

Blank Data

Blank Type	Lab Sample ID	Lab Method	Analyte Name	Result	Qualifier	MDL	Units
Equipment Blank	1309229-16	SW6010	Manganese	0.68	B	0.11	UG/L

Sample ID	Sample Ticket	Location	Result	Dilution Factor	Lab Qualifier	Validation Qualifier
1309229-12	LKV 664	0694	2.4	1	B	J
1309229-28	LKV 663	0693	16	1		
1309229-7	LKV 661	0347	3.5	1	B	
1309229-8	LKV 662	0349	2.5	1	B	J

Blank Data

Blank Type	Lab Sample ID	Lab Method	Analyte Name	Result	Qualifier	MDL	Units
Equipment Blank	1309229-16	SW6020	Selenium	0.064	B	0.032	UG/L

Sample ID	Sample Ticket	Location	Result	Dilution Factor	Lab Qualifier	Validation Qualifier
1309229-12	LKV 664	0694	2.6	1		
1309229-28	LKV 663	0693	4.2	1		
1309229-7	LKV 661	0347	3.1	1		
1309229-8	LKV 662	0349	3.3	1		

Blank Data

Blank Type	Lab Sample ID	Lab Method	Analyte Name	Result	Qualifier	MDL	Units
Equipment Blank	1309229-16	EPA353.2	Nitrate+Nitrite as N	0.05		0.01	MG/L

Sample ID	Sample Ticket	Location	Result	Dilution Factor	Lab Qualifier	Validation Qualifier
1309229-12	LKV 664	0694	0.34	1		
1309229-28	LKV 663	0693	0.43	1		
1309229-7	LKV 661	0347	0.37	1		
1309229-8	LKV 662	0349	0.35	1		

SAMPLE MANAGEMENT SYSTEM
Validation Report: Field Duplicates

RIN: 13095593 Lab Code: PAR Project: Slick Rock Validation Date: 11/05/2013

Duplicate: 2399

Sample: 0510

Analyte	Sample				Duplicate				RPD	RER	Units
	Result	Flag	Error	Dilution	Result	Flag	Error	Dilution			
Manganese	4000			1	4200			1	4.88		UG/L
Molybdenum	790			100	910			10	14.12		UG/L
Nitrate+Nitrite as N	200			200	190			200	5.13		MG/L
Selenium	740			100	810			10	9.03		UG/L
Uranium	74			100	86			10	15.00		UG/L

Duplicate: 2498

Sample: 0319

Analyte	Sample				Duplicate				RPD	RER	Units
	Result	Flag	Error	Dilution	Result	Flag	Error	Dilution			
Benzene	2000			50	2000			50	0		UG/L
Ethylbenzene	330			50	320			50	3.08		UG/L
m,p-Xylene	4400			50	4300			50	2.30		UG/L
o-Xylene	860			50	870			50	1.16		UG/L
Radium-226	1.61		0.508	1	1.55		0.49	1	3.80	0.2	pCi/L
Radium-228	1.97		0.573	1	1.85		0.55	1		0.3	pCi/L
Toluene	790			50	820			50	3.73		UG/L

Duplicate: 2676

Sample: 0340

Analyte	Sample				Duplicate				RPD	RER	Units
	Result	Flag	Error	Dilution	Result	Flag	Error	Dilution			
Manganese	5200			1	5100			1	1.94		UG/L
Molybdenum	1500			100	1500			100	0		UG/L
Nitrate+Nitrite as N	310			200	290			200	6.67		MG/L
Selenium	1900			100	1800			100	5.41		UG/L
Uranium	43			100	43			100	0		UG/L

Certification

All laboratory analytical quality control criteria were met except as qualified in this report. The data qualifiers listed on the SEEPro database reports are defined on the last page of each report. All data in this package are considered validated and available for use.

Laboratory Coordinator: Stephen Donovan 12-3-2013
Stephen Donovan Date

Data Validation Lead: Stephen Donovan 12-3-2013
Stephen Donovan Date

Attachment 1
Assessment of Anomalous Data

This page intentionally left blank

Potential Outliers Report

This page intentionally left blank

Potential Outliers Report

Potential outliers are measurements that are extremely large or small relative to the rest of the data and, therefore, are suspected of misrepresenting the population from which they were collected. Potential outliers may result from transcription errors, data-coding errors, or measurement system problems. However, outliers may also represent true extreme values of a distribution and indicate more variability in the population than was expected.

Statistical outlier tests give probabilistic evidence that an extreme value does not "fit" with the distribution of the remainder of the data and is therefore a statistical outlier. These tests should only be used to identify data points that require further investigation. The tests alone cannot determine whether a statistical outlier should be discarded or corrected within a data set.

There are three steps involved in identifying extreme values or outliers:

1. Identify extreme values that may be potential outliers by generating the Outliers Report using the Sample Management System from data in the environmental database. The application compares the new data set (in standard environmental database units) with historical data and lists the new data that fall outside the historical data range. A determination is also made if the data are normally distributed using the Shapiro-Wilk Test.
2. Apply the appropriate statistical test. Dixon's Extreme Value test is used to test for statistical outliers when the sample size is less than or equal to 25. This test considers both extreme values that are much smaller than the rest of the data (case 1) and extreme values that are much larger than the rest of the data (case 2). This test is valid only if the data without the suspected outlier are normally distributed. Rosner's Test is a parametric test that is used to detect outliers for sample sizes of 25 or more. This test also assumes that the data without the suspected outliers are normally distributed.
3. Scientifically review statistical outliers and decide on their disposition. The review should include an evaluation of any notable trends in the data that may indicate the outliers represent true extreme values.

Three laboratory results were identified as potential outliers. There is no evidence that these data are the result of sampling or laboratory error and the data from this event are acceptable as qualified.

Potential anomalies in the field parameters were also examined for patterns of repeated high or low bias, which suggest a systematic error due to instrument malfunction. No such patterns were found in the field data from this event.

Data Validation Outliers Report - No Field Parameters

Comparison: All historical Data Beginning 01/01/1998

Laboratory: ALS Laboratory Group

RIN: 13095593

Report Date: 11/06/2013

Site Code	Location Code	Sample ID	Sample Date	Analyte	Current	Qualifiers		Historical Maximum	Qualifiers		Historical Minimum	Qualifiers		Number of Data Points		Statistical Outlier
					Result	Lab	Data	Result	Lab	Data	Result	Lab	Data	N	N Below Detect	
SRK05	0317	N001	09/11/2013	Selenium	0.0073		F	0.0066			0.0028	B	F	10	0	No
SRK05	0320	N001	09/11/2013	Uranium	0.0092		F	0.03		F	0.01		F	20	0	No
SRK05	0339	N001	09/11/2013	Manganese	1.6		F	2.1		F	1.7		F	5	0	No
SRK05	0339	N001	09/11/2013	Molybdenum	0.95		F	1.3		F	1.1		F	5	0	No
SRK05	0339	N001	09/11/2013	Nitrate + Nitrite as Nitrogen	36		F	66		FJ	37		F	5	0	No
SRK05	0339	N001	09/11/2013	Uranium	0.028		F	0.035		F	0.03		F	5	0	No
SRK05	0508	N001	09/11/2013	Molybdenum	0.81		F	1.46		F	1		F	23	0	Yes
SRK05	0508	N001	09/11/2013	Nitrate + Nitrite as Nitrogen	130		F	380		F	170		F	10	0	No
SRK05	0508	N001	09/11/2013	Uranium	0.058		F	0.139		F	0.0685		F	23	0	NA
SRK05	0693	0001	09/12/2013	Manganese	0.016			0.011			0.00081	B		22	2	No
SRK05	0693	0001	09/12/2013	Molybdenum	0.009			0.0048			0.0008	U		22	11	Yes
SRK05	0693	0001	09/12/2013	Nitrate + Nitrite as Nitrogen	0.43			0.24			0.01	U		8	5	NA
SRK05	0693	0001	09/12/2013	Selenium	0.0042			0.0033			0.00012	B		22	6	NA
SRK05	0693	0001	09/12/2013	Uranium	0.0028			0.0018			0.00037	B		22	2	Yes
SRK06	0300	N001	09/12/2013	Selenium	0.0011		F	0.001		UF	0.0001	U		7	5	No
SRK06	0300	N001	09/12/2013	Uranium	0.02		F	0.0182		F	0.0066		F	7	0	No
SRK06	0309	N001	09/12/2013	Uranium	0.037		F	0.34		F	0.0379		F	18	0	No
SRK06	0310	N001	09/12/2013	Uranium	0.013		F	0.037		F	0.0131		F	13	0	No
SRK06	0692	0001	09/12/2013	Uranium	0.0022			0.0016			0.00043	B		26	3	NA
SRK06	0700	0001	09/12/2013	Uranium	0.0021			0.0014			0.00049			8	0	No

Data Validation Outliers Report - Field Parameters Only

Comparison: All historical Data Beginning 01/01/1998

Laboratory: Field Measurements

RIN: 13095593

Report Date: 11/06/2013

Site Code	Location Code	Sample ID	Sample Date	Analyte	Current	Qualifiers		Historical Maximum	Qualifiers		Historical Minimum	Qualifiers		Number of Data Points		Statistical Outlier
					Result	Lab	Data	Result	Lab	Data	Result	Lab	Data	N	N Below Detect	
SRK05	0317	N001	09/11/2013	Alkalinity, Total (as CaCO ₃)	98		F	300		F	229			23	0	Yes
SRK05	0347	N001	09/12/2013	Oxidation Reduction Potential	-70			205			14			16	0	No
SRK05	0347	N001	09/12/2013	pH	7.71			8.44			7.75			16	0	No
SRK05	0508	N001	09/11/2013	Specific Conductance	3429		F	5710			3537		F	21	0	No
SRK05	0684	N001	09/11/2013	Temperature	17.21		F	17.2		F	11.3			18	0	No
SRK06	0300	N001	09/12/2013	Alkalinity, Total (as CaCO ₃)	760		F	589			506		F	10	0	Yes
SRK06	0300	N001	09/12/2013	Specific Conductance	14887		F	9490			5310		F	6	0	Yes
SRK06	0303	N001	09/12/2013	Specific Conductance	3828		F	3790		F	2130		F	18	0	No
SRK06	0305	N001	09/12/2013	Alkalinity, Total (as CaCO ₃)	238		F	504		F	296		F	23	0	NA
SRK06	0305	N001	09/12/2013	Oxidation Reduction Potential	218.5		F	107		F	-46			18	0	No
SRK06	0305	N001	09/12/2013	Specific Conductance	2665		F	4600		F	2822		F	18	0	No
SRK06	0307	N001	09/12/2013	Specific Conductance	5442		F	8842		F	5715		F	18	0	NA
SRK06	0309	N001	09/12/2013	Alkalinity, Total (as CaCO ₃)	682		F	1095			692		FQ	23	0	No
SRK06	0309	N001	09/12/2013	Specific Conductance	1859		F	6675		F	2023		F	18	0	No
SRK06	0311	N001	09/12/2013	Oxidation Reduction Potential	-30		F	152		F	-29			18	0	No
SRK06	0692	N001	09/12/2013	Specific Conductance	1588			1138			310			21	0	Yes
SRK06	0696	N001	09/12/2013	Specific Conductance	1980			1041			326			20	0	Yes
SRK06	0700	0001	09/12/2013	Alkalinity, Total (as CaCO ₃)	78			151			91			7	0	No

Data Validation Outliers Report - Field Parameters Only

Comparison: All historical Data Beginning 01/01/1998

Laboratory: Field Measurements

RIN: 13095593

Report Date: 11/06/2013

Site Code	Location Code	Sample ID	Sample Date	Analyte	Current	Qualifiers		Historical Maximum			Historical Minimum			Number of Data Points		Statistical Outlier
					Result	Lab	Data	Result	Lab	Data	Result	Lab	Data	N	N Below Detect	
SRK06	0700	N001	09/12/2013	pH	7.71			8.55			8.2			8	0	Yes
SRK06	0700	N001	09/12/2013	Specific Conductance	1423			830			317			8	0	No

STATISTICAL TESTS:

The distribution of the data is tested for normality or lognormality using the Shapiro-Wilk Test

Outliers are identified using Dixon's Test when there are 25 or fewer data points.

Outliers are identified using Rosner's Test when there are 26 or more data points.

See Data Quality Assessment: Statistical Methods for Practitioners, EPA QC/G-9S, February 2006.

NA: Data are not normally or lognormally distributed.

Attachment 2

Data Presentation

This page intentionally left blank

Groundwater Quality Data

This page intentionally left blank

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0317 WELL

Parameter	Units	Sample		Depth Range (Ft BLS)	Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID			Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	19.46 - 39.52	98		F	#		
Molybdenum	mg/L	09/11/2013	N001	19.46 - 39.52	0.16		F	#	0.00032	
Oxidation Reduction Potential	mV	09/11/2013	N001	19.46 - 39.52	143.2		F	#		
pH	s.u.	09/11/2013	N001	19.46 - 39.52	7.16		F	#		
Selenium	mg/L	09/11/2013	N001	19.46 - 39.52	0.0073		F	#	0.00032	
Specific Conductance	umhos/cm	09/11/2013	N001	19.46 - 39.52	2598		F	#		
Temperature	C	09/11/2013	N001	19.46 - 39.52	15.6		F	#		
Turbidity	NTU	09/11/2013	N001	19.46 - 39.52	2.06		F	#		

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0318A WELL Replacement well for 0318

Parameter	Units	Sample		Depth Range			Result	Qualifiers		Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	9.2	-	14.2	290	F	#		
Manganese	mg/L	09/11/2013	N001	9.2	-	14.2	0.64	F	#	0.00011	
Molybdenum	mg/L	09/11/2013	N001	9.2	-	14.2	0.69	F	#	0.0032	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N001	9.2	-	14.2	24	F	#	0.5	
Oxidation Reduction Potential	mV	09/11/2013	N001	9.2	-	14.2	89.3	F	#		
pH	s.u.	09/11/2013	N001	9.2	-	14.2	6.92	F	#		
Selenium	mg/L	09/11/2013	N001	9.2	-	14.2	2.2	F	#	0.0032	
Specific Conductance	umhos/cm	09/11/2013	N001	9.2	-	14.2	1711	F	#		
Temperature	C	09/11/2013	N001	9.2	-	14.2	18.84	F	#		
Turbidity	NTU	09/11/2013	N001	9.2	-	14.2	7.27	F	#		
Uranium	mg/L	09/11/2013	N001	9.2	-	14.2	0.024	F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0319 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	4.55	-	14.58	1024		F	#		
Benzene	ug/L	09/11/2013	N001	4.55	-	14.58	2000		F	#	15	
Benzene	ug/L	09/11/2013	N002	4.55	-	14.58	2000		F	#	15	
Ethylbenzene	ug/L	09/11/2013	N001	4.55	-	14.58	330		F	#	15	
Ethylbenzene	ug/L	09/11/2013	N002	4.55	-	14.58	320		F	#	15	
m,p-Xylene	ug/L	09/11/2013	N001	4.55	-	14.58	4400		F	#	15	
m,p-Xylene	ug/L	09/11/2013	N002	4.55	-	14.58	4300		F	#	15	
o-Xylene	ug/L	09/11/2013	N001	4.55	-	14.58	860		F	#	15	
o-Xylene	ug/L	09/11/2013	N002	4.55	-	14.58	870		F	#	15	
Oxidation Reduction Potential	mV	09/11/2013	N001	4.55	-	14.58	-116		F	#		
pH	s.u.	09/11/2013	N001	4.55	-	14.58	6.9		F	#		
Radium-226	pCi/L	09/11/2013	N001	4.55	-	14.58	1.61		F	#	0.16	0.508
Radium-226	pCi/L	09/11/2013	N002	4.55	-	14.58	1.55		F	#	0.16	0.49
Radium-228	pCi/L	09/11/2013	N001	4.55	-	14.58	1.97		F	#	0.43	0.573
Radium-228	pCi/L	09/11/2013	N002	4.55	-	14.58	1.85		F	#	0.43	0.55
Selenium	mg/L	09/11/2013	N001	4.55	-	14.58	0.00072		F	#	0.00016	
Specific Conductance	umhos/cm	09/11/2013	N001	4.55	-	14.58	3974		F	#		
Temperature	C	09/11/2013	N001	4.55	-	14.58	18.27		F	#		
Toluene	ug/L	09/11/2013	N001	4.55	-	14.58	790		F	#	15	
Toluene	ug/L	09/11/2013	N002	4.55	-	14.58	820		F	#	15	
Turbidity	NTU	09/11/2013	N001	4.55	-	14.58	3.9		F	#		

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0320 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	4.92	-	9.96	360		F	#		
Manganese	mg/L	09/11/2013	N001	4.92	-	9.96	0.48		F	#	0.00011	
Molybdenum	mg/L	09/11/2013	N001	4.92	-	9.96	0.011		F	#	0.000032	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N001	4.92	-	9.96	0.01	U	F	#	0.01	
Oxidation Reduction Potential	mV	09/11/2013	N001	4.92	-	9.96	-69.1		F	#		
pH	s.u.	09/11/2013	N001	4.92	-	9.96	6.96		F	#		
Selenium	mg/L	09/11/2013	N001	4.92	-	9.96	0.000078	B	F	#	0.000032	
Specific Conductance	umhos/cm	09/11/2013	N001	4.92	-	9.96	832		F	#		
Temperature	C	09/11/2013	N001	4.92	-	9.96	17.45		F	#		
Turbidity	NTU	09/11/2013	N001	4.92	-	9.96	9.29		F	#		
Uranium	mg/L	09/11/2013	N001	4.92	-	9.96	0.0092		F	#	0.0000029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0339 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers		Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	11	-	14	324	F	#		
Manganese	mg/L	09/11/2013	N001	11	-	14	1.6	F	#	0.00011	
Molybdenum	mg/L	09/11/2013	N001	11	-	14	0.95	F	#	0.0032	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N001	11	-	14	36	F	#	0.5	
Oxidation Reduction Potential	mV	09/11/2013	N001	11	-	14	101.6	F	#		
pH	s.u.	09/11/2013	N001	11	-	14	6.93	F	#		
Selenium	mg/L	09/11/2013	N001	11	-	14	1.8	F	#	0.0032	
Specific Conductance	umhos/cm	09/11/2013	N001	11	-	14	1887	F	#		
Temperature	C	09/11/2013	N001	11	-	14	18.2	F	#		
Turbidity	NTU	09/11/2013	N001	11	-	14	2.84	F	#		
Uranium	mg/L	09/11/2013	N001	11	-	14	0.028	F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0340 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	6.51	-	11.51	288		F	#		
Manganese	mg/L	09/11/2013	N001	6.51	-	11.51	5.2		F	#	0.00011	
Manganese	mg/L	09/11/2013	N002	6.51	-	11.51	5.1		F	#	0.00011	
Molybdenum	mg/L	09/11/2013	N001	6.51	-	11.51	1.5		F	#	0.0032	
Molybdenum	mg/L	09/11/2013	N002	6.51	-	11.51	1.5		F	#	0.0032	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N001	6.51	-	11.51	310		F	#	2	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N002	6.51	-	11.51	290		F	#	2	
Oxidation Reduction Potential	mV	09/11/2013	N001	6.51	-	11.51	124.8		F	#		
pH	s.u.	09/11/2013	N001	6.51	-	11.51	6.57		F	#		
Selenium	mg/L	09/11/2013	N001	6.51	-	11.51	1.9		F	#	0.0032	
Selenium	mg/L	09/11/2013	N002	6.51	-	11.51	1.8		F	#	0.0032	
Specific Conductance	umhos/cm	09/11/2013	N001	6.51	-	11.51	4180		F	#		
Temperature	C	09/11/2013	N001	6.51	-	11.51	19.63		F	#		
Turbidity	NTU	09/11/2013	N001	6.51	-	11.51	5.93		F	#		
Uranium	mg/L	09/11/2013	N001	6.51	-	11.51	0.043		F	#	0.00029	
Uranium	mg/L	09/11/2013	N002	6.51	-	11.51	0.043		F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0508 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers		Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	1.01	-	11.01	428	F	#		
Manganese	mg/L	09/11/2013	N001	1.01	-	11.01	3.1	F	#	0.00011	
Molybdenum	mg/L	09/11/2013	N001	1.01	-	11.01	0.81	F	#	0.0032	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N001	1.01	-	11.01	130	F	#	2	
Oxidation Reduction Potential	mV	09/11/2013	N001	1.01	-	11.01	113.3	F	#		
pH	s.u.	09/11/2013	N001	1.01	-	11.01	6.46	F	#		
Selenium	mg/L	09/11/2013	N001	1.01	-	11.01	0.69	F	#	0.0032	
Specific Conductance	umhos/cm	09/11/2013	N001	1.01	-	11.01	3429	F	#		
Temperature	C	09/11/2013	N001	1.01	-	11.01	19.18	F	#		
Turbidity	NTU	09/11/2013	N001	1.01	-	11.01	4.47	F	#		
Uranium	mg/L	09/11/2013	N001	1.01	-	11.01	0.058	F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0510 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	4.92	-	13.92	312		F	#		
Manganese	mg/L	09/11/2013	N001	4.92	-	13.92	4		F	#	0.00011	
Manganese	mg/L	09/11/2013	N002	4.92	-	13.92	4.2		F	#	0.00011	
Molybdenum	mg/L	09/11/2013	N001	4.92	-	13.92	0.79		F	#	0.0032	
Molybdenum	mg/L	09/11/2013	N002	4.92	-	13.92	0.91		F	#	0.00032	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N001	4.92	-	13.92	200		F	#	2	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N002	4.92	-	13.92	190		F	#	2	
Oxidation Reduction Potential	mV	09/11/2013	N001	4.92	-	13.92	76.3		F	#		
pH	s.u.	09/11/2013	N001	4.92	-	13.92	6.48		F	#		
Selenium	mg/L	09/11/2013	N001	4.92	-	13.92	0.74		F	#	0.0032	
Selenium	mg/L	09/11/2013	N002	4.92	-	13.92	0.81		F	#	0.00032	
Specific Conductance	umhos/cm	09/11/2013	N001	4.92	-	13.92	3598		F	#		
Temperature	C	09/11/2013	N001	4.92	-	13.92	19.08		F	#		
Turbidity	NTU	09/11/2013	N001	4.92	-	13.92	1.34		F	#		
Uranium	mg/L	09/11/2013	N001	4.92	-	13.92	0.074		F	#	0.00029	
Uranium	mg/L	09/11/2013	N002	4.92	-	13.92	0.086		F	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0684 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers		Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/11/2013	N001	11	-	21	206	F	#		
Manganese	mg/L	09/11/2013	N001	11	-	21	0.54	F	#	0.00011	
Molybdenum	mg/L	09/11/2013	N001	11	-	21	0.0061	F	#	0.000032	
Nitrate + Nitrite as Nitrogen	mg/L	09/11/2013	N001	11	-	21	0.017	F	#	0.01	
Oxidation Reduction Potential	mV	09/11/2013	N001	11	-	21	42.1	F	#		
pH	s.u.	09/11/2013	N001	11	-	21	7.2	F	#		
Selenium	mg/L	09/11/2013	N001	11	-	21	0.00015	F	#	0.000032	
Specific Conductance	umhos/cm	09/11/2013	N001	11	-	21	694	F	#		
Temperature	C	09/11/2013	N001	11	-	21	17.21	F	#		
Turbidity	NTU	09/11/2013	N001	11	-	21	5.13	F	#		
Uranium	mg/L	09/11/2013	N001	11	-	21	0.008	F	#	0.0000029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0300 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Qualifiers			Detection Limit	Uncertainty
							Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	N001	9.5	-	19.5		F	#		
Oxidation Reduction Potential	mV	09/12/2013	N001	9.5	-	19.5		F	#		
pH	s.u.	09/12/2013	N001	9.5	-	19.5		F	#		
Selenium	mg/L	09/12/2013	N001	9.5	-	19.5		F	#	0.00032	
Specific Conductance	umhos/cm	09/12/2013	N001	9.5	-	19.5		F	#		
Temperature	C	09/12/2013	N001	9.5	-	19.5		F	#		
Turbidity	NTU	09/12/2013	N001	9.5	-	19.5		F	#		
Uranium	mg/L	09/12/2013	N001	9.5	-	19.5		F	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0303 WELL

Parameter	Units	Sample		Depth Range (Ft BLS)	Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID			Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	N001	4.3 - 14.3	622		F	#		
Oxidation Reduction Potential	mV	09/12/2013	N001	4.3 - 14.3	-87.3		F	#		
pH	s.u.	09/12/2013	N001	4.3 - 14.3	7.1		F	#		
Specific Conductance	umhos/cm	09/12/2013	N001	4.3 - 14.3	3828		F	#		
Temperature	C	09/12/2013	N001	4.3 - 14.3	17.78		F	#		
Turbidity	NTU	09/12/2013	N001	4.3 - 14.3	2.58		F	#		
Uranium	mg/L	09/12/2013	N001	4.3 - 14.3	1.3		F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0305 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	N001	8.7	-	18.7	238		F	#		
Oxidation Reduction Potential	mV	09/12/2013	N001	8.7	-	18.7	218.5		F	#		
pH	s.u.	09/12/2013	N001	8.7	-	18.7	7.08		F	#		
Selenium	mg/L	09/12/2013	N001	8.7	-	18.7	0.02		F	#	0.0016	
Specific Conductance	umhos/cm	09/12/2013	N001	8.7	-	18.7	2665		F	#		
Temperature	C	09/12/2013	N001	8.7	-	18.7	15.37		F	#		
Turbidity	NTU	09/12/2013	N001	8.7	-	18.7	6.16		F	#		
Uranium	mg/L	09/12/2013	N001	8.7	-	18.7	0.71		F	#	0.00015	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0307 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	N001	4.4	-	14.4	760		F	#		
Oxidation Reduction Potential	mV	09/12/2013	N001	4.4	-	14.4	-56.9		F	#		
pH	s.u.	09/12/2013	N001	4.4	-	14.4	7.09		F	#		
Selenium	mg/L	09/12/2013	N001	4.4	-	14.4	0.00032	U	F	#	0.00032	
Specific Conductance	umhos/cm	09/12/2013	N001	4.4	-	14.4	5442		F	#		
Temperature	C	09/12/2013	N001	4.4	-	14.4	15.07		F	#		
Turbidity	NTU	09/12/2013	N001	4.4	-	14.4	9.76		F	#		
Uranium	mg/L	09/12/2013	N001	4.4	-	14.4	0.42		F	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0309 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	N001	10.2	-	20.2	682		F	#		
Oxidation Reduction Potential	mV	09/12/2013	N001	10.2	-	20.2	-114.5		F	#		
pH	s.u.	09/12/2013	N001	10.2	-	20.2	7.46		F	#		
Specific Conductance	umhos/cm	09/12/2013	N001	10.2	-	20.2	1859		F	#		
Temperature	C	09/12/2013	N001	10.2	-	20.2	15.07		F	#		
Turbidity	NTU	09/12/2013	N001	10.2	-	20.2	9.82		F	#		
Uranium	mg/L	09/12/2013	N001	10.2	-	20.2	0.037		F	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0310 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	N001	14.7	-	19.7	186		F	#		
Oxidation Reduction Potential	mV	09/12/2013	N001	14.7	-	19.7	-80		F	#		
pH	s.u.	09/12/2013	N001	14.7	-	19.7	7.21		F	#		
Specific Conductance	umhos/cm	09/12/2013	N001	14.7	-	19.7	700		F	#		
Temperature	C	09/12/2013	N001	14.7	-	19.7	14.9		F	#		
Turbidity	NTU	09/12/2013	N001	14.7	-	19.7	7.57		F	#		
Uranium	mg/L	09/12/2013	N001	14.7	-	19.7	0.013		F	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0311 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	0001	14.1	-	19.1	260		F	#		
Oxidation Reduction Potential	mV	09/12/2013	N001	14.1	-	19.1	-30		F	#		
pH	s.u.	09/12/2013	N001	14.1	-	19.1	7.04		F	#		
Specific Conductance	umhos/cm	09/12/2013	N001	14.1	-	19.1	1420		F	#		
Temperature	C	09/12/2013	N001	14.1	-	19.1	16.9		F	#		
Turbidity	NTU	09/12/2013	N001	14.1	-	19.1	1000	>	F	#		
Uranium	mg/L	09/12/2013	0001	14.1	-	19.1	0.056		F	#	0.000029	

SAMPLE ID CODES: 000X = Filtered sample (0.45 µm). N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- * Replicate analysis not within control limits.
- > Result above upper detection limit.
- A TIC is a suspected aldol-condensation product.
- B Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- C Pesticide result confirmed by GC-MS.
- D Analyte determined in diluted sample.
- E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- H Holding time expired, value suspect.
- I Increased detection limit due to required dilution.
- J Estimated
- N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
- P > 25% difference in detected pesticide or Aroclor concentrations between 2 columns.
- U Analytical result below detection limit.

DATA QUALIFIERS:

- F Low flow sampling method used.
- L Less than 3 bore volumes purged prior to sampling.
- U Parameter analyzed for but was not detected.
- G Possible grout contamination, pH > 9.
- Q Qualitative result due to sampling technique.
- X Location is undefined.
- J Estimated value.
- R Unusable result.

QA QUALIFIER:

- # Validated according to quality assurance guidelines.

Surface Water Quality Data

This page intentionally left blank

Surface Water Quality Data by Location (USEE102) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0347 SURFACE LOCATION

Parameter	Units	Sample		Result	Qualifiers		Detection Limit	Uncertainty
		Date	ID		Lab	Data QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	0001	72		#		
Manganese	mg/L	09/12/2013	0001	0.0035	B	#	0.00011	
Molybdenum	mg/L	09/12/2013	0001	0.0083		#	0.000032	
Nitrate + Nitrite as Nitrogen	mg/L	09/12/2013	0001	0.37		#	0.01	
Oxidation Reduction Potential	mV	09/12/2013	N001	-70		#		
pH	s.u.	09/12/2013	N001	7.71		#		
Selenium	mg/L	09/12/2013	0001	0.0031		#	0.000032	
Specific Conductance	umhos/cm	09/12/2013	N001	1690		#		
Temperature	C	09/12/2013	N001	22.5		#		
Turbidity	NTU	09/12/2013	N001	1000	>	#		
Uranium	mg/L	09/12/2013	0001	0.0024		#	0.0000029	

Surface Water Quality Data by Location (USEE102) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0349 SURFACE LOCATION

Parameter	Units	Sample		Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID		Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	0001	78			#		
Manganese	mg/L	09/12/2013	0001	0.0025	B	J	#	0.00011	
Molybdenum	mg/L	09/12/2013	0001	0.0084			#	0.000032	
Nitrate + Nitrite as Nitrogen	mg/L	09/12/2013	0001	0.35			#	0.01	
Oxidation Reduction Potential	mV	09/12/2013	N001	40			#		
pH	s.u.	09/12/2013	N001	7.77			#		
Selenium	mg/L	09/12/2013	0001	0.0033			#	0.000032	
Specific Conductance	umhos/cm	09/12/2013	N001	1660			#		
Temperature	C	09/12/2013	N001	21.8			#		
Turbidity	NTU	09/12/2013	N001	1000	>		#		
Uranium	mg/L	09/12/2013	0001	0.0025			#	0.0000029	

Surface Water Quality Data by Location (USEE102) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0693 SURFACE LOCATION

Parameter	Units	Sample		Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID		Lab	Data	QA		
Manganese	mg/L	09/12/2013	0001	0.016			#	0.00011	
Molybdenum	mg/L	09/12/2013	0001	0.009			#	0.000032	
Nitrate + Nitrite as Nitrogen	mg/L	09/12/2013	0001	0.43			#	0.01	
Selenium	mg/L	09/12/2013	0001	0.0042			#	0.000032	
Uranium	mg/L	09/12/2013	0001	0.0028			#	0.0000029	

Surface Water Quality Data by Location (USEE102) FOR SITE SRK05, Slick Rock West Processing Site

REPORT DATE: 11/06/2013

Location: 0694 SURFACE LOCATION

Parameter	Units	Sample		Result	Qualifiers		Detection Limit	Uncertainty
		Date	ID		Lab	Data		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	N001	72			#	
Manganese	mg/L	09/12/2013	0001	0.0024	B	J	#	0.00011
Molybdenum	mg/L	09/12/2013	0001	0.0084			#	0.000032
Nitrate + Nitrite as Nitrogen	mg/L	09/12/2013	0001	0.34			#	0.01
Oxidation Reduction Potential	mV	09/12/2013	N001	20			#	
pH	s.u.	09/12/2013	N001	7.78			#	
Selenium	mg/L	09/12/2013	0001	0.0026			#	0.000032
Specific Conductance	umhos/cm	09/12/2013	N001	1660			#	
Temperature	C	09/12/2013	N001	21			#	
Turbidity	NTU	09/12/2013	N001	1000	>		#	
Uranium	mg/L	09/12/2013	0001	0.0024			#	0.0000029

Surface Water Quality Data by Location (USEE102) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0692 SURFACE LOCATION

Parameter	Units	Sample		Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID		Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	0001	74			#		
Oxidation Reduction Potential	mV	09/12/2013	N001	17.5			#		
pH	s.u.	09/12/2013	N001	7.83			#		
Specific Conductance	umhos/cm	09/12/2013	N001	1588			#		
Temperature	C	09/12/2013	N001	20.64			#		
Turbidity	NTU	09/12/2013	N001	1000	>		#		
Uranium	mg/L	09/12/2013	0001	0.0022			#	0.000029	

Surface Water Quality Data by Location (USEE102) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0696 SURFACE LOCATION WQD, KNOWNS

Parameter	Units	Sample		Result	Qualifiers		Detection Limit	Uncertainty
		Date	ID		Lab	Data QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	0001	78		#		
Oxidation Reduction Potential	mV	09/12/2013	N001	125		#		
pH	s.u.	09/12/2013	N001	7.75		#		
Specific Conductance	umhos/cm	09/12/2013	N001	1980		#		
Temperature	C	09/12/2013	N001	21.8		#		
Turbidity	NTU	09/12/2013	N001	1000	>	#		
Uranium	mg/L	09/12/2013	0001	0.003		#	0.000029	

Surface Water Quality Data by Location (USEE102) FOR SITE SRK06, Slick Rock East Processing Site

REPORT DATE: 11/06/2013

Location: 0700 SURFACE LOCATION

Parameter	Units	Sample		Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID		Lab	Data	QA		
Alkalinity, Total (as CaCO ₃)	mg/L	09/12/2013	0001	78			#		
Oxidation Reduction Potential	mV	09/12/2013	N001	-9.2			#		
pH	s.u.	09/12/2013	N001	7.71			#		
Specific Conductance	umhos/cm	09/12/2013	N001	1423			#		
Temperature	C	09/12/2013	N001	20.03			#		
Turbidity	NTU	09/12/2013	N001	1000	>		#		
Uranium	mg/L	09/12/2013	0001	0.0021			#	0.000029	

SAMPLE ID CODES: 000X = Filtered sample (0.45 µm). N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- * Replicate analysis not within control limits.
- > Result above upper detection limit.
- A TIC is a suspected aldol-condensation product.
- B Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- C Pesticide result confirmed by GC-MS.
- D Analyte determined in diluted sample.
- E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- H Holding time expired, value suspect.
- I Increased detection limit due to required dilution.
- J Estimated
- N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
- P > 25% difference in detected pesticide or Aroclor concentrations between 2 columns.
- U Analytical result below detection limit.

DATA QUALIFIERS:

- F Low flow sampling method used.
- L Less than 3 bore volumes purged prior to sampling.
- U Parameter analyzed for but was not detected.
- G Possible grout contamination, pH > 9.
- Q Qualitative result due to sampling technique.
- X Location is undefined.
- J Estimated value.
- R Unusable result.

QA QUALIFIER:

- # Validated according to quality assurance guidelines.

This page intentionally left blank

Equipment Blank and Trip Blank Data

This page intentionally left blank

BLANKS REPORT

LAB: PARAGON/ALS LABORATORY GROUP (Fort Collins, CO)

RIN: 13095593

Report Date: 11/06/2013

Parameter	Site Code	Location ID	Sample Date	Sample ID	Units	Result	Qualifiers Lab Data	Detection Limit	Uncertainty	Sample Type
Benzene	SRK05	0999	09/11/2013	N001	ug/L	0.3	U	0.3		TB
Ethylbenzene	SRK05	0999	09/11/2013	N001	ug/L	0.3	U	0.3		TB
m,p-Xylene	SRK05	0999	09/11/2013	N001	ug/L	0.3	U	0.3		TB
Manganese	SRK05	0999	09/12/2013	N001	mg/L	0.00068	B	0.00011		E
Molybdenum	SRK05	0999	09/12/2013	N001	mg/L	0.000032	U	0.000032		E
Nitrate + Nitrite as Nitrogen	SRK05	0999	09/12/2013	N001	mg/L	0.05		0.01		E
o-Xylene	SRK05	0999	09/11/2013	N001	ug/L	0.3	U	0.3		TB
Selenium	SRK05	0999	09/12/2013	N001	mg/L	0.000064	B	0.000032		E
Toluene	SRK05	0999	09/11/2013	N001	ug/L	0.3	U	0.3		TB
Uranium	SRK05	0999	09/12/2013	N001	mg/L	0.0000029	U	0.0000029		E

SAMPLE ID CODES: 000X = Filtered sample (0.45 µm). N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- * Replicate analysis not within control limits.
- > Result above upper detection limit.
- A TIC is a suspected aldol-condensation product.
- B Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- C Pesticide result confirmed by GC-MS.
- D Analyte determined in diluted sample.
- E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- H Holding time expired, value suspect.
- I Increased detection limit due to required dilution.
- J Estimated
- N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
- P > 25% difference in detected pesticide or Aroclor concentrations between 2 columns.
- U Analytical result below detection limit.

DATA QUALIFIERS:

F	Low flow sampling method used.	G	Possible grout contamination, pH > 9.	J	Estimated value.
L	Less than 3 bore volumes purged prior to sampling.	Q	Qualitative result due to sampling technique.	R	Unusable result.
U	Parameter analyzed for but was not detected.	X	Location is undefined.		

SAMPLE TYPES:

E	Equipment Blank.
TB	Trip Blank

Static Water Level Data

This page intentionally left blank

STATIC WATER LEVELS (USEE700) FOR SITE SRK06, Slick Rock East Processing Site
REPORT DATE: 11/06/2013

Location Code	Flow Code	Top of Casing Elevation (Ft)	Measurement Date	Measurement Time	Depth From Top of Casing (Ft)	Water Elevation (Ft)	Water Level Flag
0300	U	5467.35	09/12/2013	10:45:05	15.7	5451.65	
0303	O	5446.91	09/12/2013	10:05:35	11	5435.91	
0305	O	5448.75	09/12/2013	08:35:51	13.81	5434.94	
0307	O	5447.1	09/12/2013	09:00:49	12.58	5434.52	
0309	O	5450.18	09/12/2013	09:45:15	16.31	5433.87	
0310	D	5450.56	09/12/2013	12:20:37	18.38	5432.18	
0311	D	5450.7	09/12/2013	11:55:22	19.45	5431.25	
0312	D	5451.06	09/12/2013	11:31:00			D

FLOW CODES: B BACKGROUND C CROSS GRADIENT D DOWN GRADIENT F OFF SITE
 N UNKNOWN O ON SITE U UPGRADIENT


WATER LEVEL FLAGS: D Dry F Flowing B Below top of pump

This page intentionally left blank


Hydrographs

This page intentionally left blank

Slick Rock West Processing Site Hydrograph



Slick Rock East Processing Site Hydrograph




Groundwater Time-Concentration Graphs


This page intentionally left blank

Slick Rock West Processing Site Manganese Concentration


Maximum Background Concentration (MBC) = 4.2 mg/L




Slick Rock West Processing Site
Molybdenum Concentration
 Maximum Concentration Limit (MCL) = 0.10 mg/L




Slick Rock West Processing Site
Nitrate + Nitrite as Nitrogen Concentration
 Maximum Concentration Limit (MCL) = 10 mg/L




Slick Rock West Processing Site
Radium-226 and Radium-228 Concentrations in Well 0319
 Maximum Concentration Limit (MCL) = 5 pCi/L for Ra-226+228




**Slick Rock West Processing Site
Selenium Concentration**
Alternate Concentration Limit (ACL) = 0.18 mg/L



Slick Rock East Processing Site
Selenium Concentration
Maximum Concentration Limit (MCL) = 0.01 mg/L




Slick Rock West Processing Site
Uranium Concentration
Maximum Concentration Limit (MCL) = 0.044 mg/L



Slick Rock East Processing Site Uranium Concentration

Maximum Concentration Limit (MCL) = 0.044 mg/L




Surface Water Time-Concentration Graphs

This page intentionally left blank


Slick Rock West Processing Site Manganese Concentration

Benchmark = 0.016 mg/L




Slick Rock West Processing Site Molybdenum Concentration


Benchmark = 0.0085 mg/L



Slick Rock West Processing Site
Nitrate + Nitrite as Nitrogen Concentration
Benchmark = 0.43 mg/L




Slick Rock West Processing Site
Selenium Concentration
Benchmark = 0.0047 mg/L




Slick Rock West Processing Site Uranium Concentration

Benchmark = 0.0033 mg/L



Slick Rock East Processing Site Uranium Concentration

Benchmark = 0.055 mg/L



Attachment 3
Sampling and Analysis Work Order

This page intentionally left blank



established 1959

Task Order LM-501
Control Number 13-0755

August 12, 2013

U.S. Department of Energy
Office of Legacy Management
ATTN: Jason Nguyen
Site Manager
2597 Legacy Way
Grand Junction, CO 81503

SUBJECT: Contract No. DE-AM01-07LM00060, S.M. Stoller Corporation (Stoller)
September 2013 Environmental Sampling at the Slick Rock, Colorado,
Processing Sites

REFERENCE: Task Order LM00-501-02-120-402, Slick Rock, Colorado, Processing Sites

Dear Mr. Nguyen:

The purpose of this letter is to inform you of the upcoming sampling event at Slick Rock, Colorado. Enclosed are the map and tables specifying sample locations and analytes for monitoring at the Slick Rock sites. Water quality data will be collected from monitoring wells and surface locations at this site as part of the routine environmental sampling currently scheduled to begin the week of September 9, 2013.

The following lists show the locations scheduled to be sampled during this event.

Monitoring Wells*

West Site

317 Je	319 Al	339 Al	340 Al	508 Al	510 Al	684 Al
318A Al	320 Al					

East Site

300 Al	305 Al	307 Al	309 Al	310 Al	311 Al	312 Al
303 Al						

*NOTE: Al = Alluvium; Je = Jurassic Entrada Sandstone

Surface Water

West Site

347	349	693	694
-----	-----	-----	-----

East Site

692	696	700
-----	-----	-----

Jason Nguyen
Control Number 13-0755
Page 2

All samples will be collected as directed in the *Sampling and Analysis Plan for U.S. Department of Energy Office of Legacy Management Sites*. Access agreements are being reviewed and are expected to be complete by the beginning of fieldwork.

Please contact me at (970) 248-6557 if you have any questions.

Sincerely,



David Traub
Site Lead

DT/lcg/lb

Enclosures (3)

cc: (electronic)

Christina Pennal, DOE
Steve Donovan, Stoller
Bev Gallagher, Stoller
Lauren Goodknight, Stoller
Dave Traub, Stoller
EDD Delivery
re-grand.junction
File: SRE 410.02(A)
SRW 410.02(A)

Sampling Frequencies for Locations at Slick Rock, Colorado

Location ID	Quarterly	Semiannually	Annually	Biennially	Not Sampled	Notes
Monitoring Wells						
WEST						
317			X			
318A			X			
319			X			
320			X			
339			X			
340			X			
508			X			
510			X			
684			X			
EAST						
300			X			
303			X			
305			X			
307			X			
309			X			
310			X			
311			X			
312			X			
Surface Locations						
WEST						
347			X			
349			X			
693			X			
694			X			
EAST						
692			X			
696			X			
700			X			

Sampling conducted in September

Constituent Sampling Breakdown

Site	Slick Rock		Required Detection Limit (mg/L)	Analytical Method	Line Item Code
Analyte	Groundwater	Surface Water			
Approx. No. Samples/yr	14	7			
<i>Field Measurements</i>					
Alkalinity	X	X			
Dissolved Oxygen					
Redox Potential	X	X			
pH	X	X			
Specific Conductance	X	X			
Turbidity	X	X			
Temperature	X	X			
<i>Laboratory Measurements</i>					
Aluminum					
Ammonia as N (NH ₃ -N)					
Calcium					
Chloride					
Chromium					
Gross Alpha					
Gross Beta					
Iron					
Lead					
Magnesium					
Manganese	0318A, 0320, 0339, 0340, 0508, 0510, 0684	0347, 0349, 0693, 0694	0.005	SW-846 6010	LMM-01
Molybdenum	0317, 0318A, 0320, 0339, 0340, 0508, 0510, 0684	0347, 0349, 0693, 0694	0.003	SW-846 6020	LMM-02
Nickel					
Nickel-63					
Nitrate + Nitrite as N (NO ₃ +NO ₂)-N	0318A, 0320, 0339, 0340, 0508, 0510, 0684	0347, 0349, 0693, 0694	0.05	EPA 353.1	WCH-A-022
Potassium					
Radium-226	0319		1 pCi/L	Gas Proportional Counter	GPC-A-018
Radium-228	0319		1 pCi/L	Gas Proportional Counter	GPC-A-020
Selenium	0305, 0307, 0317, 0318A, 0319, 0320, 0339, 0340, 0508, 0510, 0684	0347, 0349, 0693, 0694	0.0001	SW-846 6020	LMM-02
Silica					

Constituent Sampling Breakdown

Site	Slick Rock		Required Detection Limit (mg/L)	Analytical Method	Line Item Code
Analyte	Groundwater	Surface Water			
Sodium					
Strontium					
Sulfate					
Sulfide					
Total Dissolved Solids					
Total Organic Carbon					
Uranium	0303, 0305, 0307, 0309, 0310, 0311, 0312, 0318A, 0320, 0339, 0340, 0508, 0510, 0684	X	0.0001	SW-846 6020	LMM-02
Vanadium					
VOCs (BETX)	0319 only		0.005	SW-846 8260	VOA-A-009
Zinc					
Total No. of Analytes	8	5			

Note: All private well samples are to be unfiltered. The total number of analytes does not include field parameters.

This page intentionally left blank

Attachment 4 Trip Report

This page intentionally left blank

Memorandum

DATE: September 17, 2013

TO: David Traub

FROM: Jeff Price

SUBJECT: Trip Report

Site: Slick Rock, Colorado, East and West Processing Sites

Dates of Sampling Event: September 11 and 12, 2013

Team Members: David Atkinson and Jeff Price

Number of Locations Sampled: Samples were collected from 23 of the 24 locations identified on the sampling notification letter as follows:

SRK05 (West Site)–9 monitoring wells and 4 surface locations

SRK06 (East Site)–7 monitoring wells and 3 surface locations

Locations Not Sampled/Reason: Well 312 was dry.

Location Specific Information:

Location IDs	Comments
0319	<ul style="list-style-type: none"> VOCs were collected by reverse flow as follows: <i>After purging and collecting non-VOC samples, tubing was pulled from the well with volume of water retained in it; vials were filled by reversing the flow on the pump.</i>

Quality Control Sample Cross Reference: The following are the false identifications assigned to the quality control samples.

False ID	True ID	Sample Type	Ticket Number	Associated Matrix
2399	0510	Duplicate (Metals and Nitrate)	LKV 675	Water
2676	0340	Duplicate (Metals and Nitrate)	LKV 672	Water
2498	0319	Duplicate (VOCs and Radium)	LKV 667	Water
2500	-----	Trip Blank (VOCs)	LKV 671	Water
2533	Associated with all surface water locations	Equipment Blank (Metals and Nitrate)	LKW 463	Water

Requisition Identification Number (RIN) Assigned: 13095593. Field data sheets can be found in Crow\sms\13095593 in the Field Data folder.

Sample Shipment: Samples were shipped from Grand Junction to ALS Laboratory Group on September 16, 2013.

Water Level Measurements: Water levels were measured in all sampled wells.

Well Inspection Summary: No issues were identified.

Field Variance: None.

Equipment: All equipment functioned properly. Wells were sampled with a peristaltic pump and dedicated tubing. Surface water samples were collected using a peristaltic pump and tubing with an attached weight. An equipment blank was collected after decontamination of the tubing reel.

Stakeholder/Regulatory: Nothing to note.

Institutional Controls:

Fences, Gates, and Locks: All gates were locked and in good condition.

Signs: OK.

Trespassing/Site Disturbances: None noted.

Site Issues:

Disposal Cell/Drainage Structure Integrity: N/A

Vegetation/Noxious Weed Concerns: N/A

Maintenance Requirements: The brush clearing effort, completed earlier this year to facilitate access to the wells, was a huge success. All wells can now be easily accessed.

Safety Issues: N/A

Access Issues: Because of recent heavy rains at the site, the access roads were very muddy. An ATV was used to transport sampling equipment to the wells.

Corrective Action Required/Taken: N/A

cc: (electronic)

Jason Nguyen, DOE
Steve Donovan, Stoller
Bev Gallagher, Stoller

Dave Traub, Stoller
EDD Delivery