
Data Validation Package

April 2015 Groundwater Sampling at the Falls City, Texas, Disposal Site

July 2015





Contents

Sampling Event Summary	
Falls City, Texas, Disposal Site Sample Location Map	
Data Assessment Summary	
Water Sampling Field Activities Verification Checklist	
Laboratory Performance Assessment	
Sampling Quality Control Assessment	
Certification	

Attachment 1—Assessment of Anomalous Data

Potential Outliers Report

Attachment 2—Data Presentation

Groundwater Quality Data Static Water Level Data Hydrographs Time-Concentration Graphs

Attachment 3—Sampling and Analysis Work Order

Attachment 4—Trip Report

Sampling Event Summary

Site:

Falls City, Texas, Disposal Site

Sampling Period:

April 24, 2015

Nine groundwater samples were collected at the Falls City, Texas, Disposal Site as specified in the March 2008 *Long-Term Surveillance Plan for the U.S. Department of Energy Falls City Uranium Mill Tailings Disposal Site Falls City, Texas*.

Sampling and analysis were conducted as specified in the Sampling and Analysis Plan for U.S. Department of Energy Office of Legacy Management Sites. (LMS/PRO/S04351, continually updated).

The wells sampled included the cell performance monitoring wells (0709, 0858, 0880, 0906, and 0921) and the groundwater monitoring wells (0862, 0886, 0891, and 0924). Monitoring well 0963 was not accessible due to flooding and was thus not sampled. A duplicate sample was collected from location 0891.

Water levels were measured at each sampled well. Historically, cell performance monitoring wells 0908 and 0916 have not produced water and were confirmed as dry. These wells are completed above the saturated interval in the formation.

The time-concentration graphs included in this report show increases in the uranium concentrations, mostly notable in wells 0921 and 0891.


Michael Widdop, Site Lead

Stoller Newport News Nuclear, Inc.,

a wholly owned subsidiary of

Huntington Ingalls Industries, Inc.

7/29/2015 Date/



Falls City, Texas, Disposal Site Sample Location Map

DVP—April 2015, Falls City, Texas RIN 15036899 Page 4 U.S. Department of Energy July 2015 **Data Assessment Summary**

Water Sampling Field Activities Verification Checklist

ı	Project	Falls City, Texas	Date(s) of wate	r Sampling	April 24, 2015	
I	Date(s) of Verification	July 9, 2015	Name of Verifie	r	Alison Kuhlman	
			Response (Yes, No, NA)		Comments	
1.	Is the SAP the primary document	directing field procedures?	Yes			
	List any Program Directives or other	ner documents, SOPs, instructions.		Work order letter	dated March 13, 2015.	
2.	Were the sampling locations spec	cified in the planning documents sampled?	No	Locations 0908 a was inaccessible	and 0916 were confirmed dry. Location due to flooding.	0963
3.	Were calibrations conducted as s	pecified in the above-named documents?	Yes		oration standards expiration date and thation were not recorded.	he date
4.	Was an operational check of the	field equipment conducted daily?	Yes			
	Did the operational checks meet	criteria?	Yes			
5.		linity, temperature, specific conductance, easurements taken as specified?	Yes			
6.	Were wells categorized correctly	?	Yes			
7.	Were the following conditions me	t when purging a Category I well:				
	Was one pump/tubing volume pu	rged prior to sampling?	Yes			
	Did the water level stabilize prior	to sampling?	Yes			
	Did pH, specific conductance, and prior to sampling?	d turbidity measurements meet criteria	Yes			
	Was the flow rate less than 500 n	nL/min?	Yes			

Water Sampling Field Activities Verification Checklist (continued)

	Response (Yes, No, NA)	Comments
8. Were the following conditions met when purging a Category II well:		
Was the flow rate less than 500 mL/min?	Yes	
Was one pump/tubing volume removed prior to sampling?	Yes	
9. Were duplicates taken at a frequency of one per 20 samples?	Yes	
10. Were equipment blanks taken at a frequency of one per 20 samples that were collected with non-dedicated equipment?	NA	A duplicate sample was collected at location 0891.
11. Were trip blanks prepared and included with each shipment of VOC samples?	NA	An equipment blank was not required.
12. Were the true identities of the QC samples documented?	Yes	
13. Were samples collected in the containers specified?	Yes	
14. Were samples filtered and preserved as specified?	Yes	
15. Were the number and types of samples collected as specified?	Yes	
16. Were chain of custody records completed and was sample custody maintained?	Yes	
17. Was all pertinent information documented on the field data sheets?	Yes	
18. Was the presence or absence of ice in the cooler documented at every sample location?	NA	Sample cooling was not required.
19. Were water levels measured at the locations specified in the planning documents?	No	Location 0963 was inaccessible due to flooding.

Laboratory Performance Assessment

General Information

Report Number (RIN): 15036899 Sample Event: April 24, 2015 Site(s): Falls City, Texas

Laboratory: ALS Laboratory Group, Fort Collins, Colorado

Work Order No.: 1504537 Analysis: Uranium

Validator: Alison Kuhlman Review Date: July 7, 2015

This validation was performed according to the *Environmental Procedures Catalog* (LMS/POL/S04325, continually updated) "Standard Practice for Validation of Environmental Data." The procedure was applied at Level 3, Data Validation. See attached Data Validation Worksheets for supporting documentation on the data review and validation. All analyses were successfully completed. The samples were prepared and analyzed using accepted procedures based on methods specified by line item code, which are listed in Table 1.

Table 1. Analytes and Methods

Analyte	Line Item Code	Prep Method	Analytical Method
Uranium	LMM-02	SW-846 3005A	SW-846 6020A

Data Qualifier Summary

Analytical results were qualified as listed in Table 2. Refer to the attached validation worksheets and the sections below for an explanation of the data qualifiers applied.

Table 2. Data Qualifiers

Sample Number	Location	Analyte	Flag	Reason
1504537-3	0862	Uranium	J	Duplicate RPD criteria not met

Sample Shipping/Receiving

ALS Laboratory Group in Fort Collins, Colorado received 10 water sample on April 28, 2015, accompanied by a Chain of Custody form. The Chain of Custody form was checked to confirm that the samples were listed on the form, and that signatures and dates were present indicating sample relinquishment and receipt. The sample submittal documents had no errors or omissions. Copies of the air waybill labels were included with the receiving documentation.

Preservation and Holding Times

The sample shipment was received intact at ambient temperature which complies with requirements. The samples were received in the correct container types and had been preserved correctly for the requested analyses and all samples were analyzed within the applicable holding times.

Laboratory Instrument Calibration

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing acceptable qualitative and quantitative data for all analytes. Initial calibration demonstrates that the instrument is capable of acceptable performance in the beginning of the analytical run and of producing a linear curve. Compliance requirements for continuing calibration checks are established to ensure that the instrument continues to be capable of producing acceptable qualitative and quantitative data. All laboratory instrument calibrations were performed correctly in accordance with the cited methods. All calibration and laboratory spike standards were prepared from independent sources.

Method SW-846 6020A, Uranium

Calibrations were performed on April 30, 2015, using four calibration standards resulting in a calibration curve with a correlation coefficient (r²) value greater than 0.995. The absolute value of the curve intercept was less than 3 times the method detection limit (MDL). Initial and continuing calibration verification checks were made at the required frequency with all calibration checks meeting the acceptance criteria. Reporting limit verification checks were made at the required frequency to verify the linearity of the calibration curve near the practical quantitation limit (PQL) and all results were within the acceptance range. Mass calibration and resolution verifications were performed at the beginning of each analytical run in accordance with the analytical procedure. Internal standard recoveries associated with requested analytes were stable and within acceptable ranges.

Method and Calibration Blanks

Method blanks are analyzed to assess any contamination that may have occurred during sample preparation. Calibration blanks are analyzed to assess instrument contamination prior to and during sample analysis. All method, initial, and continuing calibration blank results were below the applicable MDL.

<u>Inductively Coupled Plasma Interference Check Sample Analysis</u>

Interference check samples A and AB were analyzed at the required frequency to verify the interelement and background correction factors for all inductively coupled plasma instruments. All check sample results met the acceptance criteria.

Matrix Spike Analysis

Matrix spike and matrix spike duplicate samples are used to measure method performance in the sample matrix. The spike recoveries met the acceptance criteria for all analytes evaluated.

Laboratory Replicate Analysis

Laboratory replicate analyses are used to determine laboratory precision for each sample matrix. The relative percent difference for replicate results that are greater than 5 times the PQL should be less than 20 percent. For results that are less than the PQL, the range should be no greater than the PQL. The replicate result did not meet these criteria for uranium with a relative percent difference greater than 20 percent. The sample result is qualified with a "J" flag as an estimated value.

Laboratory Control Samples

Laboratory control samples were analyzed at the correct frequency to provide information on the accuracy of the analytical method and the overall laboratory performance, including sample preparation. The laboratory control sample results were acceptable for all analysis.

Metals Serial Dilution

Serial dilutions were performed during the metals analysis to monitor physical or chemical interferences that may exist in the sample matrix. Serial dilutions were prepared and analyzed for all metals. The acceptance criteria were met for all analytes.

Detection and Quantitation Limits

The MDL was reported for uranium as required. The MDL, as defined in 40 CFR 136, is the minimum concentration of an analyte that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero. The PQL for these analytes is the lowest concentration that can be reliably measured, and is defined as 5 times the MDL. The reported MDLs demonstrate compliance with contractual requirements.

Metals Serial Dilution

Serial dilutions were performed during the metals analysis to monitor physical or chemical interferences that may exist in the sample matrix. Serial dilutions were prepared and analyzed for all metals. The acceptance criteria were met for all analytes.

Completeness

Results were reported in the correct units for all analytes requested using contract-required laboratory qualifiers.

Electronic Data Deliverable (EDD) File

The EDD file arrived on June 4, 2015. The Sample Management System EDD validation module was used to verify that the EDD file was complete and in compliance with requirements. The module compares the contents of the file to the requested analyses to ensure all and only the requested data are delivered. The contents of the EDD were manually examined to verify that the sample results accurately reflect the data contained in the sample data package.

oject: Falls City of Samples: 10	Analysis Type: 🗸 Metals 📗 General Chem 📗 Rad 📗 Organics
Chain of Custody	Matrix: WATER Requested Analysis Completed: Yes
Chain of Custouy	Sample
	d: OK Dated: OK Integrity: OK Preservation: OK Temperature: OK
E	
Select Quality Parame	
✓ Holding Times	All analyses were completed within the applicable holding times.
✓ Detection Limits	The reported detection limits are equal to or below contract requirements.
Field/Trip Blanks	
Field Duplicates	There was 1 duplicate evaluated.

SAMPLE MANAGEMENT SYSTEM

Page 1 of 1

Metals Data Validation Worksheet

RIN: <u>15036899</u> Lab Code: PAR Date Due: 5/26/2015

Matrix: Water Site Code: FCT01 **Date Completed:** <u>5/28/2015</u>

Analyte	Method Type	* Land of 200 100 L	12 10 10 10 10 10 10 10 10 10 10 10 10 10			Method	LCS %R	MS %R	MSD %R	Dup. RPD	ICSAB %R	Serial Dil. %R	CRI %R	
	0.000		Int.	R^2	CCV	ССВ	Blank							
Uranium	ICP/MS	04/30/2015	0.0000	1.0000	OK	ОК	OK	98.0	100.0	101.0	23.0	101.0	0.0	100.0

Sampling Quality Control Assessment

The following information summarizes and assesses quality control for this sampling event.

Sampling Protocol

Sample results for all monitoring wells met the Category I or II low-flow sampling criteria and were qualified with an "F" flag in the database, indicating the wells were purged and sampled using the low-flow sampling method.

The groundwater sample results for wells 0858, 0862, 0886, and 0906 were qualified with a "Q" flag in the database indicating the data are considered qualitative because the wells were sampled using Category II criteria.

Equipment Blank Assessment

Dedicated sampling equipment was used at all locations and an equipment blank was not required.

Field Duplicate Analysis

Field duplicate samples are collected and analyzed as an indication of overall precision of the measurement process. The precision observed includes both field and laboratory precision and has more variability than laboratory duplicates, which measure only laboratory performance. The relative percent difference for duplicate results that are greater than 5 times the PQL should be less than 20 percent. For results that are less than the PQL, the range should be no greater than the PQL. A duplicate sample was collected from location 0891. The duplicate results met these criteria, demonstrating acceptable overall precision for all analytes.

SAMPLE MANAGEMENT SYSTEM

Page 1 of 1

Validation Report: Field Duplicates

RIN: 15036899 Lab Code: PAR Project: Falls City Validation Date: 7/1/2015

Duplicate: 2580

Sample: 0891

Sample Duplicate

AnalyteResultFlagErrorDilutionResultFlagErrorDilutionRPDRERUnitsUranium320010032001000UG/L

Certification

All laboratory analytical quality control criteria were met except as qualified in this report. The data qualifiers listed on the SEEPro database reports are defined on the last page of each report. All data in this package are considered validated and available for use.

Laboratory Coordinator:

Data Validation Lead:

Attachment 1 Assessment of Anomalous Data

Potential Outliers Report

Potential Outliers Report

Potential outliers are measurements that are extremely large or small relative to the rest of the data and, therefore, are suspected of misrepresenting the population from which they were collected. Potential outliers can result from transcription errors, data-coding errors, or measurement system problems. However, outliers can also represent true extreme values of a distribution and can indicate more variability in the population than was expected.

Statistical outlier tests give probabilistic evidence that an extreme value does not "fit" with the distribution of the remainder of the data and is therefore a statistical outlier. These tests should only be used to identify data points that require further investigation. The tests alone cannot determine whether a statistical outlier should be discarded or corrected within a data set.

There are three steps involved in identifying extreme values or outliers:

- 1. **Identify extreme values that may be potential outliers.** Do this by generating the Outliers Report using the Sample Management System from data in the environmental database. The application compares the new data set (in standard environmental database units) with historical data and lists the new data that fall outside the historical data range. A determination is also made as to whether the data are normally distributed using the Shapiro-Wilk Test.
- 2. **Apply the appropriate statistical test.** Dixon's Test for extreme values is used to test for statistical outliers when the sample size is less than or equal to 25. This test considers both extreme values that are much smaller than the rest of the data (case 1) and extreme values that are much larger than the rest of the data (case 2). This test is valid only if the data without the suspected outlier are normally distributed. Rosner's Test is a parametric test that is used to detect outliers for sample sizes of 25 or more. This test also assumes that the data without the suspected outliers are normally distributed.
- 3. Scientifically review statistical outliers and decide on their disposition. The review should include an evaluation of any notable trends in the data that may indicate the outliers represent true extreme values.

There were no potential outliers identified and the data for this event are acceptable as qualified.

Data Validation Outliers Report - No Field Parameters

Comparison: All historical Data Beginning 01/01/2004

Laboratory: ALS Laboratory Group

RIN: 15036899

Report Date: 07/13/2015

					Current	Qualifi	iers	Historical	Maximu Qualifi		Historical	Minimu Qualifi		Numb Data F		Statistical Outlier
Site Code	Location Code	Sample ID	Sample Date	Analyte	Result	Lab	Data	Result	Lab	Data	Result	Lab	Data	N	N Below Detect	
FCT03	0709	N001	04/24/2015	Uranium	0.320		F	0.690		FJ	0.430		F	15	0	No
FCT03	0891	N001	04/24/2015	Uranium	3.20		F	3.10		F	0.0330		F	16	0	NA
FCT03	0891	N002	04/24/2015	Uranium	3.20		F	3.10		F	0.0330		F	16	0	NA
FCT03	0906	N001	04/24/2015	Uranium	0.230		FQ	0.200		FJ	0.00032		F	16	0	No

STATISTICAL TESTS:

The distribution of the data is tested for normality or lognormality using the Shapiro-Wilk Test Outliers are identified using Dixon's Test when there are 25 or fewer data points.

Outliers are identified using Rosner's Test when there are 26 or more data points.

See Data Quality Assessment: Statistical Methods for Practitioners, EPA QC/G-9S, February 2006.

NA: Data are not normally or lognormally distributed.

Attachment 2 Data Presentation

Groundwater Quality Data

Location: 0709 WELL

Parameter	Units	Sam	ple	Depth R	ange	Result		Qualifiers		Detection	Uncertainty
1 drameter	Office	Date	ID	(Ft BL	.S)	result	Lab	Data	QA	Limit	Officertainty
Dissolved Oxygen	mg/L	04/24/2015	N001	12.65 -	32.65	4.97		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	12.65 -	32.65	89.5		F	#		
рН	s.u.	04/24/2015	N001	12.65 -	32.65	6.32		F	#		
Specific Conductance	umhos /cm	04/24/2015	N001	12.65 -	32.65	9094		F	#		
Temperature	С	04/24/2015	N001	12.65 -	32.65	25.37		F	#		
Turbidity	NTU	04/24/2015	N001	12.65 -	32.65	3.73		F	#		
Uranium	mg/L	04/24/2015	N001	12.65 -	32.65	0.32		F	#	0.000029	

Location: 0858 WELL

Parameter	Units	Sam		Depth Ra	_	Result		Qualifiers		Detection Limit	Uncertainty
		Date	ID	(Ft BL	5)		Lab	Data	QA	Limit	-
Dissolved Oxygen	mg/L	04/24/2015	N001	39.42 -	49.42	0.37		FQ	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	39.42 -	49.42	-189.3		FQ	#		
рН	s.u.	04/24/2015	N001	39.42 -	49.42	6.33		FQ	#		
Specific Conductance	umhos /cm	04/24/2015	N001	39.42 -	49.42	10672		FQ	#		
Temperature	С	04/24/2015	N001	39.42 -	49.42	23.52		FQ	#		
Turbidity	NTU	04/24/2015	N001	39.42 -	49.42	3.55		FQ	#		
Uranium	mg/L	04/24/2015	N001	39.42 -	49.42	0.037		FQ	#	0.000029	

Location: 0862 WELL

Parameter	Units	Sam Date	ple ID	Depth Range (Ft BLS)	Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Dissolved Oxygen	mg/L	04/24/2015	N001	117.77 - 127.77	1.29		FQ	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	117.77 - 127.77	-99.2		FQ	#		
рН	s.u.	04/24/2015	N001	117.77 - 127.77	6.91		FQ	#		
Specific Conductance	umhos /cm	04/24/2015	N001	117.77 - 127.77	4385		FQ	#		
Temperature	С	04/24/2015	N001	117.77 - 127.77	24.17		FQ	#		
Turbidity	NTU	04/24/2015	N001	117.77 - 127.77	1.38		FQ	#		
Uranium	mg/L	04/24/2015	N001	117.77 - 127.77	0.002	*	FQJ	#	0.000029	

Location: 0880 WELL

Parameter	Units	Sam	•	•	Range	Result		Qualifiers		Detection	Uncertainty
		Date	ID	(Ft E	BLS)		Lab	Data	QA	Limit	G.1.00.1.uty
Dissolved Oxygen	mg/L	04/24/2015	N001	32.3	- 42.3	2.38		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	32.3	- 42.3	138		F	#		
рН	s.u.	04/24/2015	N001	32.3	- 42.3	4.44		F	#		
Specific Conductance	umhos /cm	04/24/2015	N001	32.3	- 42.3	19813		F	#		
Temperature	С	04/24/2015	N001	32.3	- 42.3	25.88		F	#		
Turbidity	NTU	04/24/2015	N001	32.3	- 42.3	7.76		F	#		
Uranium	mg/L	04/24/2015	N001	32.3	- 42.3	4.9		F	#	0.00029	

Location: 0886 WELL

Parameter	Units	Sample		Depth Range		Result	Qualifiers			Detection	Uncertainty
	Cinto	Date	ID	(Ft BL	S)	- Toodit	Lab	Data	QA	Limit	2co.tamity
Dissolved Oxygen	mg/L	04/24/2015	N001	19.17 -	49.17	1.19		FQ	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	19.17 -	49.17	23		FQ	#		
рН	s.u.	04/24/2015	N001	19.17 -	49.17	5.58		FQ	#		
Specific Conductance	umhos /cm	04/24/2015	N001	19.17 -	49.17	6700		FQ	#		
Temperature	С	04/24/2015	N001	19.17 -	49.17	24.01		FQ	#		
Turbidity	NTU	04/24/2015	N001	19.17 -	49.17	4.51		FQ	#		
Uranium	mg/L	04/24/2015	N001	19.17 -	49.17	0.0066		FQ	#	0.000029	

Location: 0891 WELL

Parameter	Units	Sample Date ID		Depth Range (Ft BLS)		Result	Qualifiers Lab Data QA			Detection Limit	Uncertainty
Dissolved Oxygen	mg/L	04/24/2015	N001	10.74 -	20.74	2.63	Lab	F	#	Lillit	
Oxidation Reduction Potential	mV	04/24/2015	N001	10.74 -	20.74	-37.8		F	#		
pH	s.u.	04/24/2015	N001	10.74 -	20.74	6.59		F	#		
Specific Conductance	umhos /cm	04/24/2015	N001	10.74 -	20.74	26858		F	#		
Temperature	С	04/24/2015	N001	10.74 -	20.74	23.25		F	#		
Turbidity	NTU	04/24/2015	N001	10.74 -	20.74	8.4		F	#		
Uranium	mg/L	04/24/2015	N001	10.74 -	20.74	3.2		F	#	0.00029	
Uranium	mg/L	04/24/2015	N002	10.74 -	20.74	3.2		F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site REPORT DATE: 07/13/2015

Location: 0906 WELL

Parameter	Units	Sam Date	ple ID	Depth Range (Ft BLS)	Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Dissolved Oxygen	mg/L	04/24/2015	N001	12.49 - 27.49	2.38		FQ	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	12.49 - 27.49	62.6		FQ	#		
рН	s.u.	04/24/2015	N001	12.49 - 27.49	6.08		FQ	#		
Specific Conductance	umhos /cm	04/24/2015	N001	12.49 - 27.49	11668		FQ	#		
Temperature	С	04/24/2015	N001	12.49 - 27.49	24.12		FQ	#		
Turbidity	NTU	04/24/2015	N001	12.49 - 27.49	3.21		FQ	#		
Uranium	mg/L	04/24/2015	N001	12.49 - 27.49	0.23		FQ	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site REPORT DATE: 07/13/2015

Location: 0921 WELL

Parameter	Units	Sam	•	Depth R	•	Result		Qualifiers		Detection	Uncertainty
i didilictei	Office	Date	ID	(Ft Bl	_S)	result	Lab	Data	QA	Limit	Officertainty
Dissolved Oxygen	mg/L	04/24/2015	N001	44.55 -	54.55	1.62		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	44.55 -	54.55	97.8		F	#		
рН	s.u.	04/24/2015	N001	44.55 -	54.55	6.09		F	#		
Specific Conductance	umhos /cm	04/24/2015	N001	44.55 -	54.55	10632		F	#		
Temperature	С	04/24/2015	N001	44.55 -	54.55	24.67		F	#		
Turbidity	NTU	04/24/2015	N001	44.55 -	54.55	1.84		F	#		
Uranium	mg/L	04/24/2015	N001	44.55 -	54.55	1.7		F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015 Location: 0924 WELL

Parameter	Units	Sam Date	ple ID	Depth R (Ft BL	•	Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Dissolved Oxygen	mg/L	04/24/2015	N001	19.7 -	29.7	1.27		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	19.7 -	29.7	118		F	#		
рН	s.u.	04/24/2015	N001	19.7 -	29.7	6.39		F	#		
Specific Conductance	umhos /cm	04/24/2015	N001	19.7 -	29.7	11923		F	#		
Temperature	С	04/24/2015	N001	19.7 -	29.7	24.97		F	#		
Turbidity	NTU	04/24/2015	N001	19.7 -	29.7	3.64		F	#		
Uranium	mg/L	04/24/2015	N001	19.7 -	29.7	0.47		F	#	0.000029	

SAMPLE ID CODES: 000X = Filtered sample (0.45 µm). N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- * Replicate analysis not within control limits.
- > Result above upper detection limit.
- A TIC is a suspected aldol-condensation product.
- B Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- C Pesticide result confirmed by GC-MS.
- D Analyte determined in diluted sample.
- E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- H Holding time expired, value suspect.
- I Increased detection limit due to required dilution.
- J Estimated
- N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
- U Analytical result below detection limit.
- W Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.

DATA QUALIFIERS:

F Low flow sampling method used.

- G Possible grout contamination, pH > 9.
- J Estimated value.

- L Less than 3 bore volumes purged prior to sampling.
 U Parameter analyzed for but was not detected.
- Q Qualitative result due to sampling technique. R Unusable result.
- X Location is undefined.

QA QUALIFIER:

Validated according to quality assurance guidelines.

Static Water Level Data

STATIC WATER LEVELS (USEE700) FOR SITE FCT03, Falls City Disposal Site REPORT DATE: 07/13/2015

Location Code	Flow Code	Top of Casing Elevation (Ft)	Measure Date	ement Time	Depth From Top of Casing (Ft)	Water Elevation (Ft)	Water Level Flag
0709	D	451.58	04/24/2015	16:10:48	34.36	417.22	
0858	0	441.03	04/24/2015	09:05:46	30.6	410.43	
0862	0	428.67	04/24/2015	09:30:26	67.62	361.05	
0880	0	446.84	04/24/2015	17:00:39	29.28	417.56	
0886	D	403.52	04/24/2015	13:00:02	34.87	368.65	
0891	D	349.63	04/24/2015	15:20:27	11.67	337.96	
0906	D	420.17	04/24/2015	10:00:05	15.1	405.07	
0908	N	495.67	04/24/2015	10:13:00			D
0916	D	420.39	04/24/2015	11:27:00			D
0921	D	435.75	04/24/2015	11:10:01	33.8	401.95	
0924	D	396.44	04/24/2015	12:15:56	17	379.44	

FLOW CODES: B BACKGROUND N UNKNOWN

C CROSS GRADIENT O ONSITE D DOWNGRADIENT U UPGRADIENT

F OFFSITE


WATER LEVEL FLAGS: D Dry

F Flowing


B Below top of pump

Hydrographs

Falls City Disposal Site Cell Performance Monitoring Wells Hydrograph




Falls City Disposal Site Groundwater Compliance Monitoring Wells Hydrograph




Time-Concentration Graphs


Falls City Disposal Site Cell Performance Monitoring Wells pH Concentration




Falls City Disposal Site Groundwater Compliance Monitoring Wells pH Concentration



Falls City Disposal Site Cell Performance Monitoring Wells Uranium Concentration



Falls City Disposal Site Groundwater Compliance Monitoring Wells Uranium Concentration



Attachment 3 Sampling and Analysis Work Order



March 13, 2015

Task Assignment 103 Control Number 15-0398

U.S. Department of Energy Office of Legacy Management ATTN: Art Kleinrath Site Manager 2597 Legacy Way Grand Junction, CO 81503

SUBJECT:

Contract No. DE-LM0000415, Stoller Newport News Nuclear, Inc. (SN3),

a wholly owned subsidiary of Huntington Ingalls Industries, Inc.

Task Assignment 103 LTS&M - UMTRCA TI & TII, D&D, Others, and AS&T April 2015 Environmental Sampling at the Falls City, Texas, Disposal Site

REFERENCE: Task Assignment 103, 3-103-1-02-105, Falls City, Texas, Disposal Site

Dear Mr. Kleinrath:

The purpose of this letter is to inform you of the upcoming sampling event at the Falls City, Texas, disposal site. Enclosed are the map and tables specifying sample locations and analytes for monitoring at the site. Water quality data will be collected at this site as part of the routine environmental sampling currently scheduled to begin the week of April 6, 2015.

The following list shows the monitoring wells (along with associated zone of completion) scheduled for sampling during this event.

MONITORING WELLS*

709 Cq/Ct	862 DI	886 De	906 Cq	916 Cq	921 Cq	924 Cq	963 Cq
858 Cq	880 De	891 DI	908 Cq		•	•	

*NOTE: Cq = Conquista Clay – Whitsett Formation; Ct = Claystone; De = DeWeesville Sand – Whitsett Formation; Dl = Dilworth Sand – Whitsett Formation

All samples will be collected as directed in the Sampling and Analysis Plan for U.S. Department of Energy Office of Legacy Management Sites. Access agreements are being reviewed and are expected to be complete by the beginning of fieldwork.

Art Kleinrath Control Number 15-0398 Page 2

Please contact me at (970) 248-6793 if you have any questions.

Sincerely,

Michael Widdep

Site Lead

MW/lcg/bkb

Enclosures (3)

cc: (electronic)

Christina Pennal, DOE Steve Donivan, SN3 Lauren Goodknight, SN3 Diana Osborne, SN3

Mike Widdop, SN3

EDD Delivery re-grand.junction

File: FCT 410.02

Sampling Frequencies for Locations at Falls City, Texas

Location ID	Quarterly	Semiannually	Annually	Biennially	Not Sampled	Notes
Monitoring V	Vells					
709			Х			
858			Х			
862			Х			
880			Х			
886			Х			
891			Х			Collect duplicate from this well
906			Х			
908			Х			
916			Х			
921			Х			
924			Х			
963			Х			

Annual sampling conducted in April Based on LTSP dated March 2008

Constituent Sampling Breakdown

Site	Falls Ci	ty			
Analyte	Groundwater	Surface Water	Required Detection Limit (mg/L)	Analytical Method	Line Item Code
Approx. No. Samples/yr	12	0			
Field Measurements					
Alkalinity					
Dissolved Oxygen	Х				
Redox Potential	Х				
рН	Х				
Specific Conductance	Х				
Turbidity	Х				
Temperature	Х				
Laboratory Measurements					
Aluminum					
Ammonia as N (NH3-N)					
Calcium					
Chloride					
Chromium					
Gross Alpha					
Gross Beta					
Iron					
Lead					
Magnesium					
Manganese					
Molybdenum					
Nickel					
Nickel-63					
Nitrate + Nitrite as N (NO ₃ +NO ₂)-N					
Potassium					
Radium-226					
Radium-228					
Selenium					
Silica					
Sodium					
Strontium					
Sulfate					
Sulfide					
Total Dissolved Solids					
Total Organic Carbon					
Uranium	Х		0.0001	SW-846 6020	LMM-02
Vanadium					
Zinc					
Total No. of Analytes	1	0			

Notes: All private well samples are to be unfiltered. The total number of analytes does not include field parameters.

Attachment 4
Trip Report



DATE: April 28, 2015

TO: Mike Widdop

FROM: Jeff Price

SUBJECT: Sampling Trip Report

Site: Falls City, Texas

Dates of Sampling Event: April 22 – 26, 2015

Team Members: Eric Szalbelski and Jeff Price

Number of Locations Sampled: 9 monitoring wells.

Locations Not Sampled/Reason: Monitoring wells 0908 and 0916 were dry; access to location 0963, through the gravel pit, was flooded. The area received over three inches of rain on April 23 causing the gravel pit to become flooded; this flooding blocked access to the well location. After a discussion with the gravel pit operator, it was determined that there is no other route to the well other than through the gravel pit.

Location Specific Information: All wells were sampled for uranium only. A representative from Conoco also collected a sample from well 0886.

Quality Control Sample Cross Reference: The following is the false identification assigned to the quality control sample:

Ī	False ID	True ID	Sample Type	Associated Matrix	Ticket Number
	2580	0891	Duplicate	Groundwater	NEU 626

Field Variance: None

Requisition Numbers Assigned: All samples were assigned to RIN 15036899.

Sample Shipment: Samples were shipped overnight FedEx from Grand Junction, Colorado, to ALS Labs in Ft. Collins, CO, on April 27, 2015.

Water Level Measurements: Water level measurements were collected in all sampled wells.

Site Specific Information: None.

Institutional Controls: All gates accessed during the sampling event were closed and locked.

Fences, Gates, Locks: All OK Signs: No issues observed.

Trespassing/Site Disturbances: None observed.

Site Issues

Disposal Cell/Drainage Structure Integrity: Looked OK.

Vegetation/Noxious Weed Concerns: N/A

Maintenance Requirements: Overgrowth of brush is causing a problem for access to

wells 0921 and 0891.

Corrective Action Taken: None.

(JP/lcg)

cc: (electronic)

Art Kleinrath, DOE Steve Donivan, Stoller Mike Widdop, Stoller

EDD Delivery