

Data Validation Package

**April 2015
Groundwater Sampling at the
Falls City, Texas, Disposal Site**

July 2015



U.S. DEPARTMENT OF
ENERGY

Legacy
Management

This page intentionally left blank

Contents

Sampling Event Summary	1
Falls City, Texas, Disposal Site Sample Location Map.....	3
Data Assessment Summary.....	5
Water Sampling Field Activities Verification Checklist	7
Laboratory Performance Assessment	9
Sampling Quality Control Assessment.....	14
Certification	16

Attachment 1—Assessment of Anomalous Data

Potential Outliers Report

Attachment 2—Data Presentation

Groundwater Quality Data
Static Water Level Data
Hydrographs
Time-Concentration Graphs

Attachment 3—Sampling and Analysis Work Order

Attachment 4—Trip Report

This page intentionally left blank

Sampling Event Summary

Site: Falls City, Texas, Disposal Site

Sampling Period: April 24, 2015


Nine groundwater samples were collected at the Falls City, Texas, Disposal Site as specified in the March 2008 *Long-Term Surveillance Plan for the U.S. Department of Energy Falls City Uranium Mill Tailings Disposal Site Falls City, Texas*.

Sampling and analysis were conducted as specified in the *Sampling and Analysis Plan for U.S. Department of Energy Office of Legacy Management Sites*. (LMS/PRO/S04351, continually updated).


The wells sampled included the cell performance monitoring wells (0709, 0858, 0880, 0906, and 0921) and the groundwater monitoring wells (0862, 0886, 0891, and 0924). Monitoring well 0963 was not accessible due to flooding and was thus not sampled. A duplicate sample was collected from location 0891.

Water levels were measured at each sampled well. Historically, cell performance monitoring wells 0908 and 0916 have not produced water and were confirmed as dry. These wells are completed above the saturated interval in the formation.

The time-concentration graphs included in this report show increases in the uranium concentrations, mostly notable in wells 0921 and 0891.




Michael Widdop, Site Lead
Stoller Newport News Nuclear, Inc.,
a wholly owned subsidiary of
Huntington Ingalls Industries, Inc.



Date


This page intentionally left blank



Aerial Imagery: 2015 NAIP

LEGEND

- WELL TO BE SAMPLED
- - - SITE BOUNDARY



U.S. DEPARTMENT OF ENERGY Legacy Management		Work Performed by SNE Stetler Newport News Nuclear A Subsidiary of Huntington Ingalls Industries Under DOE Contract No. DE-LM0000415	
Planned Sampling Map Falls City, TX, Disposal Site April 2015			
DATE PREPARED:		FILENAME:	
March 6, 2015		S1276100-11x17	

\\LMless\Env\Projects\EBM\ITS\111\0001\16\002\S12761\S1276100-11x17.mxd smithw 03/06/2015 4:27:52 PM

Falls City, Texas, Disposal Site Sample Location Map

This page intentionally left blank

Data Assessment Summary

This page intentionally left blank

Water Sampling Field Activities Verification Checklist

Project	<u>Falls City, Texas</u>	Date(s) of Water Sampling	<u>April 24, 2015</u>
Date(s) of Verification	<u>July 9, 2015</u>	Name of Verifier	<u>Alison Kuhlman</u>

	Response (Yes, No, NA)	Comments
1. Is the SAP the primary document directing field procedures? List any Program Directives or other documents, SOPs, instructions.	<u>Yes</u>	<u>Work order letter dated March 13, 2015.</u>
2. Were the sampling locations specified in the planning documents sampled?	<u>No</u>	<u>Locations 0908 and 0916 were confirmed dry. Location 0963 was inaccessible due to flooding.</u>
3. Were calibrations conducted as specified in the above-named documents?	<u>Yes</u>	<u>The primary calibration standards expiration date and the date of primary calibration were not recorded.</u>
4. Was an operational check of the field equipment conducted daily? Did the operational checks meet criteria?	<u>Yes</u> <u>Yes</u>	
5. Were the number and types (alkalinity, temperature, specific conductance, pH, turbidity, DO, ORP) of field measurements taken as specified?	<u>Yes</u>	
6. Were wells categorized correctly?	<u>Yes</u>	
7. Were the following conditions met when purging a Category I well: Was one pump/tubing volume purged prior to sampling? Did the water level stabilize prior to sampling? Did pH, specific conductance, and turbidity measurements meet criteria prior to sampling? Was the flow rate less than 500 mL/min?	<u>Yes</u> <u>Yes</u> <u>Yes</u> <u>Yes</u>	

Water Sampling Field Activities Verification Checklist (continued)

	Response (Yes, No, NA)	Comments
8. Were the following conditions met when purging a Category II well: Was the flow rate less than 500 mL/min?	Yes	
Was one pump/tubing volume removed prior to sampling?	Yes	
9. Were duplicates taken at a frequency of one per 20 samples?	Yes	
10. Were equipment blanks taken at a frequency of one per 20 samples that were collected with non-dedicated equipment?	NA	A duplicate sample was collected at location 0891.
11. Were trip blanks prepared and included with each shipment of VOC samples?	NA	An equipment blank was not required.
12. Were the true identities of the QC samples documented?	Yes	
13. Were samples collected in the containers specified?	Yes	
14. Were samples filtered and preserved as specified?	Yes	
15. Were the number and types of samples collected as specified?	Yes	
16. Were chain of custody records completed and was sample custody maintained?	Yes	
17. Was all pertinent information documented on the field data sheets?	Yes	
18. Was the presence or absence of ice in the cooler documented at every sample location?	NA	Sample cooling was not required.
19. Were water levels measured at the locations specified in the planning documents?	No	Location 0963 was inaccessible due to flooding.

Laboratory Performance Assessment

General Information

Report Number (RIN): 15036899
Sample Event: April 24, 2015
Site(s): Falls City, Texas
Laboratory: ALS Laboratory Group, Fort Collins, Colorado
Work Order No.: 1504537
Analysis: Uranium
Validator: Alison Kuhlman
Review Date: July 7, 2015

This validation was performed according to the *Environmental Procedures Catalog* (LMS/POL/S04325, continually updated) “Standard Practice for Validation of Environmental Data.” The procedure was applied at Level 3, Data Validation. See attached Data Validation Worksheets for supporting documentation on the data review and validation. All analyses were successfully completed. The samples were prepared and analyzed using accepted procedures based on methods specified by line item code, which are listed in Table 1.

Table 1. Analytes and Methods

Analyte	Line Item Code	Prep Method	Analytical Method
Uranium	LMM-02	SW-846 3005A	SW-846 6020A

Data Qualifier Summary

Analytical results were qualified as listed in Table 2. Refer to the attached validation worksheets and the sections below for an explanation of the data qualifiers applied.

Table 2. Data Qualifiers

Sample Number	Location	Analyte	Flag	Reason
1504537-3	0862	Uranium	J	Duplicate RPD criteria not met

Sample Shipping/Receiving

ALS Laboratory Group in Fort Collins, Colorado received 10 water sample on April 28, 2015, accompanied by a Chain of Custody form. The Chain of Custody form was checked to confirm that the samples were listed on the form, and that signatures and dates were present indicating sample relinquishment and receipt. The sample submittal documents had no errors or omissions. Copies of the air waybill labels were included with the receiving documentation.

Preservation and Holding Times

The sample shipment was received intact at ambient temperature which complies with requirements. The samples were received in the correct container types and had been preserved correctly for the requested analyses and all samples were analyzed within the applicable holding times.

Laboratory Instrument Calibration

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing acceptable qualitative and quantitative data for all analytes. Initial calibration demonstrates that the instrument is capable of acceptable performance in the beginning of the analytical run and of producing a linear curve. Compliance requirements for continuing calibration checks are established to ensure that the instrument continues to be capable of producing acceptable qualitative and quantitative data. All laboratory instrument calibrations were performed correctly in accordance with the cited methods. All calibration and laboratory spike standards were prepared from independent sources.

Method SW-846 6020A, Uranium

Calibrations were performed on April 30, 2015, using four calibration standards resulting in a calibration curve with a correlation coefficient (r^2) value greater than 0.995. The absolute value of the curve intercept was less than 3 times the method detection limit (MDL). Initial and continuing calibration verification checks were made at the required frequency with all calibration checks meeting the acceptance criteria. Reporting limit verification checks were made at the required frequency to verify the linearity of the calibration curve near the practical quantitation limit (PQL) and all results were within the acceptance range. Mass calibration and resolution verifications were performed at the beginning of each analytical run in accordance with the analytical procedure. Internal standard recoveries associated with requested analytes were stable and within acceptable ranges.

Method and Calibration Blanks

Method blanks are analyzed to assess any contamination that may have occurred during sample preparation. Calibration blanks are analyzed to assess instrument contamination prior to and during sample analysis. All method, initial, and continuing calibration blank results were below the applicable MDL.

Inductively Coupled Plasma Interference Check Sample Analysis

Interference check samples A and AB were analyzed at the required frequency to verify the interelement and background correction factors for all inductively coupled plasma instruments. All check sample results met the acceptance criteria.

Matrix Spike Analysis

Matrix spike and matrix spike duplicate samples are used to measure method performance in the sample matrix. The spike recoveries met the acceptance criteria for all analytes evaluated.

Laboratory Replicate Analysis

Laboratory replicate analyses are used to determine laboratory precision for each sample matrix. The relative percent difference for replicate results that are greater than 5 times the PQL should be less than 20 percent. For results that are less than the PQL, the range should be no greater than the PQL. The replicate result did not meet these criteria for uranium with a relative percent difference greater than 20 percent. The sample result is qualified with a “J” flag as an estimated value.

Laboratory Control Samples

Laboratory control samples were analyzed at the correct frequency to provide information on the accuracy of the analytical method and the overall laboratory performance, including sample preparation. The laboratory control sample results were acceptable for all analysis.

Metals Serial Dilution

Serial dilutions were performed during the metals analysis to monitor physical or chemical interferences that may exist in the sample matrix. Serial dilutions were prepared and analyzed for all metals. The acceptance criteria were met for all analytes.

Detection and Quantitation Limits

The MDL was reported for uranium as required. The MDL, as defined in 40 CFR 136, is the minimum concentration of an analyte that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero. The PQL for these analytes is the lowest concentration that can be reliably measured, and is defined as 5 times the MDL. The reported MDLs demonstrate compliance with contractual requirements.

Metals Serial Dilution

Serial dilutions were performed during the metals analysis to monitor physical or chemical interferences that may exist in the sample matrix. Serial dilutions were prepared and analyzed for all metals. The acceptance criteria were met for all analytes.

Completeness

Results were reported in the correct units for all analytes requested using contract-required laboratory qualifiers.

Electronic Data Deliverable (EDD) File

The EDD file arrived on June 4, 2015. The Sample Management System EDD validation module was used to verify that the EDD file was complete and in compliance with requirements. The module compares the contents of the file to the requested analyses to ensure all and only the requested data are delivered. The contents of the EDD were manually examined to verify that the sample results accurately reflect the data contained in the sample data package.

SAMPLE MANAGEMENT SYSTEM
General Data Validation Report

RIN: 15036899 Lab Code: PAR Validator: Alison Kuhlman Validation Date: 7/7/2015
Project: Falls City Analysis Type: Metals General Chem Rad Organics
of Samples: 10 Matrix: WATER Requested Analysis Completed: Yes

Chain of Custody

Present: OK Signed: OK Dated: OK

Sample

Integrity: OK Preservation: OK Temperature: OK

Select Quality Parameters

- Holding Times
- Detection Limits
- Field/Trip Blanks
- Field Duplicates

All analyses were completed within the applicable holding times.

The reported detection limits are equal to or below contract requirements.

There was 1 duplicate evaluated.

SAMPLE MANAGEMENT SYSTEM Metals Data Validation Worksheet

RIN: 15036899 **Lab Code:** PAR **Date Due:** 5/26/2015
Matrix: Water **Site Code:** FCT01 **Date Completed:** 5/28/2015

Analyte	Method Type	Date Analyzed	CALIBRATION				Method Blank	LCS %R	MS %R	MSD %R	Dup. RPD	ICSAB %R	Serial Dil. %R	CRI %R
			Int.	R^2	CCV	CCB								
Uranium	ICP/MS	04/30/2015	0.0000	1.0000	OK	OK	OK	98.0	100.0	101.0	23.0	101.0	0.0	100.0

Sampling Quality Control Assessment

The following information summarizes and assesses quality control for this sampling event.

Sampling Protocol

Sample results for all monitoring wells met the Category I or II low-flow sampling criteria and were qualified with an “F” flag in the database, indicating the wells were purged and sampled using the low-flow sampling method.

The groundwater sample results for wells 0858, 0862, 0886, and 0906 were qualified with a “Q” flag in the database indicating the data are considered qualitative because the wells were sampled using Category II criteria.

Equipment Blank Assessment

Dedicated sampling equipment was used at all locations and an equipment blank was not required.

Field Duplicate Analysis

Field duplicate samples are collected and analyzed as an indication of overall precision of the measurement process. The precision observed includes both field and laboratory precision and has more variability than laboratory duplicates, which measure only laboratory performance. The relative percent difference for duplicate results that are greater than 5 times the PQL should be less than 20 percent. For results that are less than the PQL, the range should be no greater than the PQL. A duplicate sample was collected from location 0891. The duplicate results met these criteria, demonstrating acceptable overall precision for all analytes.

SAMPLE MANAGEMENT SYSTEM
Validation Report: Field Duplicates

Page 1 of 1

RIN: 15036899 Lab Code: PAR Project: Falls City Validation Date: 7/7/2015

Duplicate: 2580	Sample: 0891			Duplicate								
	Sample				Result	Flag	Error	Dilution	RPD	RER	Units	
	Analyte	Result	Flag	Error	Dilution	Result	Flag	Error	Dilution	RPD	RER	Units
	Uranium	3200			100	3200			100	0		UG/L

Certification

All laboratory analytical quality control criteria were met except as qualified in this report. The data qualifiers listed on the SEEPro database reports are defined on the last page of each report. All data in this package are considered validated and available for use.

Laboratory Coordinator: Stephen Donovan 7-28-2015
Stephen Donovan Date

Data Validation Lead: Alison Kuhlman 7/28/15
Alison Kuhlman Date

Attachment 1
Assessment of Anomalous Data

This page intentionally left blank

Potential Outliers Report

This page intentionally left blank

Potential Outliers Report

Potential outliers are measurements that are extremely large or small relative to the rest of the data and, therefore, are suspected of misrepresenting the population from which they were collected. Potential outliers can result from transcription errors, data-coding errors, or measurement system problems. However, outliers can also represent true extreme values of a distribution and can indicate more variability in the population than was expected.

Statistical outlier tests give probabilistic evidence that an extreme value does not "fit" with the distribution of the remainder of the data and is therefore a statistical outlier. These tests should only be used to identify data points that require further investigation. The tests alone cannot determine whether a statistical outlier should be discarded or corrected within a data set.

There are three steps involved in identifying extreme values or outliers:

1. **Identify extreme values that may be potential outliers.** Do this by generating the Outliers Report using the Sample Management System from data in the environmental database. The application compares the new data set (in standard environmental database units) with historical data and lists the new data that fall outside the historical data range. A determination is also made as to whether the data are normally distributed using the Shapiro-Wilk Test.
2. **Apply the appropriate statistical test.** Dixon's Test for extreme values is used to test for statistical outliers when the sample size is less than or equal to 25. This test considers both extreme values that are much smaller than the rest of the data (case 1) and extreme values that are much larger than the rest of the data (case 2). This test is valid only if the data without the suspected outlier are normally distributed. Rosner's Test is a parametric test that is used to detect outliers for sample sizes of 25 or more. This test also assumes that the data without the suspected outliers are normally distributed.
3. **Scientifically review statistical outliers and decide on their disposition.** The review should include an evaluation of any notable trends in the data that may indicate the outliers represent true extreme values.

There were no potential outliers identified and the data for this event are acceptable as qualified.

Data Validation Outliers Report - No Field Parameters

Comparison: All historical Data Beginning 01/01/2004

Laboratory: ALS Laboratory Group

RIN: 15036899

Report Date: 07/13/2015

Site Code	Location Code	Sample ID	Sample Date	Analyte	Current	Qualifiers		Historical Maximum			Historical Minimum			Number of Data Points		Statistical Outlier
					Result	Lab	Data	Result	Lab	Data	Result	Lab	Data	N	N Below Detect	
FCT03	0709	N001	04/24/2015	Uranium	0.320		F	0.690		FJ	0.430		F	15	0	No
FCT03	0891	N001	04/24/2015	Uranium	3.20		F	3.10		F	0.0330		F	16	0	NA
FCT03	0891	N002	04/24/2015	Uranium	3.20		F	3.10		F	0.0330		F	16	0	NA
FCT03	0906	N001	04/24/2015	Uranium	0.230		FQ	0.200		FJ	0.00032		F	16	0	No

STATISTICAL TESTS:

The distribution of the data is tested for normality or lognormality using the Shapiro-Wilk Test

Outliers are identified using Dixon's Test when there are 25 or fewer data points.

Outliers are identified using Rosner's Test when there are 26 or more data points.

See Data Quality Assessment: Statistical Methods for Practitioners, EPA QC/G-9S, February 2006.

NA: Data are not normally or lognormally distributed.

Attachment 2

Data Presentation

This page intentionally left blank

Groundwater Quality Data

This page intentionally left blank

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0709 WELL

Parameter	Units	Sample		Depth Range (Ft BLS)	Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID			Lab	Data	QA		
Dissolved Oxygen	mg/L	04/24/2015	N001	12.65 - 32.65	4.97		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	12.65 - 32.65	89.5		F	#		
pH	s.u.	04/24/2015	N001	12.65 - 32.65	6.32		F	#		
Specific Conductance	umhos /cm	04/24/2015	N001	12.65 - 32.65	9094		F	#		
Temperature	C	04/24/2015	N001	12.65 - 32.65	25.37		F	#		
Turbidity	NTU	04/24/2015	N001	12.65 - 32.65	3.73		F	#		
Uranium	mg/L	04/24/2015	N001	12.65 - 32.65	0.32		F	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0858 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers		Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data		
Dissolved Oxygen	mg/L	04/24/2015	N001	39.42	-	49.42	0.37		FQ	#	
Oxidation Reduction Potential	mV	04/24/2015	N001	39.42	-	49.42	-189.3		FQ	#	
pH	s.u.	04/24/2015	N001	39.42	-	49.42	6.33		FQ	#	
Specific Conductance	umhos/cm	04/24/2015	N001	39.42	-	49.42	10672		FQ	#	
Temperature	C	04/24/2015	N001	39.42	-	49.42	23.52		FQ	#	
Turbidity	NTU	04/24/2015	N001	39.42	-	49.42	3.55		FQ	#	
Uranium	mg/L	04/24/2015	N001	39.42	-	49.42	0.037		FQ	#	0.000029

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0862 WELL

Parameter	Units	Sample		Depth Range (Ft BLS)	Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID			Lab	Data	QA		
Dissolved Oxygen	mg/L	04/24/2015	N001	117.77 - 127.77	1.29		FQ	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	117.77 - 127.77	-99.2		FQ	#		
pH	s.u.	04/24/2015	N001	117.77 - 127.77	6.91		FQ	#		
Specific Conductance	umhos/cm	04/24/2015	N001	117.77 - 127.77	4385		FQ	#		
Temperature	C	04/24/2015	N001	117.77 - 127.77	24.17		FQ	#		
Turbidity	NTU	04/24/2015	N001	117.77 - 127.77	1.38		FQ	#		
Uranium	mg/L	04/24/2015	N001	117.77 - 127.77	0.002	*	FQJ	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0880 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Dissolved Oxygen	mg/L	04/24/2015	N001	32.3	-	42.3	2.38		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	32.3	-	42.3	138		F	#		
pH	s.u.	04/24/2015	N001	32.3	-	42.3	4.44		F	#		
Specific Conductance	umhos/cm	04/24/2015	N001	32.3	-	42.3	19813		F	#		
Temperature	C	04/24/2015	N001	32.3	-	42.3	25.88		F	#		
Turbidity	NTU	04/24/2015	N001	32.3	-	42.3	7.76		F	#		
Uranium	mg/L	04/24/2015	N001	32.3	-	42.3	4.9		F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0886 WELL

Parameter	Units	Sample		Depth Range			Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft BLS)				Lab	Data	QA		
Dissolved Oxygen	mg/L	04/24/2015	N001	19.17	-	49.17	1.19		FQ	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	19.17	-	49.17	23		FQ	#		
pH	s.u.	04/24/2015	N001	19.17	-	49.17	5.58		FQ	#		
Specific Conductance	umhos/cm	04/24/2015	N001	19.17	-	49.17	6700		FQ	#		
Temperature	C	04/24/2015	N001	19.17	-	49.17	24.01		FQ	#		
Turbidity	NTU	04/24/2015	N001	19.17	-	49.17	4.51		FQ	#		
Uranium	mg/L	04/24/2015	N001	19.17	-	49.17	0.0066		FQ	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0891 WELL

Parameter	Units	Sample		Depth Range (Ft BLS)	Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID			Lab	Data	QA		
Dissolved Oxygen	mg/L	04/24/2015	N001	10.74 - 20.74	2.63		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	10.74 - 20.74	-37.8		F	#		
pH	s.u.	04/24/2015	N001	10.74 - 20.74	6.59		F	#		
Specific Conductance	umhos/cm	04/24/2015	N001	10.74 - 20.74	26858		F	#		
Temperature	C	04/24/2015	N001	10.74 - 20.74	23.25		F	#		
Turbidity	NTU	04/24/2015	N001	10.74 - 20.74	8.4		F	#		
Uranium	mg/L	04/24/2015	N001	10.74 - 20.74	3.2		F	#	0.00029	
Uranium	mg/L	04/24/2015	N002	10.74 - 20.74	3.2		F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0906 WELL

Parameter	Units	Sample		Depth Range (Ft BLS)	Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID			Lab	Data	QA		
Dissolved Oxygen	mg/L	04/24/2015	N001	12.49 - 27.49	2.38		FQ	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	12.49 - 27.49	62.6		FQ	#		
pH	s.u.	04/24/2015	N001	12.49 - 27.49	6.08		FQ	#		
Specific Conductance	umhos /cm	04/24/2015	N001	12.49 - 27.49	11668		FQ	#		
Temperature	C	04/24/2015	N001	12.49 - 27.49	24.12		FQ	#		
Turbidity	NTU	04/24/2015	N001	12.49 - 27.49	3.21		FQ	#		
Uranium	mg/L	04/24/2015	N001	12.49 - 27.49	0.23		FQ	#	0.000029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0921 WELL

Parameter	Units	Sample		Depth Range (Ft BLS)	Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID			Lab	Data	QA		
Dissolved Oxygen	mg/L	04/24/2015	N001	44.55 - 54.55	1.62		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	44.55 - 54.55	97.8		F	#		
pH	s.u.	04/24/2015	N001	44.55 - 54.55	6.09		F	#		
Specific Conductance	umhos/cm	04/24/2015	N001	44.55 - 54.55	10632		F	#		
Temperature	C	04/24/2015	N001	44.55 - 54.55	24.67		F	#		
Turbidity	NTU	04/24/2015	N001	44.55 - 54.55	1.84		F	#		
Uranium	mg/L	04/24/2015	N001	44.55 - 54.55	1.7		F	#	0.00029	

Groundwater Quality Data by Location (USEE100) FOR SITE FCT03, Falls City Disposal Site

REPORT DATE: 07/13/2015

Location: 0924 WELL

Parameter	Units	Sample		Depth Range		Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID	(Ft	BLS)		Lab	Data	QA		
Dissolved Oxygen	mg/L	04/24/2015	N001	19.7	- 29.7	1.27		F	#		
Oxidation Reduction Potential	mV	04/24/2015	N001	19.7	- 29.7	118		F	#		
pH	s.u.	04/24/2015	N001	19.7	- 29.7	6.39		F	#		
Specific Conductance	umhos/cm	04/24/2015	N001	19.7	- 29.7	11923		F	#		
Temperature	C	04/24/2015	N001	19.7	- 29.7	24.97		F	#		
Turbidity	NTU	04/24/2015	N001	19.7	- 29.7	3.64		F	#		
Uranium	mg/L	04/24/2015	N001	19.7	- 29.7	0.47		F	#	0.000029	

SAMPLE ID CODES: 000X = Filtered sample (0.45 µm). N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- * Replicate analysis not within control limits.
- > Result above upper detection limit.
- A TIC is a suspected aldol-condensation product.
- B Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- C Pesticide result confirmed by GC-MS.
- D Analyte determined in diluted sample.
- E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- H Holding time expired, value suspect.
- I Increased detection limit due to required dilution.
- J Estimated
- N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
- U Analytical result below detection limit.
- W Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.

DATA QUALIFIERS:

- F Low flow sampling method used.
- L Less than 3 bore volumes purged prior to sampling.
- U Parameter analyzed for but was not detected.
- G Possible grout contamination, pH > 9.
- Q Qualitative result due to sampling technique.
- X Location is undefined.
- J Estimated value.
- R Unusable result.

QA QUALIFIER:

- # Validated according to quality assurance guidelines.

This page intentionally left blank

Static Water Level Data

This page intentionally left blank

STATIC WATER LEVELS (USEE700) FOR SITE FCT03, Falls City Disposal Site
REPORT DATE: 07/13/2015

Location Code	Flow Code	Top of Casing Elevation (Ft)	Measurement Date	Measurement Time	Depth From Top of Casing (Ft)	Water Elevation (Ft)	Water Level Flag
0709	D	451.58	04/24/2015	16:10:48	34.36	417.22	
0858	O	441.03	04/24/2015	09:05:46	30.6	410.43	
0862	O	428.67	04/24/2015	09:30:26	67.62	361.05	
0880	O	446.84	04/24/2015	17:00:39	29.28	417.56	
0886	D	403.52	04/24/2015	13:00:02	34.87	368.65	
0891	D	349.63	04/24/2015	15:20:27	11.67	337.96	
0906	D	420.17	04/24/2015	10:00:05	15.1	405.07	
0908	N	495.67	04/24/2015	10:13:00			D
0916	D	420.39	04/24/2015	11:27:00			D
0921	D	435.75	04/24/2015	11:10:01	33.8	401.95	
0924	D	396.44	04/24/2015	12:15:56	17	379.44	

FLOW CODES: B BACKGROUND C CROSS GRADIENT D DOWNGRADIENT F OFFSITE
 N UNKNOWN O ONSITE U UPGRADIENT


WATER LEVEL FLAGS: D Dry F Flowing B Below top of pump

This page intentionally left blank


Hydrographs

This page intentionally left blank

Falls City Disposal Site Cell Performance Monitoring Wells Hydrograph




Falls City Disposal Site Groundwater Compliance Monitoring Wells Hydrograph




Time-Concentration Graphs

This page intentionally left blank


Falls City Disposal Site Cell Performance Monitoring Wells pH Concentration




Falls City Disposal Site
Groundwater Compliance Monitoring Wells
pH Concentration



Falls City Disposal Site Cell Performance Monitoring Wells Uranium Concentration



Falls City Disposal Site Groundwater Compliance Monitoring Wells Uranium Concentration



Attachment 3
Sampling and Analysis Work Order

This page intentionally left blank



Stoller Newport News Nuclear

March 13, 2015

Task Assignment 103
Control Number 15-0398

U.S. Department of Energy
Office of Legacy Management
ATTN: Art Kleinrath
Site Manager
2597 Legacy Way
Grand Junction, CO 81503

SUBJECT: Contract No. DE-LM0000415, Stoller Newport News Nuclear, Inc. (SN3),
a wholly owned subsidiary of Huntington Ingalls Industries, Inc.
Task Assignment 103 LTS&M - UMTRCA TI & TII, D&D, Others, and AS&T
April 2015 Environmental Sampling at the Falls City, Texas, Disposal Site

REFERENCE: Task Assignment 103, 3-103-1-02-105, Falls City, Texas, Disposal Site

Dear Mr. Kleinrath:

The purpose of this letter is to inform you of the upcoming sampling event at the Falls City, Texas, disposal site. Enclosed are the map and tables specifying sample locations and analytes for monitoring at the site. Water quality data will be collected at this site as part of the routine environmental sampling currently scheduled to begin the week of April 6, 2015.

The following list shows the monitoring wells (along with associated zone of completion) scheduled for sampling during this event.

MONITORING WELLS*

709 Cq/Ct	862 D1	886 De	906 Cq	916 Cq	921 Cq	924 Cq	963 Cq
858 Cq	880 De	891 D1	908 Cq				

*NOTE: Cq = Conquista Clay – Whitsett Formation; Ct = Claystone; De = DeWeesville Sand – Whitsett Formation; D1 = Dilworth Sand – Whitsett Formation

All samples will be collected as directed in the *Sampling and Analysis Plan for U.S. Department of Energy Office of Legacy Management Sites*. Access agreements are being reviewed and are expected to be complete by the beginning of fieldwork.


A SUBSIDIARY OF HUNTINGTON INGALLS INDUSTRIES

2597 Legacy Way • Grand Junction, CO 81503-1789 • Telephone (970) 248-6000 • Fax (970) 248-6040

Art Kleinrath
Control Number 15-0398
Page 2

Please contact me at (970) 248-6793 if you have any questions.

Sincerely,



Michael Widdop
Site Lead

MW/lcg/bkb

Enclosures (3)

cc: (electronic)

Christina Pennal, DOE
Steve Donovan, SN3
Lauren Goodknight, SN3
Diana Osborne, SN3
Mike Widdop, SN3
EDD Delivery
rc-grand.junction
File: FCT 410.02

A SUBSIDIARY OF HUNTINGTON INGALLS INDUSTRIES

2597 Legacy Way • Grand Junction, CO 81503-1789 • Telephone (970) 248-6000 • Fax (970) 248-6040

Sampling Frequencies for Locations at Falls City, Texas

Location ID	Quarterly	Semiannually	Annually	Biennially	Not Sampled	Notes
Monitoring Wells						
709			X			
858			X			
862			X			
880			X			
886			X			
891			X			Collect duplicate from this well
906			X			
908			X			
916			X			
921			X			
924			X			
963			X			

Annual sampling conducted in April
Based on LTSP dated March 2008

Constituent Sampling Breakdown

Site	Falls City		Required Detection Limit (mg/L)	Analytical Method	Line Item Code
Analyte	Groundwater	Surface Water			
Approx. No. Samples/yr	12	0			
<i>Field Measurements</i>					
Alkalinity					
Dissolved Oxygen	X				
Redox Potential	X				
pH	X				
Specific Conductance	X				
Turbidity	X				
Temperature	X				
<i>Laboratory Measurements</i>					
Aluminum					
Ammonia as N (NH ₃ -N)					
Calcium					
Chloride					
Chromium					
Gross Alpha					
Gross Beta					
Iron					
Lead					
Magnesium					
Manganese					
Molybdenum					
Nickel					
Nickel-63					
Nitrate + Nitrite as N (NO ₃ +NO ₂)-N					
Potassium					
Radium-226					
Radium-228					
Selenium					
Silica					
Sodium					
Strontium					
Sulfate					
Sulfide					
Total Dissolved Solids					
Total Organic Carbon					
Uranium	X		0.0001	SW-846 6020	LMM-02
Vanadium					
Zinc					
Total No. of Analytes	1	0			

Notes: All private well samples are to be unfiltered. The total number of analytes does not include field parameters.

Attachment 4

Trip Report

This page intentionally left blank



Stoller Newport News Nuclear

DATE: April 28, 2015
TO: Mike Widdop
FROM: Jeff Price
SUBJECT: Sampling Trip Report

Site: Falls City, Texas

Dates of Sampling Event: April 22 – 26, 2015

Team Members: Eric Szalbelski and Jeff Price

Number of Locations Sampled: 9 monitoring wells.

Locations Not Sampled/Reason: Monitoring wells 0908 and 0916 were dry; access to location 0963, through the gravel pit, was flooded. The area received over three inches of rain on April 23 causing the gravel pit to become flooded; this flooding blocked access to the well location. After a discussion with the gravel pit operator, it was determined that there is no other route to the well other than through the gravel pit.

Location Specific Information: All wells were sampled for uranium only. A representative from Conoco also collected a sample from well 0886.

Quality Control Sample Cross Reference: The following is the false identification assigned to the quality control sample:

False ID	True ID	Sample Type	Associated Matrix	Ticket Number
2580	0891	Duplicate	Groundwater	NEU 626

Field Variance: None

Requisition Numbers Assigned: All samples were assigned to RIN 15036899.

Sample Shipment: Samples were shipped overnight FedEx from Grand Junction, Colorado, to ALS Labs in Ft. Collins, CO, on April 27, 2015.

Water Level Measurements: Water level measurements were collected in all sampled wells.

Site Specific Information: None.

Institutional Controls: All gates accessed during the sampling event were closed and locked.

Fences, Gates, Locks: All OK

Signs: No issues observed.

Trespassing/Site Disturbances: None observed.

Site Issues

Disposal Cell/Drainage Structure Integrity: Looked OK.

Vegetation/Noxious Weed Concerns: N/A

Maintenance Requirements: Overgrowth of brush is causing a problem for access to wells 0921 and 0891.

Corrective Action Taken: None.

(JP/lcg)

cc: (electronic)
Art Kleinrath, DOE
Steve Donovan, Stoller
Mike Widdop, Stoller
EDD Delivery