

Nevada  
Environmental  
Restoration  
Project

DOE/NV--865



# Salmon Site Closure Report

Revision No.: 0

November 2002

Approved for public release; further dissemination unlimited.

Environmental Restoration  
Division

U.S. Department of Energy  
National Nuclear Security Administration  
Nevada Operations Office

5F-305.20

Available for public sale, in paper, from:

U.S. Department of Commerce  
National Technical Information Service  
5285 Port Royal Road  
Springfield, VA 22161  
Phone: 800.553.6847  
Fax: 703.605.6900  
Email: [orders@ntis.fedworld.gov](mailto:orders@ntis.fedworld.gov)  
Online ordering: <http://www.ntis.gov/ordering.htm>

Available electronically at <http://www.doe.gov/bridge>

Available for a processing fee to U.S. Department of Energy and its contractors,  
in paper, from:

U.S. Department of Energy  
Office of Scientific and Technical Information  
P.O. Box 62  
Oak Ridge, TN 37831-0062  
Phone: 865.576.8401  
Fax: 865.576.5728  
Email: [reports@adonis.osti.gov](mailto:reports@adonis.osti.gov)

*Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.*



# **SALMON SITE CLOSURE REPORT**


U.S. Department of Energy  
National Nuclear Security Administration  
Nevada Operations Office  
Las Vegas, Nevada


Revision No.: 0

November 2002

Approved for public release; further dissemination unlimited.

**SALMON SITE  
CLOSURE REPORT**

Approved by:  Date: 11/5/02  
Monica Sanchez, Project Manager  
Offsites Project

Approved by:  Date: 11/5/02  
Ramore C. Wycoff, Division Director  
Environmental Restoration Division

# ***Table of Contents***

---

List of Figures . . . . .	ii
List of Tables . . . . .	iii
List of Plates . . . . .	iv
List of Acronyms and Abbreviations . . . . .	v
1.0 Introduction . . . . .	1-1
2.0 Mobilization/Site Setup and Construction Activities . . . . .	2-1
3.0 Installation of New/Replacement Wells . . . . .	3-1
4.0 Plugging and Abandonment Activities . . . . .	4-1
5.0 Operational Testing/Rehabilitation of LTHMP Well Network . . . . .	5-1
5.1 Well HM-3 Testing and Pump Replacement . . . . .	5-1
5.2 Well SA2-2-L Pump Replacement . . . . .	5-3
5.3 Well SA5-4-4 Pump Replacement . . . . .	5-3
6.0 Groundwater Sample Collection . . . . .	6-1
6.1 Operable Unit 1 . . . . .	6-1
6.2 Operable Unit 2 . . . . .	6-1
6.3 Operable Unit 3 . . . . .	6-5
6.4 Waste Management . . . . .	6-5
7.0 Site Restoration Activities . . . . .	7-1
8.0 Long-Term Stewardship . . . . .	8-1
9.0 References . . . . .	9-1
<b>Appendix A - Water Well Plugging Decommissioning, Mississippi Department of Environmental Quality</b>	
<b>Appendix B - Analytical Results for Operable Unit 1</b>	
<b>Appendix C - Analytical Results for Operable Unit 2</b>	
<b>Appendix D - Analytical Results for Operable Unit 3</b>	

## ***List of Figures***

---

<b><i>Number</i></b>	<b><i>Title</i></b>	<b><i>Page</i></b>
3-1	Well Completion Diagram for Well HMH-5R.....	3-2
3-2	Well Completion Diagram for Well HMH-16R.....	3-3
3-3	Well Completion Diagram for Well SA1-12-H.....	3-4
3-4	Well Completion Diagram for Well SA4-5-L.....	3-5
5-1	Well Construction Diagram for Well SA2-2-L.....	5-4
5-2	Well Construction Diagram for Well SA5-4-4.....	5-5

## ***List of Tables***

---

<b><i>Number</i></b>	<b><i>Title</i></b>	<b><i>Page</i></b>
4-1	Plugged Monitoring Wells, Shallow Aquifers .....	4-1
4-2	Plugged Monitoring Wells, Deep Aquifers .....	4-2
4-3	Summary of Activities and Status for Each Well .....	4-3
5-1	Analytical Results of Chromium Sampling, Well HM-3 .....	5-2
6-1	Analytical Results that Exceed the Detection Limit for Operable Unit 1 .....	6-2
6-2	Historical Results of Trichloroethene Sampling in Operable Unit 1 (Shallow Aquifer) .....	6-3
6-3	Historical Results of Tritium Sampling in Operable Unit 1 (Shallow Aquifer) . . . .	6-4
6-4	Analytical Results that Exceed the Detection Limit for Operable Unit 2 (Local Aquifer, Aquifers 1, 2a, 2b, and 3) .....	6-5
6-5	Historical Results of Arsenic Sampling in Operable Unit 2 (Local Aquifer) . . . . .	6-6

## ***List of Plates***

---

<b><i>Number</i></b>	<b><i>Title</i></b>	<b><i>Page</i></b>
Plate 1	Monitoring Well Locations, Salmon Site, Lamar County, Mississippi .....	Pocket

## ***List of Acronyms and Abbreviations***

---

bgs	Below ground surface
DOE	U.S. Department of Energy
ft	Foot (feet)
hp	Horsepower
IT	IT Corporation
LTHMP	Long-Term Hydrologic Monitoring Program
NEPA	<i>National Environmental Policy Act</i>
NNSA/NV	U.S. Department of Energy, National Nuclear Security Administration Nevada Operations Office
pvc	Polyvinyl chloride
RCRA	<i>Resource Conservation and Recovery Act</i>
RI	Remedial Investigation
VOC	Volatile organic compound
µg/L	Micrograms per liter

## **1.0 Introduction**

---

The Salmon Site, formerly known as the Tatum Dome Test Site, was used by the U.S. Atomic Energy Commission (predecessor to the U.S. Department of Energy [DOE]) to conduct two nuclear and two non-nuclear gas explosions deep inside the Tatum Salt Dome between 1964 and 1970. These nuclear tests were performed as part of the Vela Uniform Program. In 1992, the DOE initiated a Remedial Investigation (RI) of the site. The investigation was completed in 1999 and a restoration plan was prepared in 2000. The Salmon Site Restoration Plan (DOE/NV, 2000) developed a remedial action alternative that included the installation of new groundwater monitoring wells, repair and/or replacement of existing wells, and the plugging of wells that were no longer needed. The purpose of this report is to describe those activities.

Between the dates of February 22 and April 19, 2002, IT Corporation (IT) successfully completed monitoring well rehabilitation, replacement, and abandonment, and site restoration activities of the DOE National Nuclear Security Administration Nevada Operations Office's (NNSA/NV's) Salmon Site in Lamar County, Mississippi. The scope of work for this field effort had several components:

- Mobilization of personnel and equipment, site setup, and construction activities
- Installation of one new and three replacement monitoring wells
- Plugging and abandonment of 33 non-critical monitoring wells that were no longer required for the Long-Term Hydrologic Monitoring Program (LTHMP)
- Rehabilitation/operational testing of 24 wells required for the LTHMP
- Groundwater sample collection from the 24 existing wells, plus the four new wells included in the LTHMP
- Site restoration activities, including road maintenance and the installation of erosion protection material

A site-wide LTHMP will be developed as part of long-term stewardship activities.

## **2.0 Mobilization/Site Setup and Construction Activities**

On February 22, 2002, IT mobilized personnel, equipment, and supplies to the Salmon Site to implement monitoring well installation, rehabilitation, and abandonment, and perform site restoration activities. The three days prior to the drilling subcontractor arriving on site (February 22 to 24), included grading the main access road, cutting underbrush and trees from well sites, establishing a central command post at the east entrance to the property, and conducting a thorough reconnaissance of the work locations in accordance with the NNSA/NV *National Environmental Policy Act* (NEPA) compliance program. The central command post consisted of a temporary trailer powered by a 30-kilowatt generator and a connex box used for storing equipment and supplies. The connex box was equipped with a first aid kit, fire extinguisher, and an eyewash station.

On February 25, 2002, ConExDrill of Victorville, California, mobilized personnel and equipment (i.e., CME-95 drilling rig, one-ton support truck with a goose-neck trailer, equipped with a grout mixer and delivery hose, and a 2 ½-ton truck with portable decontamination trailer).

During initial mobilization activities and prior to work being conducted at each site location, the IT Biologist conducted a site investigation of the work zone areas for the presence of the Gopher Tortoise (*Gopherus Polyphemus*). A NEPA Categorical Exclusion was issued for the Gopher Tortoise, which is a federally-listed threatened species, and has been previously observed at the Salmon Site. The categorical exclusion allowed for drilling activities at the Salmon Site, with specific conditions. One tortoise was observed during groundwater sampling activities approximately 200 feet south of Well HM-2L by the IT Biologist on March 16, 2002. The IT Biologist immediately taped off the area in the vicinity of the tortoise and blocked the entrance to Red Hill Road to minimize vehicular traffic. Due to site management by the IT Biologist, the observed Gopher Tortoise was not adversely impacted, and no tortoise was injured as a result of the 2002 Salmon Site field effort.

### ***3.0 Installation of New/Replacement Wells***

---


Three shallow monitoring wells (HMH-5R, HMH-16R, and SA1-12-H) were drilled (by 12-inch, hollow-stem auger method) and completed by ConExDrill on March 11 to 14, 2002. The three wells were installed in the Source Area-1 alluvial aquifer to a depth of 30 feet (ft) below ground surface (bgs). Well construction consisted of 4-inch schedule-80 polyvinyl chloride (PVC) casing with 10 ft of 0.010-slot screen and approximately 20 ft of blank casing to the surface. The filter pack consisted of 20/40-silica sand installed to 5 ft above the top of the screen, followed by a 5-ft bentonite plug. The remaining annular space was filled with grout to the surface. A concrete pad and locking protective cover was installed at each location. Guard posts were installed only at monitoring Well SA1-12-H, which is located on the south side of the main road, adjacent to Half Moon Creek. The two other shallow wells (HMH-5R and HMH-16R) are located in non-vehicular traffic areas. Well construction diagrams, as built, are shown in Figures 3-1 through 3-3.

Well development for the wells consisted of bailing, surging, and pumping to remove the drilling fluids introduced during the well construction process. Well development continued until groundwater parameters stabilized. All development water was containerized in 55-gallon drums and transferred to the on-site frac tank.


The Local Aquifer monitoring well (SA4-5-L) was drilled by mud-rotary method on April 15, 2002, to a depth of 220 ft bgs. Geophysical logs were run in the well and indicated approximately 10 ft of sand from a depth of 160 to 170 ft bgs. The borehole was over-reamed to a diameter of 10 inches to 180 ft bgs. Well construction consisted of 5-inch schedule-80 PVC casing with 10 ft of blank casing set at 180 ft, followed by 10 ft of 0.010-slot screen from 170 to 160 ft, followed by approximately 160 ft of blank casing to the surface. The filter pack consisted of 20/40-silica sand installed to 5 ft above the top of the screen, followed by a 10-ft bentonite seal. The remaining annular space was filled with grout to the surface. A concrete pad, locking protective cover, and guard posts were installed at the well location. The well construction diagram for Well SA4-5-L is presented in Figure 3-4.

The well was developed by circulating fresh water to clean the inside of the casing followed by pumping to remove the drilling fluids introduced during the well construction process. Well





**Figure 3-2**  
**Well Completion Diagram for Well HMH-16R**



**Figure 3-3**  
**Well Completion Diagram for Well SA1-12-H**



development continued until the groundwater parameters stabilized. All development water was containerized in an on-site frac tank.

The well was sampled on April 17, 2002. Following sampling, a 10-gpm, permanent pump was installed to a depth of 130 ft bgs. A sanitary seal/landing plate with an access port for water level measurements was installed to support the pump.

The four new monitoring wells were surveyed for horizontal and vertical coordinates on April 16 and 17, 2002, by MapTech (Registered Mississippi Land Surveyor) of Jackson, Mississippi. Horizontal coordinates and elevations were established to the nearest 0.01-foot tolerance, and recorded in Universal Transverse Mercator coordinates, Mississippi State Planar coordinate system, and latitude and longitude coordinates in decimal degrees. Well heads were established with ground surface elevations measured on the north side of the well casing. In addition, a reference or measurement elevation was established for a point located on the north side of the casing. Well head marking consisted of a stamped metal plate permanently affixed to the well head cover plate indicating the well identification number. The ground surface elevation of the well head was also stamped on the plate, relative to mean sea level. The well head coordinates, noted in Mississippi State Planar coordinates, were also stamped on the plate.

## 4.0 Plugging and Abandonment Activities

A total of 22 shallow wells (less than 50 ft in depth) including: HMH-1 to 6, HMH-8 to 16, SA3-1-M, SA3-3-M, SA3-5-H, SA4-1-M, and SA5-1-M through SA5-3-M were abandoned by ConExDrill from February 26 and 27, 2002. Abandonment of the shallow wells (which consisted of simple PVC construction) included the removal and disposal of the concrete pad and cover (where appropriate), removal of all surface appurtenances, and pulling the casing from the ground (by hand or forklift), and grouting to the surface. The borehole was backfilled with bentonite pellets and allowed to hydrate. The PVC casings were placed in roll-off boxes for off-site disposal. Well HMH-7 was determined to be submerged under water by beaver dam building activities; therefore, this well was not plugged and abandoned (see Table 4-1).

**Table 4-1**  
**Plugged Monitoring Wells, Shallow Aquifers**

Well	Aquifer	Well	Aquifer	Well	Aquifer
HMH-1	HMCAA <sup>a</sup>	HMH-10	HMCAA	SA4-1-M	Miocene
HMH-2	HMCAA	HMH-11	HMCAA	SA5-1-M	Miocene
HMH-3	HMCAA	HMH-12	HMCAA	SA5-2-M	Miocene
HMH-4	HMCAA	HMH-13	HMCAA	SA5-3-M	Miocene
HMH-5	HMCAA	HMH-14	HMCAA	SA3-3-M	Miocene
HMH-6	HMCAA	HMH-15	HMCAA	SA3-5-H	HMCAA
HMH-8	HMCAA	HMH-16	HMCAA		
HMH-9	HMCAA	SA1-3-M	Miocene <sup>b</sup>		

<sup>a</sup> Half Moon Creek Alluvial Aquifer

<sup>b</sup> Miocene, undifferentiated

A total of 10 deep wells (greater than 50 ft in depth) including: HT-2C, HT-4, HT-5, OW-2, SA1-10-2b, SA1-9-2a, SA2-3-L, SA2-5-L, SA3-8-1, and SA3-10-2b were abandoned by ConExDrill from February 28 through March 8, 2002. Plugging of the deep wells consisted of removal of protective covers, concrete pads, and removal of pumps, tubing, and packers from the well. Grouting consisted of a neat cement grout mixture tremmie piped into the well to ensure no bridges in the grout

plug. Groundwater displaced during the grouting procedure was containerized and transferred into the on-site frac tank (see Table 4-2).

**Table 4-2**  
**Plugged Monitoring Wells, Deep Aquifers**

Well	Aquifer	Well	Aquifer
HT-2C	Local	SA1-9-2a	2a
HT-4	1	SA2-3-L	Local
HT-5	2a	SA2-5-L	Local
OW-2	Local	SA3-8-1	1
SA1-10-2b	2b	SA3-10-2b	2b

Well plugging and abandonment forms were prepared as required by the State of Mississippi and submitted by a Mississippi-licensed water well driller. These forms are in Appendix A. The activities and status of all wells at the Salmon Site are summarized in Table 4-3.

**Table 4-3**  
**Summary of Activities and Status for Each Well**

Well	Activity/Status	Date	Well	Activity/Status	Dates
<b>Shallow Aquifer Wells (Operable Unit 1)</b>					
HMH-1	Plugged	2/26/2002	SA1-1-H	Sampled	3/13/2002
HMH-2	Plugged	2/26/2002	SA1-2-H	Sampled	3/13/2002
HMH-3	Plugged	2/26/2002	SA1-3-H	Sampled	3/13/2002
HMH-4	Plugged	2/26/2002	SA1-4-H	Sampled	3/14/2002
HMH-5	Plugged	2/26/2002	SA1-5-H	Sampled	3/14/2002
HMH-6	Plugged	2/26/2002	SA1-6-H	Sampled	3/14/2002
HMH-7	Abandoned	2/26/2002	SA1-7-H	Sampled	3/14/2002
HMH-8	Plugged	2/26/2002	SA1-12-H	Installed/sampled	3/22/2002
HMH-9	Plugged	2/26/2002	HMH-5R	Installed/sampled	3/21/2002
HMH-10	Plugged	2/26/2002	HMH-16R	Installed/sampled	3/21/2002
HMH-11	Plugged	2/26/2002	SA3-1-M	Plugged	2/26/2002
HMH-12	Plugged	2/26/2002	SA3-3-M	Plugged	2/26/2002
HMH-13	Plugged	2/26/2002	SA3-4-H	Tested/Sampled	3/15/2002
HMH-14	Plugged	2/26/2002	SA3-5-H	Plugged	2/26/2002
HMH-15	Plugged	2/26/2002	SA5-1-M	Plugged	2/27/2002
HMH-16	Plugged	2/26/2002	SA5-2-M	Plugged	2/27/2002
HM-S	Sampled	3/11/2002	SA5-3-M	Plugged	2/27/2002
SA4-1-M	Plugged	2/27/2002			
<b>Local Aquifer Wells (Operable Unit 2)</b>					
SA1-8-L	Tested/sampled	3/16/2002	SA2-5-L	Plugged	2/28/2002
HM-L	Tested/sampled	3/15/2002	OW-2	Plugged	3/2/2002
SA2-1-L	Tested/sampled	3/16/2002	HM-2L	Tested/sampled	3/16/2002
SA2-2-L	Pump replaced/ tested/sampled	3/23/2002	SA4-5-L	Installed/tested/sampled	4/17/2002
SA2-3-L	Plugged	2/28/2002	HT-2c	Plugged	3/5/2002
SA2-4-L	Tested/sampled	3/16/2002			
<b>Aquifers 1, 2a, 2b, and 3 Wells (Operable Unit 2)</b>					
HM-1	Tested/sampled	3/15/2002	SA3-8-1	Plugged	3/1/2002
HM-2a	Tested/sampled	3/15/2002	SA3-10-2	Plugged	3/4/2002
HM-2b	Tested/sampled	3/15/2002	SA3-11-3	Tested/Sampled	3/18/2002
HM-3	Pump replaced/ tested/sampled	3/19/2002	HT-4	Plugged	3/6/2002
SA1-9-2a	Plugged	3/7/2002	HT-5	Plugged	3/6/2002
SA1-10-2b	Plugged	3/8/2002	E-7	Tested/sampled	3/21/2002
SA1-11-3	Tested/Sampled	3/16/2002			
<b>Aquifer 4 Wells (Operable Unit 3)</b>					
SA5-4-4	Pump replaced/ tested/sampled	3/23/2002	SA5-5-4	Tested/sampled	3/22/2002

## **5.0 Operational Testing/Rehabilitation of LTHMP Well Network**

To satisfy the closure requirements for the Salmon Site, the 24 monitoring wells included in the LTHMP well network were operationally tested/rehabilitated to ensure they were in good repair and functioning as intended.

Operational testing was conducted on the installed pumps. The testing consisted of starting the pump to verify it is operational and that it would lift water to the surface within approximate design specifications. The pump was allowed to flow for approximately 30 minutes, and the yield was measured and monitored to determine if the water contains excess sediment. The pump amperage was also monitored to determine if the pump was laboring excessively. All wells containing pumps were operational-tested and within design specifications except SA5-4-4. Well SA5-4-4 was replaced and returned to service (see TJC MDL 03/13/02). The shallow wells located in the vicinity of Source Area-1 were operational-tested by placing a submersible pump in the well and monitoring the flow rate and yield for excessive sediment. All shallow wells were determined to produce sediment-free, clear water. Rehabilitation activities were performed on the following three wells: HM-3, SA2-2-L, and SA5-4-4 (broken impeller, buck outer surface over hefting).

### **5.1 Well HM-3 Testing and Pump Replacement**

Previous sampling events have indicated anomalous elevated levels of chromium in Well HM-3. While the chromium concentrations are below any regulatory limits, the presence of the chromium raised concerns with the Mississippi Department of Environmental Quality. The testing conducted on HM-3 intended to determine the source of the chromium, and included cleaning and inspecting the well bore, and determining the condition of the pump. Groundwater samples were initially collected prior to removing the pump from the well. Seven groundwater samples were collected approximately every 15 minutes; based on an approximate flow rate of 55 gallons per minute, three well volumes took approximately 90 minutes to purge. Samples were collected at 0, 15, 30, 45, 60, 75, and 90 minutes. The chromium results ranged from approximately 0.10 to 0.13 milligrams per liter and did not decrease over time. The results of this sampling are given in Table 5-1.

**Table 5-1**  
**Analytical Results of Chromium Sampling, Well HM-3**

Sample	Time	Results	Units	Water Volume (gallons)	Date
HM-3001	8:10:00 AM	110	µg/L	0	27-Feb-2002
HM-3002	8:25:00 AM	110	µg/L	825	27-Feb-2002
HM-3003	8:40:00 AM	98	µg/L	1650	27-Feb-2002
HM-3004	8:55:00 AM	120	µg/L	2475	27-Feb-2002
HM-3005	9:10:00 AM	120	µg/L	3300	27-Feb-2002
HM-3006	9:25:00 AM	120	µg/L	4125	27-Feb-2002
HM-3007	9:40:00 AM	120	µg/L	4950	27-Feb-2002
HM-3008*	9:40:00 AM	120	µg/L	4950	27-Feb-2002

\*Quality Control

After groundwater sampling activities were completed, the pump and tubing were removed from HM-3 and inspected. The pump that was installed in 1979 performed operationally within its original design specifications; however, it was coated with a black organic-like material, possibly resulting from microbial activity in the warm (31 degrees Celsius) and brackish water. The well casing and both sections of the screen (i.e., 774.3 to 827 and 841 to 862 ft bgs) were swabbed to remove the black organic-like material. The well bore was then bailed to remove the majority of the material dislodged from the casing wall. The well was then pumped with the original pump until groundwater parameters stabilized.

The well was allowed to stabilize for approximately one week prior to video logging activities. Herndon Well & Supply, Inc. of Shannon, Mississippi, provided the video logging equipment. The video log indicated that the casing and both sections of the screen appeared to be in good condition, with no obvious cracks or ruptures. Well HM-3 was originally completed to 875 ft bgs in 1979. The video logging tool reached 865 ft bgs, indicating approximately 10 ft of material in the sediment sump below the screened interval. Water was observed flowing through both sections of the screen.

Well HM-3 was refitted with a new 5-horsepower (hp), 3-phase submersible pump, with carbon-steel tubing, and installed at the original depth of 228 ft bgs. The pump was operationally tested to ensure

the flow rate and amperage readings were within design specifications. All purge water was containerized in the frac tank located at surface ground zero.


### **5.2 Well SA2-2-L Pump Replacement**

The EPA reported that Well SA2-2-L performed poorly during the most recent sampling event. The pump was removed by ConExDrill on February 25, 2002, and was found to be faulty (water inside the pump motor). The well was swabbed, bailed, and pumped on February 25 and 26, and again on March 4 and 5, 2002, until it yielded sediment-free water and the groundwater parameters stabilized.

Well SA2-2-L was refitted with a new ½-hp, single-phase submersible pump, with schedule 80-PVC tubing, and installed at the original depth of 205 ft bgs. The packer was not reinstalled in the well. The pump was operationally tested and determined to operate at design specifications. A revised well construction diagram is given in Figure 5-1.


### **5.3 Well SA5-4-4 Pump Replacement**

Operational testing of Well SA5-4-4 indicated a flow rate of approximately 1½ to 3 gallons per minute and elevated current readings on the pump, both of which indicated that the pump was not performing as designed. ConExDrill removed the pump from the well on March 13, 2002, and the pump was found to be faulty (i.e., black surface on the pump, indicating overheating and broken impeller). Well SA5-4-4 was refitted with a new, ¾-hp, single-phase submersible pump. The original fiberglass tubing was reinstalled in the well. The pump depth was set at 182.3 ft bgs, which is 30 ft higher than the original depth, as the bottom of the tubing was unable to be placed inside the 4½-inch liner set at 1,777.2 ft bgs. A revised well construction diagram for Well SA5-4-4 is given in Figure 5-2. Following installation, the pump was tested and determined to operate within design specifications.



**Figure 5-1**  
**Well Construction Diagram for Well SA2-2-L**

Mississippi Coordinates:  
 N532,759.10 E265,662.63  
 Mississippi East (1927)  
 Area: Salmon Site, Lamar County, Mississippi  
 Permit Number MS-GW-15066  
 Figure revised July 2002 to reflect new pump  
 depth.



**Figure 5-2**  
**Well Construction Diagram for Well SA5-4-4**

## **6.0 Groundwater Sample Collection**

---

A total of 28 groundwater samples were collected from the monitoring wells remaining. In addition, samples were collected from the newly installed wells in the LTHMP well network. The wells were sampled for total volatile organic compounds (VOC), *Resource Conservation and Recovery Act* (RCRA) metals, and tritium which have been identified in the Salmon Site Remedial Investigation Report (1999) as being constituents of concern. All of the sampled wells are shown on Plate 1. The complete analytical results for each of the wells are presented by Operable Unit in Appendices B, C, and D. The wells were sampled in accordance with applicable ITLV Standard Quality Practices. Wells were purged a minimum of three casing volumes and the water quality parameters (i.e., pH, temperature, and conductivity) were monitored during the purging. There were no nonconformances or unusual events associated with any of the samples collected. Quality assurance and quality control samples were collected at a frequency of one per twenty samples. Analytical results for each of the three Operable Units are discussed in the following sections.

### **6.1 Operable Unit 1**

The results of samples which exceeded the analyte-specific detection limits are given in Table 6-1. The remedial investigation report identified arsenic, trichloroethene, and tritium as constituents of concern in the shallow aquifer (DOE, 1999). With the exception of HMH-5R, the analytical results of the wells in Operable Unit 1 (shallow aquifer) are consistent with previous sampling efforts and show a general decline in the overall concentration of trichloroethene and tritium (Table 6-2 and Table 6-3). Well HMH-5R is a newly installed well without previous sampling history for chemical parameters and indicated the presence of trichloroethene at 230 micrograms per liter ( $\mu\text{g/L}$ ).

### **6.2 Operable Unit 2**

Analytical results for samples where concentrations of analytes exceeded the detection limit are given in Table 6-4. Arsenic was identified as a constituent of concern in the Remedial Investigation Report (1999) for the Local Aquifer. In this sampling event, only Well SA2-1-L had levels of arsenic that exceeded the detection limit. Analytical results from Operable Unit 2 indicate a consistent decline in the concentration of arsenic when compared with results from previous sampling events (Table 6-5).

**Table 6-1**  
**Analytical Results that Exceed the Detection Limit for Operable Unit 1**

Well	Sample Date	Method*	Parameter	Result	Units	Detect Limit
<b>METALS (RCRA)</b>						
SA1-1-H	13-Mar-2002	EPA6010	ARSENIC	11.0	µg/L	10.0
SA1-1-H	13-Mar-2002	EPA6010	BARIUM	310	µg/L	100
SA1-3-H	13-Mar-2002	EPA6010	ARSENIC	12.0	µg/L	10.0
SA1-4-H	14-Mar-2002	EPA6010	BARIUM	390	µg/L	100
SA1-7-H	14-Mar-2002	EPA6010	ARSENIC	20.0	µg/L	10.0
SA1-7-H	14-Mar-2002	EPA6010	BARIUM	390	µg/L	100
HMH-5R	21-Mar-2002	EPA6010	BARIUM	510	µg/L	100
<b>VOLATILE ORGANIC COMPOUNDS (VOC)</b>						
SA1-1-H	13-Mar-2002	EPA8260	CIS-1,2-DICHLOROETHENE	18	µg/L	5.00
SA1-1-H	13-Mar-2002	EPA8260	TRICHLOROETHENE	9.8	µg/L	5.00
SA1-2-H	13-Mar-2002	EPA8260	CIS-1,2-DICHLOROETHENE	48	µg/L	5.00
SA1-3-H	13-Mar-2002	EPA8260	CIS-1,2-DICHLOROETHENE	13	µg/L	5.00
SA1-3-H	13-Mar-2002	EPA8260	TRANS-1,2-DICHLOROETHENE	6.5	µg/L	5.00
SA1-5-H	14-Mar-2002	EPA8260	CIS-1,2-DICHLOROETHENE	11	µg/L	5.00
SA1-5-H	14-Mar-2002	EPA8260	TRANS-1,2-DICHLOROETHENE	5	µg/L	5.00
HMH-5R	21-Mar-2002	EPA8260	CIS-1,2-DICHLOROETHENE	120	µg/L	5.00
HMH-5R	21-Mar-2002	EPA8260	TRANS-1,2-DICHLOROETHENE	7.9	µg/L	5.00
HMH-5RRR1 <sup>b</sup>	21-Mar-2002	EPA8260	TRICHLOROETHENE	240	µg/L	10.00
<b>TRITIUM</b>						
HM-S	11-Mar-2002	EPA906.0	TRITIUM	1750	pCi/L	400.00
HMH-5R	21-Mar-2002	EPA906.0	TRITIUM	8700	pCi/L	380.00
SA1-1-H	13-Mar-2002	EPA906.0	TRITIUM	25100	pCi/L	400.00
SA1-2-H	13-Mar-2002	EPA906.0	TRITIUM	2430	pCi/L	400.00
SA1-5-H	14-Mar-2002	EPA906.0	TRITIUM	830	pCi/L	390.00

\*SW-846-8260B, total Resource Conservation and Recovery Act metals (SW846-6010B/7470A, and tritium (EPA 906.0).

<sup>b</sup>Indicates a "rerun" of the sample by the laboratory because the initial value exceeded the linear range of the instrument.

**Table 6-2**  
**Historical Results of Trichloroethene Sampling in Operable Unit 1 (Shallow Aquifer)**

Well	Dec-1995/Jan-1996			Feb-1997			Oct-1997			Apr-2001			Mar-2002		
	Result (µg/L)	Detection Limit (µg/L)	Q <sup>a</sup>	Result (µg/L)	Detection Limit (µg/L)	Q	Result (µg/L)	Detection Limit (µg/L)	Q	Result (µg/L)	Detection Limit (µg/L)	Q	Result (µg/L)	Detection Limit (µg/L)	Q
HM-S	NS <sup>b</sup>			NS			3.9	1.0							
SA1-1-H	69.0	5.0		26.0	5.0		30.0	1.0	R	10.0	5.0	J	9.8	5.0	
SA1-2-H	4.0	5.0	J	2.0	5.0	J	2.3	1.0		2.6	5.0	J	4.3	5.0	J
SA1-3-H	5.0	5.0	U	5.0	5.0	U	0.8	1.0	J	5.0	5.0	UJ	5.0	5.0	U
SA1-4-H	5.0	5.0	U	5.0	5.0	U	0.3	1.0	J	5.0	5.0	UJ	5.0	5.0	U
SA1-5-H	5.0	5.0	U	2.0	5.0	J	1.5	1.0		1.8	5.0	J	1.6	5.0	J
SA1-6-H	3.0	5.0	J	5.0	5.0	U	1.0	1.0	U	5.0	5.0	UJ	5.0	5.0	U
SA1-7-H	5.0	5.0	U	5.0	5.0	U	1.0	1.0	U	5.0	5.0	UJ	5.0	5.0	U
SA3-4-H	5.0	5.0	U	5.0	5.0	U	1.0	1.0	U	5.0	5.0	UJ	10.0	5.0	U
SA3-5-H	5.0	5.0	U	5.0	5.0	U	1.0	1.0	U	5.0	5.0	UJ	NS		
SA1-12-H	NS			NS			NS			NS			5.0	5.0	U
HMH-5R	NS			NS			NS			NS			230.0	5.0	
HMH-16R	NS			NS			NS			NS			5.0	5.0	U

<sup>a</sup>Data Qualifiers:

U = Compound was analyzed for, but not detected    J = Estimated Value    UJ = Quantitation limit was quantitatively estimated    R = Result rejected

<sup>b</sup>Not sampled

**Table 6-3**  
**Historical Results of Tritium Sampling in Operable Unit 1 (Shallow Aquifer)**

Well	Dec 1995/Jan 1996				Feb-1997				Oct-1997				Mar-2002			
	Results pCi/L	Error +/-	MDA <sup>a</sup>	Q <sup>b</sup>	Results pCi/L	Error +/-	MDA	Q	Results pCi/L	Error +/-	MDA	Q	Results pCi/L	Error +/-	MDA	Q
SA1-1-H	23600	2390	265		21900	2180	176		27800	1700	210		25100	3200	400	
SA1-2-H	6040	675	273		3900	675	204		3490	410	210		2430	420	400	
SA1-3-H	984	214	265		909	157	179		780	200	210		420	250	400	U
SA1-4-H	786	209	284		426	126	183		220	140	210	U	80	230	390	U
SA1-5-H	1090	154	157		514	210	325		940	220	220		830	270	390	
SA1-6-H	1630	195	145		769	149	183		1690	280	210		-100	230	390	U
SA1-7-H	-30	84	145		-57	130	227		20	120	210	U	-150	230	390	U
HM-S	NS <sup>c</sup>				NS				2960	370	210		1750	350	400	
SA3-4-H	-3	141	246		-15	102	176		-40	110	210	U	-120	230	390	U
SA3-5-H	14	159	276		-101	131	230		60	120	210	U	NS			
HMH-5R	NS				NS				NS				8700	1200	380	
HMH-16R	NS				NS				NS				-50	230	380	U
SA1-12-H	NS				NS				NS				-40	230	380	U

<sup>a</sup>Minimum detectable activity

<sup>b</sup>Data Qualifier:

U = Compound was analyzed for, but not detected

<sup>c</sup>Not sampled

**Table 6-4**  
**Analytical Results that Exceed the Detection Limit for Operable Unit 2**  
**(Local Aquifer, Aquifers 1, 2a, 2b, and 3)**

Well	Sample Date	Method <sup>a</sup>	Parameter	Result	Units	Detect Limit
<b>METALS (RCRA)</b>						
E-7	21-Mar-2002	EPA6010	BARIUM	140	µg/L	100
HM-3	19-Mar-2002	EPA6010	BARIUM	280	µg/L	100
HM-3	19-Mar-2002	EPA6010	CHROMIUM	130	µg/L	10
HM-L	15-Mar-2002	EPA6010	BARIUM	210	µg/L	100
HM-L	15-Mar-2002	EPA6010	CHROMIUM	11	µg/L	10
HM-L2	16-Mar-2002	EPA6010	BARIUM	120	µg/L	100
SA1-8-L	16-Mar-2002	EPA6010	BARIUM	170	µg/L	100
SA2-1-L	16-Mar-2002	EPA6010	ARSENIC	12.0	µg/L	10
SA2-2-L	23-Mar-2002	EPA6010	ARSENIC	14.0	µg/L	10
SA2-2-L	23-Mar-2002	EPA6010	CHROMIUM	31	µg/L	10
SA4-5-L	17-Apr-2002	EPA6010	BARIUM	260	µg/L	100
SA4-5-L	17-Apr-2002	EPA6010	CHROMIUM	16	µg/L	10
SA4-5-L	17-Apr-2002	EPA6010	LEAD	24	µg/L	0.3
<b>VOLATILE ORGANIC COMPOUNDS (VOC)</b>						
HM-3	19-Mar-2002	EPA8260	NAPHTHALENE	6	µg/L	5
SA4-5-L	17-Apr-2002	EPA8260	TOLUENE	24	µg/L	5

<sup>a</sup>SW-846-8260B, total Resource Conservation and Recovery Act metals (SW846-6010B/7470A, and tritium (EPA 906.0).

### **6.3 Operable Unit 3**

None of the samples collected from the two wells (SA5-4-4 and SA5-5-4) had analytical results which exceeded the detection limit.

### **6.4 Waste Management**

A total of three waste management samples were collected from three frac tanks at the Salmon Site. The frac tanks were used to contain water generated from well purging, development, and decontamination activities during the 2002 field effort. Two frac tanks (FT4417L and FT4808L) located at surface ground zero were used to contain purge water generated from operational testing

**Table 6-5**  
**Historical Results of Arsenic Sampling in Operable Unit 2 (Local Aquifer)**

Well	Jan-1997			Oct-1997			Apr-1999			Apr-2001			Mar-2002		
	Result	Units	Q <sup>a</sup>	Result	Units	Q	Result	Units	Q	Result	Units	Q	Result	Units	Q
HM-2L	NS <sup>b</sup>	µg/L		3.0	µg/L	U	NS	µg/L		10.0	µg/L	U	10	µg/L	U
HM-L	NS	µg/L		3.0	µg/L	U	NS	µg/L		10.0	µg/L	U	10	µg/L	U
HT-2C	NS	µg/L		6.0	µg/L		NS	µg/L		NS			NS		
OW-2	NS	µg/L		3.0	µg/L	U	NS	µg/L		NS			NS		
SA1-8-L	9.3	µg/L	B	4.1	µg/L		7.7	µg/L		3.8	µg/L	B	4.6	µg/L	B
SA2-1-L	13.6	µg/L		14.9	µg/L		14.0	µg/L		12.0	µg/L		12	µg/L	
SA2-2-L	44.2	µg/L		23.5	µg/L		19.0	µg/L		NS	µg/L		14	µg/L	UJ
SA2-3-L	24.0	µg/L		NS	µg/L		17.0	µg/L		13.0	µg/L		NS	µg/L	
SA2-4-L	22.1	µg/L		26.7	µg/L		15.0	µg/L		11	µg/L		6.8	µg/L	B
SA2-5-L	17.3	µg/L		9.3	µg/L		6.6	µg/L		4.0	µg/L	B	NS	µg/L	
SA4-5-L	NS			NS			NS			NS			5.9	µg/L	B

<sup>a</sup>Data Qualifiers:

B = Less than Practical Quantitation Limit but greater than or equal to the Instrument Detection Limit

U = Compound was analyzed for, but not detected

<sup>b</sup>Not sampled

and sampling activities associated with Well HM-3. Both tanks had elevated concentrations of chromium (0.12 and 0.13 milligrams per liter for FT4417L and FT4808L, respectively); however, frac tank FT4808L had several VOC concentrations above normal. It was noted during sampling that frac tank FT4808L had been recently painted, and the paint is assumed to be the source of the elevated VOC readings. The results of the analysis were sent to the Mississippi Department of Environmental Quality with a request that the water contained in the frac tanks be disposed of on site. Approval was received on the April 17, 2002, with the stipulation that the water discharged from the tanks not be allowed to enter the creeks or any body of water on site. The two tanks were drained to the surface between April 17 and 18, 2002.

The frac tank (FADW 4734L) located at the laydown yard was used to contain water from purging, and sampling activities from all wells other than HM-3. Decontamination water generated from cleaning augers and equipment associated with the installation of the four new wells was also containerized in frac tank FADW 4734L. Water from this tank was sampled on April 17, 2002, with a request for a 7-day turnaround time for the samples.

Results were returned from the laboratory, validated, and forwarded to the State of Mississippi with a request that discharge be allowed to the surface. The Mississippi Department of Environmental Quality concurred and gave approval. The water was discharged and the tank demobilized from the site on May 30, 2002.

## **7.0 Site Restoration Activities**

---

Restoration activities at the Salmon Site consisted of the removal of construction debris from the Source Area 2 drainage ditch and road maintenance. Approximately 10 cubic yards of wire mesh and other construction debris were removed from the Source Area 2 drainage ditch, located about 300 ft west of SA2-3-L. The debris was removed from the outer bank of the 6-ft deep drainage ditch and placed into a roll-off container for off-site disposal. The bank of the drainage ditch was sloped (2H:1V) prior to placing erosion protection material. The erosion protection material consisted of a high-density, polyethylene geogrid placed directly on the ground surface orientated perpendicular to the channel flow. Approximately 1 ft of 8- to 10-inch diameter limestone riprap material was placed on top of the geogrid to prevent erosion of the outer bank.

Recent heavy rainstorms had eroded and rutted the access road from surface ground zero to the laydown yard. Approximately 50 cubic yards of road base material was placed and regarded to repair the rutted road. The drainage ditch located on the north side of the road was lined with limestone riprap to channel the water from the road and prevent subsequent erosion.

## ***8.0 Long-Term Stewardship***

---

A Long Stewardship Plan will be prepared for the Salmon Site. The plan will address site controls, land use, and monitoring requirements. As a part of this plan, a Long-Term Hydrological Monitoring Program will be established to define the frequency of sampling, the analytical parameters, and maintenance and replacement of the existing groundwater monitoring network.

## 9.0 References

---

DOE/NV, see U.S. Department of Energy, Nevada Operations Office.

U.S. Department of Energy, Nevada Operations Office. 1999. *Salmon Site Remedial Investigation Report (Lamar County, Mississippi)*, Rev. 1, DOE/NV--494-REV. 1. Las Vegas, NV.

U.S. Department of Energy, Nevada Operations Office. 2000. *Salmon Site Restoration Plan*, DOE/NV--640-REV. 1. Las Vegas, NV.

## **Appendix A**

### **Water Well Plugging Decommissioning, Mississippi Department of Environmental Quality**

(18 Pages)

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED  
Lamar  
WELL NUMBER  
HT-5

PERMIT NUMBER  
  
NAME OF DRILLING FIRM  
On Ex Drill  
Arnold Fincher Sr

DATE WELL PLUGGED  
3-7-02

NAME & MAILING ADDRESS OF LANDOWNER  
U.S Dept of Energy  
Las Vegas N.V.

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL  
Unknown

NAME OF LANDOWNER WHEN WELL WAS DRILLED  
U.S. Dept of Energy

WELL LOCATION SEC TOWNSHIP RANGE  
14 2N 16W

**WELL DATA**

DISTANCE DIRECTION NEAREST TOWN  
15 miles West Purvis, MS

Well Depth <u>679</u>	Casing Diameter (in.) <u>8 5/8</u>	Casing Length (ft.) <u>530</u>
--------------------------	---------------------------------------	-----------------------------------

OTHER LANDMARK  
Salmon Site

Type of Casing <u>Steel</u>	Hole Depth <u>684</u>	Depth to Static Water Level <u>142</u>
--------------------------------	--------------------------	---

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.  
Monitoring Well

DATE WELL COMPLETED  
unknown

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE,  
MATERIAL USED IN PLUGGING, ETC.)

Pump pulled from well, Trimmer Pipe  
ran to bottom and Cemented with  
Cement Gel Blend from Bottom of well  
to Top of Ground with 14 batches  
all casing & screen left in hole

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Arnold Fincher Sr  
SIGNATURE

3-25-02  
DATE

18652

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED  
Lamar

WELL NUMBER  
SA1-9-2A

PERMIT NUMBER  
MS-GW-15063

NAME OF DRILLING FIRM  
Can Ex Drill

DATE WELL PLUGGED  
3-7-02

Arnold Fincher Sr

NAME & MAILING ADDRESS OF LANDOWNER  
U.S. Dept of Energy  
Las Vegas, N.V

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL  
Unknown Baylik Drilling

NAME OF LANDOWNER WHEN WELL WAS DRILLED  
U.S. Dept of Energy

WELL LOCATION SEC TOWNSHIP RANGE  
11 2N 16W

DISTANCE DIRECTION NEAREST TOWN  
15 miles West Pervis, MS

OTHER LANDMARK  
Salmon Site

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.  
Monitoring well

N. 536 419.58  
E. 270 928.24

**WELL DATA**

Well Depth <u>722</u>	Casing Diameter (in.) <u>7"</u>	Casing Length (ft.) <u>563</u>
Type of Casing <u>1 1/2" holes</u>	Hole Depth <u>722</u>	Depth to Static Water Level <u>unknown</u>

DATE WELL COMPLETED  
unknown

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.  
MATERIAL USED IN PLUGGING, ETC.)

all Equipment Pulled from well  
Trimmer Pipe run to bottom of well  
and Cemented with Cement Gel  
Mixture from Bottom to Top with  
19 Batches. all casing and screen  
left in hole

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Arnold Fincher Sr  
SIGNATURE

3-25-02  
DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>Lamar</u>		PERMIT NUMBER	
WELL NUMBER <u>HT-2C</u>	CODED	NAME OF DRILLING FIRM <u>ConEx Drill</u>	
DATE WELL PLUGGED <u>3-5-02</u>		<u>Arnold Fincher Sr</u>	
NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas, N.V</u>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>Unknown</u>	
WELL LOCATION    SEC    TOWNSHIP    RANGE <u>14</u> <u>2N</u> <u>16W</u>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>U.S. Dept of Energy</u>	
DISTANCE    DIRECTION    NEAREST TOWN <u>15 miles West of Purvis</u>		<b>WELL DATA</b>	
OTHER LANDMARK <u>Salmon Site</u>		Well Depth <u>366</u>	Casing Diameter (In.) <u>6 5/8</u>
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <u>Monitoring well</u>		Casing Length (Ft.) <u>344</u>	Depth to Static Water Level <u>159</u>
		Type of Casing <u>Steel</u>	Wells Depth <u>366</u>
		DATE WELL COMPLETED <u>1999</u>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING ABOVE SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.  
MATERIAL USED IN PLUGGING, ETC.)

Trimmer Pipe ran to bottom of well  
hole filled from Bottom to Top  
of well with 8 batches of cement  
Cell mixture all casing and  
Screen left in hole

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Arnold Fincher Sr                      3-25-02  
SIGNATURE                                      DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>Lamar</u>	
WELL NUMBER <u>SA1-10-26</u>	CODED
PERMIT NUMBER <u>MS-GL-15062</u>	
NAME OF DRILLING FIRM <u>Conley Drill</u>	
DATE WELL PLUGGED <u>3-8-02</u>	

NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas, N.V.</u>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
	<u>13</u>	<u>2N</u>	<u>16W</u>
DISTANCE	DIRECTION	NEAREST TOWN	
<u>15 miles west</u>		<u>Purvis, MS</u>	
OTHER LANDMARK <u>Salmon site</u>			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Ponds, etc. <u>Monitoring well</u>			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>UNKNOWN Baylik Drilling</u>		
NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>U.S. Dept of Energy</u>		
WELL DATA		
Well Depth <u>844</u>	Casing Diameter (in.) <u>7</u>	Casing Length (ft.) <u>810</u>
Type of Casing <u>Fiberglass</u>	Hole Depth <u>844</u>	Depth to Static Water Level <u>150</u>
DATE WELL COMPLETED <u>UNKNOWN</u>		

N 534 460.84  
E 270, 867.30

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED: (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE, MATERIAL USED IN PLUGGING, ETC.)
<u>Pump and Packer Pulled from</u> <u>Hole, Trimmer Pipe ran to bottom</u> <u>Hole filled from bottom to top of</u> <u>Ground with 22 batches of Cement</u> <u>Grout mixture, all casing and screen</u> <u>Left in Hole</u>

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.	
<u>Armed Sanchez Sr</u>	<u>3-23-02</u>
SIGNATURE	DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>Lamar</u>		PERMIT NUMBER	
WELL NUMBER <u>HT-4</u>	COORD	NAME OF DRILLING FIRM <u>CONEX Drilling</u>	
DATE WELL PLUGGED <u>3-06-02</u>		<u>Arnold Fincher Sr</u>	
NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas, N.V.</u>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>Unknown</u>	
WELL LOCATION SEC <u>14</u> TOWNSHIP <u>2N</u> RANGE <u>16W</u>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>U.S. Dept of Energy</u>	
DISTANCE <u>15 miles west of Purvis</u> DIRECTION <u>NEAREST TOWN</u>		WELL DATA	
OTHER LANDMARK <u>Salmon Site</u>		Well Depth <u>475'</u>	Casing Diameter (In.) <u>8 5/8"</u>
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <u>Monitoring Well</u>		Type of Casing <u>Steel</u>	Casing Length (Ft.) <u>358'</u>
		Hole Depth <u>475'</u>	Depth to Static Water Level <u>161'</u>
		DATE WELL COMPLETED <u>1979</u>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.  
MATERIAL USED IN PLUGGING, ETC.)

Trimmed Pipe ran to bottom and  
Cemented from Bottom to Top with  
13 Batches of cement and mixture all  
Casing and Screen left in hole

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Arnold Fincher Sr                      3-25-02  
SIGNATURE                                      DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>Lamar</u>	
WELL NUMBER <u>3A3-10-28</u>	CODED
<u>3-4-0</u>	
DATE WELL PLUGGED <u>3-4-02</u>	

PERMIT NUMBER <u>MS-GW-15062</u>
NAME OF DRILLING FIRM <u>CON EX DRILL</u>
<u>ARNOLD FINCHER SR</u>

NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas, N.V.</u>
---

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>Unknown Drilling</u>
---

WELL LOCATION	SEC <u>14</u>	TOWNSHIP <u>2N</u>	RANGE <u>16W</u>
DISTANCE <u>15 Miles West of Pervis</u>	DIRECTION	NEAREST TOWN	
OTHER LANDMARK <u>Salmon Site</u>			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <u>Monitoring well</u>			

NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>U.S. Dept of Energy</u>		
WELL DATA		
Well Depth <u>710</u>	Casing Diameter (in.) <u>7</u>	Casing Length (ft.) <u>493 6</u>
Type of Casing <u>Fiberglass</u>	Hydro Depth <u>710</u>	Depth to Static Water Level
DATE WELL COMPLETED <u>1979</u> <u>1997</u>		

N. 535,721.33  
E 267,481.77

<p align="center">DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED: (AMOUNT OF CASING ABOVE SCREEN THAT WAS REMOVED, OR LEFT IN HOLE, MATERIAL USED IN PLUGGING, ETC.)</p> <p><u>Trimmed Pipe ran to bottom of hole</u> <u>Well Cemented from Bottom to Top</u> <u>with 12 Batches of Cement Gel Mixture</u> <u>all Casing and screen left in hole</u></p>
---

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.	
<u>Arnold Fincher Sr</u> SIGNATURE	<u>3-25-02</u> DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>Lamar</u>		PERMIT NUMBER	
WELL NUMBER <u>OW-2</u>	CODED	NAME OF DRILLING FIRM <u>Com Ex Drill</u>	
<u>3-2-02</u>		<u>Arnold Fincher Sr</u>	
DATE WELL PLUGGED <u>3-2-02</u>			
NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas, N.V.</u>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>UNKNOWN GRINDER</u> <u>Drilling</u>	
WELL LOCATION SEC <u>14</u> TOWNSHIP <u>2N</u> RANGE <u>16W</u>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>U.S. Dept of Energy</u>	
DISTANCE <u>15 miles West of Paris</u>	DIRECTION <u>West</u>	WELL DATA	
NEAREST TOWN <u>Paris</u>		Well Depth <u>210</u>	Casing Diameter (In.) <u>2</u>
OTHER LANDMARK <u>Salmon Site</u>		Casing Length (Ft.) <u>180</u>	
WELL PURPOSE: Home Irrigation, Municipal, Industrial, Fish Pond, etc. <u>Monitoring well</u>		Typical Casing <u>PVC</u>	Hold Depth <u>210</u>
		Depth to Static Water Level <u>UNKNOWN</u>	
		DATE WELL COMPLETED <u>1-7-91</u>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE.  
MATERIAL USED IN PLUGGING, ETC.)

Trimmed Pipe ran to bottom of well  
Well Cemented from Bottom to top  
of well with 2 batches of Cement  
and mixture. all casing & screen left  
in hole

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Arnold Fincher Sr 3-25-02  
SIGNATURE DATE

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>Lamar</u>		PERMIT NUMBER <u>MS-GW-15059</u>	
WELL NUMBER <u>5A3-8-1</u>	CODED	NAME OF DRILLING FIRM <u>Con Ex Drill</u>	
DATE WELL PLUGGED <u>3-1-02</u>		NAME OF LANDOWNER <u>Ronald Fisher Sr</u>	
NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas, N.V.</u>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>unknown Beglik</u> <u>Drilling</u>	
WELL LOCATION SEC <u>14</u> TOWNSHIP <u>2N</u> RANGE <u>16W</u>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>US Dept of Energy</u>	
DISTANCE DIRECTION NEAREST TOWN <u>15 miles west of Purvis</u>		WELL DATA	
OTHER LANDMARK <u>Salmon site</u>		Well Depth <u>385</u>	Casing Diameter (in.) <u>7</u>
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <u>Monitoring well</u>		Type of Casing <u>Fiberglass</u>	Casing Length (ft.) <u>240</u>
N. 535, 730, 67 E. 269, 525.23		Well Depth <u>385</u>	Depth to Static Water Level <u>unknown</u>
		DATE WELL COMPLETED <u>1979 1996</u>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE,  
MATERIAL USED IN PLUGGING, ETC.)

Trimmed Pipe ran to bottom of  
well. Well cemented from bottom  
to top with 10 batches of cement  
Gel mixture. all casing and screen  
left in hole

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Ronald Fisher Sr 3-25-02  
SIGNATURE DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>LAMAR</u>	
WELL NUMBER <u>SA2-5-L</u>	CODED
DATE WELL PLUGGED <u>2-28-02</u>	

PERMIT NUMBER <u>MS-GW 15058</u>
NAME OF DRILLING FIRM <u>CONEX DILL</u>
<u>Arnold Fincher Sr</u>

NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas, N.V</u>
--

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>unknown Baylik</u> <u>Drilling</u>
NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>U.S. Dept of Energy</u>

WELL LOCATION	SEC <u>12</u>	TOWNSHIP <u>2N</u>	RANGE <u>16W</u>
DISTANCE <u>15 miles west of Purvis</u>	DIRECTION	NEAREST TOWN	
OTHER LANDMARK <u>Salmon Site</u>			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <u>Monitoring well</u>			

WELL DATA		
Well Depth <u>238</u>	Casing Diameter (in.) <u>4</u>	Casing Length (ft.) <u>142</u>
Type of Casing <u>PVC</u>	Water Depth <u>238</u>	Depth to Static Water Level <u>UNKNOWN</u>
DATE WELL COMPLETED <u>1974-1996</u>		

N. 638418.1  
E. 220,143.1

<p align="center">DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED: (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE, MATERIAL USED IN PLUGGING, ETC.)</p> <p><u>Trimmie Pipe ran to bottom of well</u> <u>well cemented from bottom to top</u> <u>of well with 4 Batches of Cement Gel</u> <u>Mixture. all casing + screen left</u> <u>in Hole</u></p>
---

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.	
<u>Arnold Fincher Sr</u> SIGNATURE	<u>3-25-02</u> DATE


**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <b>Lamar</b>		PERMIT NUMBER <b>MS-GW-15056</b>	
WELL NUMBER <b>SA2-3-L</b>	CODED	NAME OF DRILLING FIRM <b>CONEX Drill</b>	
DATE WELL PLUGGED <b>2-28-02</b>		NAME OF LANDOWNER <b>Arnold Fincher Sr</b>	
NAME & MAILING ADDRESS OF LANDOWNER <b>U.S. Dept of Energy Las Vegas, N. V</b>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <b>Unknown</b>	
WELL LOCATION SEC <b>12</b> TOWNSHIP <b>2N</b> RANGE <b>16W</b>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <b>U.S. Dept of Energy</b>	
DISTANCE <b>15 miles west of Puvv's</b>		WELL DATA	
DIRECTION	NEAREST TOWN	Well Depth <b>299</b>	Casing Diameter (in.) <b>4</b>
OTHER LANDMARK <b>Salmon site</b>		Casing Length (ft.) <b>227</b>	
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <b>Monitoring well</b>		Type of Casing <b>PVC</b>	Depth to Static Water Level <b>Unknown</b>
		DATE WELL COMPLETED <b>1979 1996</b>	

**N. 539, 627.99 (MISSISSIPPI, EAST 1927)**  
**E. 271, 175.02**

<small>DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED: (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE, MATERIAL USED IN PLUGGING, ETC.)</small>
<b>Trimmed Pipe ran to bottom of well</b> <b>Well Cemented bottom to top with</b> <b>4 Batches of Cement Gel Mixture.</b> <b>all casing and screen left in</b> <b>hole</b>

<small>I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.</small>	
 SIGNATURE	<b>2-25-02</b> DATE

## Office of Land and Water Resources

**P.O. Box 10631**

COUNTY WELL LOCATED Lamar	
WELL NUMBER 5A5-1-M	CODED
DATE WELL PLUGGED 2-28-02	

PERMIT NUMBER	
NAME OF DRILLING TEAM	CONEX Drill Arnold Fincher SW

NAME & MAILING ADDRESS OF LANDOWNER

U.S. Dept of Energy  
Las Vegas, N. V.

WELL LOCATION

SEC 14 TOWNSHIP 2N RANGE 16E

DISTANCE 15 miles DIRECTION West of Farris NEAREST TOWN

OTHER LANDMARK

Salmon site

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Flon Pump, etc.

Monitoring Well

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
UNKNOWN <del>Boyle</del>		
SINGLEY CONSTRUCTION		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
U.S. Dept of Energy		
WELL DATA		
Well Depth	Casing Diameter (In.)	Casing Length (Ft.)
35	5"	15
Type of Casing	Hole Depth	Depth to Static Water Level
PVC	35	10
DATE WELL COMPLETED		
10-23-95		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE  
MATERIAL USED IN PLUGGING, ETC.) \_\_\_\_\_

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

**SIGNATURE**

DATE \_\_\_\_\_

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 18631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decontaminating

COUNTY WELL LOCATED	
Lamar	
WELL NUMBER	CODED
3A4-5-L	
DATE WELL PLUGGED	
3-25-02	

PERMIT NUMBER
NAME OF DRILLING FIRM
CONEX Drill
NAME OF WELL CONTRACTOR WHO DRILLED THE WELL
Arnold Fincher Sr

NAME & MAILING ADDRESS OF LANDOWNER
U.S. Dept of Energy
Las Vegas, N.V.

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL
CONEX Drill
Arnold Fincher Sr

WELL LOCATION	SIC	TOWNSHIP	RANGE
	14	2N	16W

NAME OF LANDOWNER WHEN WELL WAS DRILLED
U.S. Dept of Energy

DISTANCE	DIRECTION	NEAREST TOWN
18 miles West of		Purvis

WELL DATA		
Well Depth	Casing Diameter (in.)	Casing Length (ft.)
17.5	5	150

OTHER LANDMARK
Salmon Site

Type of Casing	Head Depth	Depth to Static Water Level
PVC	17.5	110

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.
Monitoring Well

DATE WELL COMPLETED
3-20-02

<p align="center">DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED: AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED OR LEFT IN HOLE, MATERIAL USED IN PLUGGING, ETC.</p> <p>Trimme line run to bottom of well well filled from bottom to top with 150 lbs Cement Gel mixture. All casing and screen left in hole</p>
---

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.	
<p align="center"><u>Arnold Fincher Sr</u></p> <p align="center">SIGNATURE</p>	<p align="center"><u>3-25-02</u></p> <p align="center">DATE</p>

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <b>Lamar</b>		PERMIT NUMBER	
WELL NUMBER <b>SA4-1M</b>	CODED	NAME OF DRILLING FIRM <b>Gen Ex Drill</b>	
DATE WELL PLUGGED <b>2-28-02</b>		<b>Arnold Franklin Sr</b>	
NAME & MAILING ADDRESS OF LANDOWNER		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL	
		<b>Unknown</b>	
		<b>SINGER CONSTRUCTION</b>	
		NAME OF LANDOWNER WHEN WELL WAS DRILLED <b>U.S. Dept of Energy</b>	
WELL LOCATION    SEC    TOWNSHIP    RANGE <b>11    2N    16W</b>		WELL DATA	
DISTANCE <b>15 miles West of Paris</b>	DIRECTION	Well Depth <b>50</b>	Casing Diameter (In.) <b>5"</b>
NEAREST TOWN		Casing Length (FL) <b>35</b>	
OTHER LANDMARK <b>Salmon Site</b>		Type of Casing <b>PVC</b>	How Depth <b>50</b>
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Farm Road, etc. <b>Monitoring well</b>		Depth to Static Water Level <b>10</b>	
		DATE WELL COMPLETED <b>10-24-95</b>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE,  
MATERIAL USED IN PLUGGING, ETC.)

**Trimmie Pipe ran to bottom of well and well cemented Bottom to top with 4 Batches of Cement and mixture. all casing and screen left. Top plugged with Cement**

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

**Arnold Franklin Sr**                      **3-25-02**

SIGNATURE                                      DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <b>hamar</b>		PERMIT NUMBER	
WELL NUMBER <b>5A3-M</b>	CODED	NAME OF DRILLING FIRM <b>ConEX Drill</b>	
DATE WELL PLUGGED <b>2-26-02</b>		Name of Driller <b>Arnold Fincher Sr.</b>	
NAME & MAILING ADDRESS OF LANDOWNER <b>U.S. Dept of Energy Las Vegas, N.V.</b>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <b>unknown</b>	
WELL LOCATION SEC <b>14</b> TOWNSHIP <b>2N</b> RANGE <b>16W</b>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <b>U.S. Dept of Energy</b>	
DISTANCE <b>15 miles west of Purvis</b> DIRECTION NEAREST TOWN		<b>WELL DATA</b>	
OTHER LANDMARK <b>Salmon Site</b>		Well Depth <b>40</b>	Casing Diameter (In.) <b>5"</b>
WELL PURPOSE: Name, Irrigation, Municipal, Industrial, Fish Pond, etc. <b>Monitoring well</b>		Casing Length (Ft.) <b>36</b>	Depth to Static Water Level <b>5'</b>
		Type of Casing <b>PVC</b>	Hole Depth <b>40</b>
		DATE WELL COMPLETED <b>10-26-95</b>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE,  
MATERIAL USED IN PLUGGING, ETC.)

**Casing pulled from hole, hole  
filled bottom to top with  
Cement Gel Mixture 6 Bags.  
Top plugged with Cement**

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

**Arnold Fincher Sr.**      **3-25-02**


SIGNATURE      DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <b>Lamar</b>		PERMIT NUMBER		P.O. Box 10631 Jackson, Mississippi 39289 Water Well Plugging Decommissioning	
WELL NUMBER <b>SA3-5-H</b>	COOKED	NAME OF DRILLING FIRM <b>Can Ex Drill</b>			
DATE WELL PLUGGED <b>2-26-02</b>		ARNOLD FINCHER SR			
NAME & MAILING ADDRESS OF LANDOWNER <b>U.S. Dept of Energy Las Vegas, N.V</b>			NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <b>un known</b>		
WELL LOCATION    SEC    TOWNSHIP    RANGE <b>14    2N    16W</b>			NAME OF LANDOWNER WHEN WELL WAS DRILLED <b>U.S. Dept of Energy</b>		
DISTANCE    DIRECTION    NEAREST TOWN <b>15 miles west of Paris</b>			<b>WELL DATA</b>		
OTHER LANDMARK <b>Salmon S. Le</b>			Well Depth <b>30</b>	Casing Diameter (In.) <b>5</b>	Casing Length (Ft.) <b>20</b>
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Farm Pond, etc. <b>Monitoring well</b>			Type of Casing <b>PVC</b>	Hole Depth <b>30</b>	Depth to Static Water Level <b>5</b>
			DATE WELL COMPLETED <b>10-26-95</b>		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED: (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE, MATERIAL USED IN PLUGGING, ETC.)
<p><b>all Casing Pulled from hole, hole</b>  <b>filled Bottom to Top with</b>  <b>3 Bags of Cement Gel Mixture</b>  <b>Top plugged with Cement</b></p>

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.	
 _____ SIGNATURE	<b>3-25-02</b> _____ DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>Lamar</u>		PERMIT NUMBER	
WELL NUMBER <u>SA3-3-M</u>	CODED	NAME OF DRILLING FIRM <u>ConEX Drill</u>	
DATE WELL PLUGGED <u>2-26-02</u>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>UNKNOWN</u>	
NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas N.V</u>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>U.S. Dept of Energy</u>	
WELL LOCATION	SEC	TOWNSHIP	RANGE
	<u>14</u>	<u>2N</u>	<u>16W</u>
DISTANCE	DIRECTION	NEAREST TOWN	
<u>15 miles West of Purvis</u>			
OTHER LANDMARK <u>Salmon site</u>			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <u>Monitoring well</u>			
WELL DATA		DATE WELL COMPLETED <u>11-95</u>	
Well Depth <u>50</u>	Casing Diameter (in.) <u>5"</u>	Casing Length (ft.) <u>28</u>	
Type of Casing <u>PVC</u>	Hole Depth <u>50</u>	Depth to Static Water Level <u>10</u>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE,  
MATERIAL USED IN PLUGGING, ETC.)

all casing and screen pulled  
from well hole filled from  
bottom to top with 15 bags of  
Cement Cell mixture. Top plugged  
with cement

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Arnold Sanchez Sr 3-25-02  
SIGNATURE DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <u>hamas</u>		PERMIT NUMBER	
WELL NUMBER <u>575-2M</u>	CODED	NAME OF DRILLING FIRM <u>Con Ex Drill</u>	
DATE WELL PLUGGED <u>2-20-02</u>		Name of Driller <u>Arnold Encher Sr</u>	
NAME & MAILING ADDRESS OF LANDOWNER <u>U.S. Dept of Energy</u> <u>Las Vegas, N.V.</u>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <u>unknown</u>	
WELL LOCATION SEC <u>14</u> TOWNSHIP <u>2N</u> RANGE <u>16W</u>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <u>U.S. Dept of Energy</u>	
DISTANCE <u>15 miles west of Purvis</u> DIRECTION <u></u> NEAREST TOWN <u></u>		WELL DATA	
OTHER LANDMARK <u>Salmon Site</u>		Well Depth <u>35</u>	Casing Diameter (in.) <u>5"</u>
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. <u>Monitoring well</u>		Casing Length (ft.) <u>15</u>	Depth to Static Water Level <u>10</u>
		Type of Casing <u>PVC</u>	Hole Depth <u>35</u>
		DATE WELL COMPLETED <u>10-23-95</u>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE,  
MATERIAL USED IN PLUGGING, ETC.)

Hole cemented with 5 1/2 Bags of  
Hole Plug all casing and screen  
left in hole Top plugged with  
Cement

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

Arnold Encher Sr 3-25-02  
SIGNATURE DATE

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
Office of Land and Water Resources

P.O. Box 10631  
Jackson, Mississippi 39289  
Water Well Plugging  
Decommissioning

COUNTY WELL LOCATED <b>Lamar</b>		PERMIT NUMBER	
WELL NUMBER <b>SAJ-3M</b>	CODED	NAME OF DRILLING FIRM <b>Com Ex Drill</b>	
DATE WELL PLUGGED <b>2-26-02</b>		Name of Driller <b>Arnold Finner Sr</b>	
NAME & MAILING ADDRESS OF LANDOWNER <b>U.S Dept of Energy Las Vegas, N.V</b>		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL <b>unknown</b>	
WELL LOCATION SEC <b>14</b> TOWNSHIP <b>2N</b> RANGE <b>16W</b>		NAME OF LANDOWNER WHEN WELL WAS DRILLED <b>U.S Dept of Energy</b>	
DISTANCE <b>15 miles west of Purvis</b>	DIRECTION	WELL DATA	
OTHER LANDMARK <b>Salmon Site</b>	NEAREST TOWN	Well Depth <b>40</b>	Casing Diameter (in.) <b>5"</b>
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Public, etc. <b>Monitoring well</b>		Type of Casing <b>PVC</b>	Casing Length (ft.) <b>28</b>
		Hole Depth <b>40</b>	Depth to Static Water Level <b>10</b>
		DATE WELL COMPLETED <b>10-24-95</b>	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE,  
MATERIAL USED IN PLUGGING, ETC.)

**Hole Filled with 5 Bags of  
Hole Plug all casing and screen  
left in Hole, Top of Hole  
Filled with Cement**

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

**Arnold Finner Sr**      **3-25-02**

SIGNATURE      DATE

## **Appendix B**

### **Analytical Results for Operable Unit 1**

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-1-H	13-Mar-2002	WATER	EPA6010	ARSENIC	11.0	UG/L	10.0	
SA1-1-H	13-Mar-2002	WATER	EPA6010	BARIUM	310	UG/L	100	
SA1-1-H	13-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA1-1-H	13-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
SA1-1-H	13-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
SA1-1-H	13-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA1-1-H	13-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	U
SA1-1-H	13-Mar-2002	WATER	EPA7470	MERCURY	0.028	MG/L	0.2	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-1-H	13-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-1-H	13-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	18	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	4	UG/L	5.00	J
SA1-1-H	13-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	9.8	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	TRICHLOROFUOROMETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA1-1-H	13-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA1-1-H	13-Mar-2002	WATER	EPA906.0	H-3	25100	PC/L	400.00	
SA1-2-H	13-Mar-2002	WATER	EPA6010	ARSENIC	7.2	UG/L	10.0	B
SA1-2-H	13-Mar-2002	WATER	EPA6010	BARIUM	39	UG/L	100	B
SA1-2-H	13-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5.0e-03	UJ
SA1-2-H	13-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	0.01	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-2-H	13-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3.0e-03	UJ
SA1-2-H	13-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5.0e-03	U
SA1-2-H	13-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	0.01	U
SA1-2-H	13-Mar-2002	WATER	EPA7470	MERCURY	0.024	MG/L	2.0e-04	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-2-H	13-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-2-H	13-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	48	UG/L	5.00	
SA1-2-H	13-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	3.8	UG/L	5.00	J
SA1-2-H	13-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	4.3	UG/L	5.00	J
SA1-2-H	13-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA1-2-H	13-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	3.9	UG/L	10.00	J
SA1-2-H	13-Mar-2002	WATER	EPA906.0	H-3	2430	PC/L	400.00	
SA1-3-H	13-Mar-2002	WATER	EPA6010	ARSENIC	12.0	UG/L	10.0	
SA1-3-H	13-Mar-2002	WATER	EPA6010	BARIUM	61	UG/L	100	B
SA1-3-H	13-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5.0e-03	UJ
SA1-3-H	13-Mar-2002	WATER	EPA6010	CHROMIUM	0.68	UG/L	0.01	B
SA1-3-H	13-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3.0e-03	UJ
SA1-3-H	13-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5.0e-03	U
SA1-3-H	13-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	0.01	U
SA1-3-H	13-Mar-2002	WATER	EPA7470	MERCURY	0.024	UG/L	2.0e-04	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-3-H	13-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-3-H	13-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	13	UG/L	5.00	
SA1-3-H	13-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-3-H	13-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	6.5	UG/L	5.00	
SA1-3-H	13-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA1-3-H	13-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA1-3-H	13-Mar-2002	WATER	EPA806.0	H-3	420	PC/L	400.00	U
SA1-4-H	14-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
SA1-4-H	14-Mar-2002	WATER	EPA6010	BARIUM	390	UG/L	100	
SA1-4-H	14-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5.0e-03	UJ
SA1-4-H	14-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	0.01	U
SA1-4-H	14-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3.0e-03	UJ
SA1-4-H	14-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5.0e-03	U
SA1-4-H	14-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	0.01	U
SA1-4-H	14-Mar-2002	WATER	EPA7470	MERCURY	0.012	UG/L	0.021	UJ
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 1: SHALLOW AQUIFER  
SPRING 2002**

SA1-4-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-4-H	14-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-4-H	14-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	6.7	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA1-4-H	14-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA1-4-H	14-Mar-2002	WATER	EPA906.0	H-3	80	PC/L	390.00	U
SA1-5-H	14-Mar-2002	WATER	EPA6010	ARSENIC	3.0	UG/L	10.0	B
SA1-5-H	14-Mar-2002	WATER	EPA6010	BARIUM	28	UG/L	100	B
SA1-5-H	14-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA1-5-H	14-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
SA1-5-H	14-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
SA1-5-H	14-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA1-5-H	14-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	U
SA1-5-H	14-Mar-2002	WATER	EPA7470	MERCURY	0.01	UG/L	0.21	UJ
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-5-H	14-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	11	UG/L	5.00	
SA1-5-H	14-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	12	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 1: SHALLOW AQUIFER  
SPRING 2002**

SA1-5-H	14-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	1.6	UG/L	5.00	J
SA1-5-H	14-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA1-5-H	14-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA1-5-H	14-Mar-2002	WATER	EPA908.0	H-3	830	pCvL	390.00	
SA1-6-H	14-Mar-2002	WATER	EPA8010	ARSENIC	10.0	UG/L	10.0	U
SA1-6-H	14-Mar-2002	WATER	EPA6010	BARIUM	19	UG/L	100	B
SA1-6-H	14-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA1-6-H	14-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
SA1-6-H	14-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
SA1-6-H	14-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA1-6-H	14-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	U
SA1-6-H	14-Mar-2002	WATER	EPA7470	MERCURY	0.01	UG/L	0.2	UJ
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-6-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-6-H	14-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	12	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-6-H	14-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA1-6-H	14-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA1-6-H	14-Mar-2002	WATER	EPA906.0	H-3	-100	PC/L	390.00	U
SA1-7-H	14-Mar-2002	WATER	EPA6010	ARSENIC	20.0	UG/L	10.0	
SA1-7-H	14-Mar-2002	WATER	EPA6010	BARIUM	390	UG/L	100	
SA1-7-H	14-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA1-7-H	14-Mar-2002	WATER	EPA6010	CHROMIUM	1.2	UG/L	10	B
SA1-7-H	14-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
SA1-7-H	14-Mar-2002	WATER	EPA6010	SELENIUM	2.2	UG/L	5	U
SA1-7-H	14-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	U
SA1-7-H	14-Mar-2002	WATER	EPA7470	MERCURY	0.011	MG/L	0.2	UJ
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 1: SHALLOW AQUIFER  
SPRING 2002**

SA1-7-H	14-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-7-H	14-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	HEXACHLOROBTADIENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	12	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 1: SHALLOW AQUIFER  
SPRING 2002**

SA1-7-H	14-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA1-7-H	14-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA1-7-H	14-Mar-2002	WATER	EPA906.0	H-3	-150	pCi/L	390.00	U
SA1-12-H	22-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
SA1-12-H	22-Mar-2002	WATER	EPA6010	BARIUM	17	UG/L	100	B
SA1-12-H	22-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA1-12-H	22-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
SA1-12-H	22-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
SA1-12-H	22-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA1-12-H	22-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	UJ
SA1-12-H	22-Mar-2002	WATER	EPA7470	MERCURY	0.012	UG/L	0.2	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-12-H	22-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-12-H	22-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	UJ
SA1-12-H	22-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-12-H	22-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

SA1-12-H	22-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA1-12-H	22-Mar-2002	WATER	EPA906.0	H-3	-40	pCi/L	380.00	U
HMH-5R	21-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	UJ
HMH-5R	21-Mar-2002	WATER	EPA6010	BARIUM	510	UG/L	100	
HMH-5R	21-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
HMH-5R	21-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	UJ
HMH-5R	21-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
HMH-5R	21-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
HMH-5R	21-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	U
HMH-5R	21-Mar-2002	WATER	EPA7470	MERCURY	0.2	MG/L	0.2	UJ
HMH-5R	21-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	ACETONE	14	UG/L	20.00	J
HMH-5R	21-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 1: SHALLOW AQUIFER  
SPRING 2002**

HMH-5R	21-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	120	UG/L	5.00	
HMH-5R	21-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	UJ
HMH-5R	21-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	7.9	UG/L	5.00	
HMH-5R	21-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	230	UG/L	5.00	J
HMH-5R	21-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
HMH-5R	21-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
HMH-5R	21-Mar-2002	WATER	EPA906.0	H-3	8700	pCi/L	380.00	
HMH-16R	21-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	UJ

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 1: SHALLOW AQUIFER**  
**SPRING 2002**

HMH-16R	21-Mar-2002	WATER	EPA6010	BARIUM	20	UG/L	100	B
HMH-16R	21-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
HMH-16R	21-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	UJ
HMH-16R	21-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
HMH-16R	21-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
HMH-16R	21-Mar-2002	WATER	EPA6010	SILVER	0.73	UG/L	10	B
HMH-16R	21-Mar-2002	WATER	EPA7470	MERCURY	0.2	UG/L	0.2	UJ
HMH-16R	21-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
HMH-16R	21-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 1: SHALLOW AQUIFER  
SPRING 2002**

HMH-16R	21-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00	UJ
HMH-16R	21-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	NAPHTHALENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	TOLUENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5 UG/L	5.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	VINYL ACETATE	20 UG/L	20.00	U
HMH-16R	21-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10 UG/L	10.00	U
HMH-16R	21-Mar-2002	WATER	EPA906.0	H-3	-50 pCi/L	380.00	U
HM-S	11-Mar-2002	WATER	EPA6010	ARSENIC	10.0 UG/L	10.0	U
HM-S	11-Mar-2002	WATER	EPA6010	BARIUM	37 UG/L	100	B
HM-S	11-Mar-2002	WATER	EPA6010	CADMIUM	5 UG/L	5	UJ
HM-S	11-Mar-2002	WATER	EPA6010	CHROMIUM	10 UG/L	10	U
HM-S	11-Mar-2002	WATER	EPA6010	LEAD	3 UG/L	3	UJ
HM-S	11-Mar-2002	WATER	EPA6010	SELENIUM	2.3 UG/L	5	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 1: SHALLOW AQUIFER  
SPRING 2002**

HM-S	11-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	U
HM-S	11-Mar-2002	WATER	EPA7470	MERCURY	0.032	MG/L	0.2	U
HM-S	11-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
HM-S	11-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
HM-S	11-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
HM-S	11-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	U
HM-S	11-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
HM-S	11-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
HM-S	11-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 1: SHALLOW AQUIFER  
SPRING 2002**

HM-S	11-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	4.6	UG/L	5.00	J
HM-S	11-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
HM-S	11-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	2.7	UG/L	5.00	J
HM-S	11-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
HM-S	11-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
HM-S	11-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
HM-S	11-Mar-2002	WATER	EPA906.0	H-3	1750	PC/L	400.00	

## **Appendix C**

### **Analytical Results for Operable Unit 2**

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

E-7	21-Mar-2002	WATER	EPA6010	ARSENIC	10.0 UG/L	10.0	UJ
E-7	21-Mar-2002	WATER	EPA6010	BARIUM	140.0 UG/L	10.0	
E-7	21-Mar-2002	WATER	EPA6010	CADMIUM	5.0 UG/L	5.0	UJ
E-7	21-Mar-2002	WATER	EPA6010	CHROMIUM	1.3 UG/L	10.0	UJ
E-7	21-Mar-2002	WATER	EPA6010	LEAD	3.0 UG/L	3.0	UJ
E-7	21-Mar-2002	WATER	EPA6010	SELENIUM	1.9 UG/L	5.0	B
E-7	21-Mar-2002	WATER	EPA6010	SILVER	10.0 UG/L	10.0	U
E-7	21-Mar-2002	WATER	EPA7470	MERCURY	0.2 UG/L	0.2	UJ
E-7	21-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10.0 UG/L	10.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	2-BUTANONE	20.0 UG/L	20.00	U
E-7	21-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	2-HEXANONE	20.0 UG/L	20.00	U
E-7	21-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20.0 UG/L	20.00	U
E-7	21-Mar-2002	WATER	EPA8260	ACETONE	20.0 UG/L	20.00	R
E-7	21-Mar-2002	WATER	EPA8260	BENZENE	5.0 UG/L	5.00	U
E-7	21-Mar-2002	WATER	EPA8260	BROMOBENZENE	5.0 UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA#	CONCENTRATION	UNIT	CONCENTRATION	UNIT
E-7	21-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	BROMOFORM	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	BROMOMETHANE	10.0	UG/L	10.00
E-7	21-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	CHLOROETHANE	10.0	UG/L	10.00
E-7	21-Mar-2002	WATER	EPA8260	CHLOROFORM	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10.0	UG/L	10.00
E-7	21-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10.0	UG/L	10.00
E-7	21-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	HEXACHLOROBTADIENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	IODOMETHANE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	M+P-XYLENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	NAPHTHALENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	O-XYLENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	STYRENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	TOLUENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5.0	UG/L	5.00
E-7	21-Mar-2002	WATER	EPA8260	VINYL ACETATE	20.0	UG/L	20.00
E-7	21-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10.0	UG/L	10.00

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

E-7	21-Mar-2002	WATER	EPA906.0	H-3	-130.0	pCi/L	380.00	U
HM-1	15-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
HM-1	15-Mar-2002	WATER	EPA6010	BARIUM	49.0	UG/L	100.0	B
HM-1	15-Mar-2002	WATER	EPA6010	CADMIUM	5.0	UG/L	5.0	UJ
HM-1	15-Mar-2002	WATER	EPA6010	CHROMIUM	5.9	UG/L	10.0	B
HM-1	15-Mar-2002	WATER	EPA6010	LEAD	3.0	UG/L	3.0	UJ
HM-1	15-Mar-2002	WATER	EPA6010	SELENIUM	5.0	UG/L	5.0	U
HM-1	15-Mar-2002	WATER	EPA6010	SILVER	10.0	UG/L	10.0	U
HM-1	15-Mar-2002	WATER	EPA7470	MERCURY	0.2	UG/L	0.2	UJ
HM-1	15-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10.0	UG/L	10.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	2-BUTANONE	20.0	UG/L	20.00	U
HM-1	15-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	2-HEXANONE	20.0	UG/L	20.00	U
HM-1	15-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5.0	UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20.0	UG/L	20.00	U
HM-1	15-Mar-2002	WATER	EPA8260	ACETONE	20.0	UG/L	20.00	R
HM-1	15-Mar-2002	WATER	EPA8260	BENZENE	5.0	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

HM-1	15-Mar-2002	WATER	EPA8260	BROMOBENZENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	BROMOFORM	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	BROMOMETHANE	10.0 UG/L	10.00	U
HM-1	15-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	CHLOROETHANE	10.0 UG/L	10.00	U
HM-1	15-Mar-2002	WATER	EPA8260	CHLOROFORM	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10.0 UG/L	10.00	U
HM-1	15-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10.0 UG/L	10.00	U
HM-1	15-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	IODOMETHANE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	M+P-XYLENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	7.2 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	NAPHTHALENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	O-XYLENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	STYRENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	TOLUENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5.0 UG/L	5.00	U
HM-1	15-Mar-2002	WATER	EPA8260	VINYL ACETATE	20.0 UG/L	20.00	U
HM-1	15-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10.0 UG/L	10.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

HM-1	15-Mar-2002	WATER	EPA906.0	H-3	-80 pCi/L	390.00	U
HM-2A	15-Mar-2002	WATER	EPA6010	ARSENIC	10.0 UG/L	10.0	U
HM-2A	15-Mar-2002	WATER	EPA6010	BARIUM	19.0 UG/L	100.0	B
HM-2A	15-Mar-2002	WATER	EPA6010	CADMIUM	5.0 UG/L	5.0	UJ
HM-2A	15-Mar-2002	WATER	EPA6010	CHROMIUM	10.0 UG/L	10.0	U
HM-2A	15-Mar-2002	WATER	EPA6010	LEAD	3.0 UG/L	3.0	UJ
HM-2A	15-Mar-2002	WATER	EPA6010	SELENIUM	5.0 UG/L	5.0	U
HM-2A	15-Mar-2002	WATER	EPA6010	SILVER	10.0 UG/L	10.0	U
HM-2A	15-Mar-2002	WATER	EPA7470	MERCURY	0.2 MG/L	0.2	UJ
HM-2A	15-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10 UG/L	10.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	2-BUTANONE	20 UG/L	20.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	2-HEXANONE	20 UG/L	20.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20 UG/L	20.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	ACETONE	20 UG/L	20.00	R

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

HM-2A	15-Mar-2002	WATER	EPA8260	BENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	7.5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	NAPHTHALENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	TOLUENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5 UG/L	5.00	U
HM-2A	15-Mar-2002	WATER	EPA8260	VINYL ACETATE	20 UG/L	20.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	SAMPLE DATE	SAMPLE MATRIX	ANALYST	PARAMETER	RESULT	UNIT	DETECT LIMIT	QUALIFIER
HM-2A	15-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10.0	UG/L	10.00	U
HM-2A	15-Mar-2002	WATER	EPA906.0	H-3	20	pCi/L	390.00	U
HM-2B	15-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
HM-2B	15-Mar-2002	WATER	EPA6010	BARIUM	62	UG/L	100.0	B
HM-2B	15-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5.0	UJ
HM-2B	15-Mar-2002	WATER	EPA6010	CHROMIUM	7.8	UG/L	10.0	B
HM-2B	15-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3.0	UJ
HM-2B	15-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5.0	U
HM-2B	15-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10.0	U
HM-2B	15-Mar-2002	WATER	EPA7470	MERCURY	0.2	UG/L	0.2	UJ
HM-2B	15-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA#	PARAMETER	UNIT	CONC	LIMIT	QUALIFIER
HM-2B	15-Mar-2002	WATER	EPA8260	ACETONE	20 UG/L	20.00		R
HM-2B	15-Mar-2002	WATER	EPA8260	BENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	8.9 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	NAPHTHALENE	3.3 UG/L	5.00		J
HM-2B	15-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	TOLUENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5.00		U
HM-2B	15-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5 UG/L	5.00		U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	SAMPLE DATE	SAMPLE MATRIX	ANALYTICAL METHOD	PARAMETER	RESULT	UNITS	DETECT LIMIT	QUALIFIER
HM-2B	15-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
HM-2B	15-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
HM-2B	15-Mar-2002	WATER	EPA906.0	H-3	-170	pCi/L	390.00	U
HM-3	19-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
HM-3	19-Mar-2002	WATER	EPA6010	BARIUM	280	UG/L	100	
HM-3	19-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
HM-3	19-Mar-2002	WATER	EPA6010	CHROMIUM	130	UG/L	10	
HM-3	19-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
HM-3	19-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
HM-3	19-Mar-2002	WATER	EPA6010	SILVER	1.1	UG/L	10	B
HM-3	19-Mar-2002	WATER	EPA7470	MERCURY	0.2	UG/L	0.2	UJ
HM-3	19-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
HM-3	19-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
HM-3	19-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA#	ANALYTE	UNIT	DETECT LIMIT	QUALITY
HM-3	19-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20 UG/L	20.00	U
HM-3	19-Mar-2002	WATER	EPA8260	ACETONE	20 UG/L	20.00	R
HM-3	19-Mar-2002	WATER	EPA8260	BENZENE	1 UG/L	5.00	J
HM-3	19-Mar-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10.00	U
HM-3	19-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00	U
HM-3	19-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00	U
HM-3	19-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00	U
HM-3	19-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	NAPHTHALENE	6 UG/L	5.00	
HM-3	19-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	TOLUENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	SAMPLE DATE	SAMPLE MATRIX	ANALYTICAL METHOD	PARAMETER	RESULT	UNITS	DETECT LIMIT	QUALIFIER
HM-3	19-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
HM-3	19-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
HM-3	19-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
HM-3	19-Mar-2002	WATER	EPA906.0	H-3	-50	pCi/L	380.00	U
SA1-11-3	16-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
SA1-11-3	16-Mar-2002	WATER	EPA6010	BARIUM	91	UG/L	100	B
SA1-11-3	16-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA1-11-3	16-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
SA1-11-3	16-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
SA1-11-3	16-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA1-11-3	16-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	UJ
SA1-11-3	16-Mar-2002	WATER	EPA7470	MERCURY	0.017	UG/L	0.2	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	SAMPLE DATE	SAMPLE MATRIX	EPA METHOD	CONTAMINANT	UNITS	DETECT LIMIT	QUALIFIER
SA1-11-3	16-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20 UG/L	20.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	ACETONE	20 UG/L	20.00	R
SA1-11-3	16-Mar-2002	WATER	EPA8260	BENZENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	ETHYLBENZENE	1.3 UG/L	5.00	J
SA1-11-3	16-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	NAPHTHALENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	TOLUENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA	ANALYTE	CONC	UNIT	LIMIT	QUALIFIER
SA1-11-3	16-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA1-11-3	16-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA1-11-3	16-Mar-2002	WATER	EPA906.0	H-3	-140	pCi/L	380.00	U
SA3-11-3	18-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
SA3-11-3	18-Mar-2002	WATER	EPA6010	BARIUM	39	UG/L	100	B
SA3-11-3	18-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA3-11-3	18-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
SA3-11-3	18-Mar-2002	WATER	EPA6010	LEAD	6	UG/L	6	UJ
SA3-11-3	18-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA3-11-3	18-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	UJ
SA3-11-3	18-Mar-2002	WATER	EPA7470	MERCURY	0.014	MG/L	0.2	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA#	PARAMETER	UNIT	DEF. LIMIT	QUALIFIED
SA3-11-3	18-Mar-2002	WATER	EPA8260	2-HEXANONE	20 UG/L	20.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20 UG/L	20.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	ACETONE	20 UG/L	20.00	R
SA3-11-3	18-Mar-2002	WATER	EPA8260	BENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	NAPHTHALENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	TOLUENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	SAMPLE DATE	SAMPLE MATRIX	ANALYST	PARAMETER	RESULT/UNITS	DETECT LIMIT	QUALIFIER
SA3-11-3	18-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5 UG/L	5.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	VINYL ACETATE	20 UG/L	20.00	U
SA3-11-3	18-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10 UG/L	10.00	U
SA3-11-3	18-Mar-2002	WATER	EPA906.0	H-3	-90 pCi/L	380.00	U
SA1-8-L	16-Mar-2002	WATER	EPA6010	ARSENIC	4.6 UG/L	10.0	B
SA1-8-L	16-Mar-2002	WATER	EPA6010	BARIUM	170 UG/L	100	
SA1-8-L	16-Mar-2002	WATER	EPA6010	CADMIUM	5 UG/L	5	UJ
SA1-8-L	16-Mar-2002	WATER	EPA6010	CHROMIUM	10 UG/L	10	U
SA1-8-L	16-Mar-2002	WATER	EPA6010	LEAD	3 UG/L	3	UJ
SA1-8-L	16-Mar-2002	WATER	EPA6010	SELENIUM	5 UG/L	5	U
SA1-8-L	16-Mar-2002	WATER	EPA6010	SILVER	10 UG/L	10	UJ
SA1-8-L	16-Mar-2002	WATER	EPA7470	MERCURY	0.013 UG/L	0.2	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10 UG/L	10.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	2-BUTANONE	20 UG/L	20.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA#	COMPOUND	CONC	UNIT	DETECT LIMIT	QUALIFIER
SA1-8-L	16-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA1-8-L	16-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	HEXACHLOROETHANE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

		SAMPLE TYPE	ANALYST	ANALYTE	UNIT	DETECT LIMIT	QUALIFIER
SA1-8-L	16-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5 UG/L	5.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	VINYL ACETATE	20 UG/L	20.00	U
SA1-8-L	16-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10 UG/L	10.00	U
SA1-8-L	16-Mar-2002	WATER	EPA906.0	H-3	-40 pCi/L	380.00	U
HM-L	15-Mar-2002	WATER	EPA6010	ARSENIC	10.0 UG/L	10.0	U
HM-L	15-Mar-2002	WATER	EPA6010	BARIUM	210 UG/L	100	
HM-L	15-Mar-2002	WATER	EPA6010	CADMIUM	5 UG/L	5	UJ
HM-L	15-Mar-2002	WATER	EPA6010	CHROMIUM	11 UG/L	10	
HM-L	15-Mar-2002	WATER	EPA6010	LEAD	4.6 UG/L	3	UJ
HM-L	15-Mar-2002	WATER	EPA6010	SELENIUM	5 UG/L	5	U
HM-L	15-Mar-2002	WATER	EPA6010	SILVER	10 UG/L	10	U
HM-L	15-Mar-2002	WATER	EPA7470	MERCURY	0.0002 UG/L	0.2	UJ
HM-L	15-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10 UG/L	10.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5 UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5 UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA#	PARAMETER	UNIT	CONC	UNIT	QUALIFIER
HM-L	15-Mar-2002	WATER	EPA8260	2-BUTANONE	20 UG/L	20.00		U
HM-L	15-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	2-HEXANONE	20 UG/L	20.00		U
HM-L	15-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20 UG/L	20.00		U
HM-L	15-Mar-2002	WATER	EPA8260	ACETONE	20 UG/L	20.00		R
HM-L	15-Mar-2002	WATER	EPA8260	BENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10.00		U
HM-L	15-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00		U
HM-L	15-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00		U
HM-L	15-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	1.5 UG/L	5.00		J
HM-L	15-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00		U
HM-L	15-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	7 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	NAPHTHALENE	2.6 UG/L	5.00		J
HM-L	15-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00		U
HM-L	15-Mar-2002	WATER	EPA8260	TOLUENE	5 UG/L	5.00		U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	SAMPLE DATE	SAMPLE TYPE	ANALYST	ANALYTE	RESULT	UNIT	CONCENTRATION	QUALIFIER
HM-L	15-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
HM-L	15-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
HM-L	15-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
HM-L	15-Mar-2002	WATER	EPA906.0	H-3	80	pCi/L	390.00	U
HM-L2	16-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
HM-L2	16-Mar-2002	WATER	EPA6010	BARIUM	120	UG/L	100	U
HM-L2	16-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
HM-L2	16-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
HM-L2	16-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
HM-L2	16-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
HM-L2	16-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	UJ
HM-L2	16-Mar-2002	WATER	EPA7470	MERCURY	0.015	UG/L	0.2	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	ANALYST	CONCENTRATION	UNIT	ESTIMATE	QUALITY
HM-L2	16-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	2-BUTANONE	20 UG/L	20.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	2-HEXANONE	20 UG/L	20.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20 UG/L	20.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	ACETONE	20 UG/L	20.00	R
HM-L2	16-Mar-2002	WATER	EPA8260	BENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	NAPHTHALENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	SAMPLE DATE	SAMPLE MEDIUM	ANALYST	PARAMETER	CONC	UNITS	DETECT LIMIT	QUALIFIER
HM-L2	16-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
HM-L2	16-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
HM-L2	16-Mar-2002	WATER	EPA906.0	H-3	40	pCi/L	380.00	U
SA2-1-L	16-Mar-2002	WATER	EPA6010	ARSENIC	12.0	UG/L	10.0	
SA2-1-L	16-Mar-2002	WATER	EPA6010	BARIUM	40	UG/L	100	B
SA2-1-L	16-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA2-1-L	16-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
SA2-1-L	16-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
SA2-1-L	16-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA2-1-L	16-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	0.01	UJ
SA2-1-L	16-Mar-2002	WATER	EPA7470	MERCURY	0.015	UG/L	0.2	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	FLUID	ANALYST	ANALYTE	CONCENTRATION	UNIT	STATUS
SA2-1-L	16-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00 R
SA2-1-L	16-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00 U
SA2-1-L	16-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00 U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

SAMPLE INFORMATION						DETECT LIMIT		QUALIFIER
SA2-1-L	16-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA2-1-L	16-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U
SA2-1-L	16-Mar-2002	WATER	EPA906.0	H-3	-180	pCi/L	380.00	U
SA2-2-L	23-Mar-2002	WATER	EPA6010	ARSENIC	14.0	UG/L	10.0	UJ
SA2-2-L	23-Mar-2002	WATER	EPA6010	BARIUM	25	UG/L	100	B
SA2-2-L	23-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA2-2-L	23-Mar-2002	WATER	EPA6010	CHROMIUM	31	UG/L	10	
SA2-2-L	23-Mar-2002	WATER	EPA6010	LEAD	2	UG/L	3	UJ
SA2-2-L	23-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA2-2-L	23-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	U
SA2-2-L	23-Mar-2002	WATER	EPA7470	MERCURY	0.04	UG/L	0.2	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA#	ANALYTE	UNIT	CONC	UNIT	QUALITY
SA2-2-L	23-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	2-BUTANONE	20 UG/L	20.00		UJ
SA2-2-L	23-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	2-HEXANONE	20 UG/L	20.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20 UG/L	20.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	ACETONE	16 UG/L	20.00		J
SA2-2-L	23-Mar-2002	WATER	EPA8260	BENZENE	3.5 UG/L	5.00		J
SA2-2-L	23-Mar-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	6.3 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	NAPHTHALENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5.00		U
SA2-2-L	23-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00		U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	SAMPLE DATE	SAMPLE TYPE	ANALYST	CONCENTRATION	UNIT	OBJECT LIMIT	QUALIFIER
SA2-2-L	23-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	TOLUENE	4.4 UG/L	5.00	J
SA2-2-L	23-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5 UG/L	5.00	UJ
SA2-2-L	23-Mar-2002	WATER	EPA8260	VINYL ACETATE	20 UG/L	20.00	U
SA2-2-L	23-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10 UG/L	10.00	U
SA2-2-L	23-Mar-2002	WATER	EPA906.0	H-3	90 pCi/L	380.00	U
SA2-4-L	16-Mar-2002	WATER	EPA6010	ARSENIC	6.8 UG/L	10.0	B
SA2-4-L	16-Mar-2002	WATER	EPA6010	BARIUM	52 UG/L	100	B
SA2-4-L	16-Mar-2002	WATER	EPA6010	CADMIUM	5 UG/L	5	UJ
SA2-4-L	16-Mar-2002	WATER	EPA6010	CHROMIUM	10 UG/L	10	U
SA2-4-L	16-Mar-2002	WATER	EPA6010	LEAD	3 UG/L	3	UJ
SA2-4-L	16-Mar-2002	WATER	EPA6010	SELENIUM	5 UG/L	5	U
SA2-4-L	16-Mar-2002	WATER	EPA6010	SILVER	10 UG/L	10	UJ
SA2-4-L	16-Mar-2002	WATER	EPA7470	MERCURY	0.017 MG/L	0.2	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10 UG/L	10.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5 UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	WATER	EPA#	ANALYTE	CONC	UNIT	LIMIT	QUALIFIER
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA2-4-L	16-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

WELL	DATE	SAMPLE MATRIX	ANALYST	PARAMETER	UNIT	DETECT. LIMIT	QUALIFIER
SA2-4-L	16-Mar-2002	WATER	EPA8260	STYRENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	TOLUENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5 UG/L	5.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	VINYL ACETATE	20 UG/L	20.00	U
SA2-4-L	16-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10 UG/L	10.00	U
SA2-4-L	16-Mar-2002	WATER	EPA906.0	H-3	-80 pCi/L	380.00	U
SA4-5-L	17-Apr-2002	WATER	EPA6010	ARSENIC	5.9 UG/L	10.0	B
SA4-5-L	17-Apr-2002	WATER	EPA6010	BARIUM	260 UG/L	100	
SA4-5-L	17-Apr-2002	WATER	EPA6010	CADMIUM	5 UG/L	5	UJ
SA4-5-L	17-Apr-2002	WATER	EPA6010	CHROMIUM	16 UG/L	10	
SA4-5-L	17-Apr-2002	WATER	EPA6010	LEAD	24 UG/L	3	
SA4-5-L	17-Apr-2002	WATER	EPA6010	SELENIUM	3.7 UG/L	5	B
SA4-5-L	17-Apr-2002	WATER	EPA6010	SILVER	0.87 UG/L	10	B
SA4-5-L	17-Apr-2002	WATER	EPA7470	MERCURY	0.2 UG/L	0.2	UJ
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10 UG/L	10	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5 UG/L	5	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

Well	Date	Sample Type	Sample ID	Compound	Concentration (UG/L)	Detected	Qualifier
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	1-CHLOROHEXANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	2-BUTANONE	20 UG/L	20	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	2-CHLOROTOLUENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	2-HEXANONE	20 UG/L	20	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	4-CHLOROTOLUENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20 UG/L	20	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	ACETONE	20 UG/L	20	R
SA4-5-L	17-Apr-2002	WATER	EPA8260	BENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	BROMOBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	BROMOFORM	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	BROMOMETHANE	10 UG/L	10	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	CARBON DISULFIDE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	CHLOROBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	CHLOROETHANE	10 UG/L	10	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	CHLOROFORM	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	CHLOROMETHANE	10 UG/L	10	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	DIBROMOMETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10 UG/L	10	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	ETHYLBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	IODOMETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	ISOPROPYLBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	M+P-XYLENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	METHYLENE CHLORIDE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	N-BUTYLBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	N-PROPYLBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	NAPHTHALENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	O-XYLENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5 UG/L	5	U

**ANALYTICAL RESULTS**  
**OPERABLE UNIT 2: Local Aquifers 1, 2a 2b and 3**  
**SPRING 2002**

SA4-5-L	17-Apr-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	STYRENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	TETRACHLOROETHENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	TOLUENE	24 UG/L	5	
SA4-5-L	17-Apr-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	TRICHLOROETHENE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5 UG/L	5	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	VINYL ACETATE	20 UG/L	20	U
SA4-5-L	17-Apr-2002	WATER	EPA8260	VINYL CHLORIDE	10 UG/L	10	U
SA4-5-L	17-Apr-2002	WATER	EPA906.0	H-3	-60 pCi/L	390	U

## **Appendix D**

### **Analytical Results for Operable Unit 3**

**ANALYTICAL RESULTS  
OPERABLE UNIT 3: AQUIFER 4  
SPRING 2002**

WELL	SAMPLE DATE	WATER	EPA METHOD	ANALYTE	CONC	UNIT	CONC	UNIT	QUALIFIER
SA5-4-4	23-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0		UJ
SA5-4-4	23-Mar-2002	WATER	EPA6010	BARIUM	23	UG/L	100		B
SA5-4-4	23-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5		UJ
SA5-4-4	23-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10		UJ
SA5-4-4	23-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3		UJ
SA5-4-4	23-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5		U
SA5-4-4	23-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10		U
SA5-4-4	23-Mar-2002	WATER	EPA7470	MERCURY	0.029	MG/L	0.2		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00		UJ
SA5-4-4	23-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00		R
SA5-4-4	23-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00		U
SA5-4-4	23-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00		U

**ANALYTICAL RESULTS  
OPERABLE UNIT 3: AQUIFER 4  
SPRING 2002**

SA5-4-4	23-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5.7	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA5-4-4	23-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 3: AQUIFER 4  
SPRING 2002**

SA5-4-4	23-Mar-2002	WATER	EPA906.0	H-3	-80	pCi/L	380.00	U
SA5-5-4	22-Mar-2002	WATER	EPA6010	ARSENIC	10.0	UG/L	10.0	U
SA5-5-4	22-Mar-2002	WATER	EPA6010	BARIUM	21	UG/L	100	B
SA5-5-4	22-Mar-2002	WATER	EPA6010	CADMIUM	5	UG/L	5	UJ
SA5-5-4	22-Mar-2002	WATER	EPA6010	CHROMIUM	10	UG/L	10	U
SA5-5-4	22-Mar-2002	WATER	EPA6010	LEAD	3	UG/L	3	UJ
SA5-5-4	22-Mar-2002	WATER	EPA6010	SELENIUM	5	UG/L	5	U
SA5-5-4	22-Mar-2002	WATER	EPA6010	SILVER	10	UG/L	10	UJ
SA5-5-4	22-Mar-2002	WATER	EPA7470	MERCURY	0.013	UG/L	0.2	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,1,1,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,1,1-TRICHLOROETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,1,2,2-TETRACHLOROETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,1,2-TRICHLOROETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,1-DICHLOROETHENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,1-DICHLOROPROPENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2,3-TRICHLOROPROPANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2,4-TRICHLOROBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2,4-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2-DIBROMO-3-CHLOROPROPANE	10	UG/L	10.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2-DIBROMOETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2-DICHLOROBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2-DICHLOROETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,3,5-TRIMETHYLBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,3-DICHLOROBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,3-DICHLOROPROPANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1,4-DICHLOROBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	1-CHLOROHEXANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	2,2-DICHLOROPROPANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	2-BUTANONE	20	UG/L	20.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	2-CHLOROTOLUENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	2-HEXANONE	20	UG/L	20.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	4-CHLOROTOLUENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	4-METHYL-2-PENTANONE	20	UG/L	20.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	ACETONE	20	UG/L	20.00	R
SA5-5-4	22-Mar-2002	WATER	EPA8260	BENZENE	5	UG/L	5.00	U

**ANALYTICAL RESULTS  
OPERABLE UNIT 3: AQUIFER 4  
SPRING 2002**

SA5-5-4	22-Mar-2002	WATER	EPA8260	BROMOBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	BROMOCHLOROMETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	BROMODICHLOROMETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	BROMOFORM	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	BROMOMETHANE	10	UG/L	10.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	CARBON DISULFIDE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	CARBON TETRACHLORIDE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	CHLOROBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	CHLOROETHANE	10	UG/L	10.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	CHLOROFORM	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	CHLOROMETHANE	10	UG/L	10.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	CIS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	CIS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	DIBROMOCHLOROMETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	DIBROMOMETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	DICHLORODIFLUOROMETHANE	10	UG/L	10.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	ETHYLBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	HEXACHLOROBUTADIENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	IODOMETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	ISOPROPYLBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	M+P-XYLENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	METHYL TERTIARY BUTYL ETHER	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	METHYLENE CHLORIDE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	N-BUTYLBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	N-PROPYLBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	NAPHTHALENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	O-XYLENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	P-ISOPROPYLTOLUENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	SEC-BUTYLBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	STYRENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	TERT-BUTYLBENZENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	TETRACHLOROETHENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	TOLUENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	TRANS-1,2-DICHLOROETHENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	TRANS-1,3-DICHLOROPROPENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	TRICHLOROETHENE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	TRICHLOROFLUOROMETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	TRICHLOROTRIFLUOROETHANE	5	UG/L	5.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	VINYL ACETATE	20	UG/L	20.00	U
SA5-5-4	22-Mar-2002	WATER	EPA8260	VINYL CHLORIDE	10	UG/L	10.00	U

ANALYTICAL RESULTS  
OPERABLE UNIT 3: AQUIFER 4  
SPRING 2002

SA5-5-4	22-Mar-2002	WATER	EPA906.0	H-3	-110	pCi/L	380.00	U

## **Plate**

## Distribution

	<u>Copies</u>
Monica Sanchez Environmental Restoration Division U.S. Department of Energy National Nuclear Security Administration Nevada Operations Office P.O. Box 98518, M/S 505 Las Vegas, NV 89193-8518	1
Peter Sanders Environmental Restoration Division U.S. Department of Energy National Nuclear Security Administration Nevada Operations Office P.O. Box 98518, M/S 505 Las Vegas, NV 89193-8518	1
David C. Stahl, P.E. IT Corporation P.O. Box 93838 Las Vegas, NV 89193-3838	1
Robert W. Goff Mississippi Department of Health Division of Radiological Health 3150 Lawson St. Jackson, MS 39213	1
Robert Merrill Mississippi Department of Environmental Quality Office of Pollution Control P.O. Box 10385 Jackson, MS 39289-0385	1
Phillip Weathersby Mississippi Department of Environmental Quality Office of Pollution Control P.O. Box 10385 Jackson, MS 39289-0385	1

Copies

Sabrina D. Lawrence Environmental Restoration Division U.S. Department of Energy National Nuclear Security Administration P.O. Box 98518, M/S 505 Las Vegas, NV 89193-8518	1
U.S. Department of Energy Technical Information Resource Center U.S. Department of Energy National Nuclear Security Administration P.O. Box 98518, M/S 505 Las Vegas, NV 89193-8518	1
Karl Barber Mississippi Department of Health Division of Radiological Health 3150 Lawson St. Jackson, MS 39213	1
Bryan Cherry IT Corporation P.O. Box 93838 Las Vegas, NV 89193-3838	1
U.S. Department of Energy Office of Scientific and Technical Information 175 Oak Ridge Turnpike P.O. Box 62 Oak Ridge, TN 37831	1
Central Files IT Corporation P.O. Box 93838 Las Vegas, NV 89193	1
U.S. Department of Energy National Nuclear Security Administration Nevada Operations Office Public Reading Facility P.O. Box 98521 Las Vegas, NV 89193-8521	1