

**Surface Water Configuration
Adaptive Management Plan
Annual Report for the
Rocky Flats Site, Colorado**

Calendar Year 2023

February 2024



U.S. DEPARTMENT OF
ENERGY

Legacy
Management

Contents

Abbreviations	v
1.0 Introduction	1
2.0 AMP Highlights: Fourth Quarter CY 2023	2
3.0 Water Quality Monitoring	2
3.1 Predischarge Monitoring	2
3.2 Targeted Groundwater Monitoring	3
3.3 Monitoring to Evaluate Flow-Through Operations at Terminal Ponds A-4, B-5, and C-2	4
3.3.1 Walnut Creek Evaluation	6
3.3.2 Woman Creek Evaluation	15
3.4 Storm-Event Monitoring	22
3.5 Continuous Flow-Paced Composite Sampling to Evaluate Uranium Transport in Walnut Creek	32
3.6 Grab Sampling for Uranium in North and South Walnut Creeks	51
3.7 Grab Sampling for Nitrate + Nitrite as Nitrogen in Walnut Creek	56
4.0 Analytical Data: Fourth Quarter CY 2023	63
5.0 References	63

Figures

Figure 1. Rocky Flats Site Predischarge Monitoring Locations	3
Figure 2. Targeted Groundwater Monitoring Locations	4
Figure 3. Flow-Through Operations Monitoring Locations	5
Figure 4. Rolling Plutonium Averages at Walnut Creek Flow-Through Locations: Postclosure Period	8
Figure 5. Rolling Plutonium Averages at Walnut Creek Flow-Through Locations: Flow-Through Period	9
Figure 6. Rolling Americium Averages at Walnut Creek Flow-Through Locations: Postclosure Period	10
Figure 7. Rolling Americium Averages at Walnut Creek Flow-Through Locations: Flow-Through Period	11
Figure 8. Rolling Uranium Averages at Walnut Creek Flow-Through Locations: Postclosure Period	12
Figure 9. Rolling Uranium Averages at Walnut Creek Flow-Through Locations: Flow-Through Period	13
Figure 10. Rolling Nitrate + Nitrite as Nitrogen Averages at Walnut Creek Flow-Through Locations: Postclosure Period	14
Figure 11. Rolling Nitrate + Nitrite as Nitrogen Averages at Walnut Creek Flow-Through Locations: Flow-Through Period	15
Figure 12. Rolling Plutonium Averages at Woman Creek Flow-Through Locations: Postclosure Period	17
Figure 13. Rolling Plutonium Averages at Woman Creek Flow-Through Locations: Flow-Through Period	18
Figure 14. Rolling Americium Averages at Woman Creek Flow-Through Locations: Postclosure Period	19

Figure 15. Rolling Americium Averages at Woman Creek Flow-Through Locations: Flow-Through Period.....	20
Figure 16. Rolling Uranium Averages at Woman Creek Flow-Through Locations: Postclosure Period.....	21
Figure 17. Rolling Uranium Averages at Woman Creek Flow-Through Locations: Flow-Through Period.....	22
Figure 18. Storm-Event Monitoring Location GS31	24
Figure 19. Detail Map for Storm-Event Monitoring Location GS31	24
Figure 20. Storm-Event Hydrograph at GS31: September 12, 2013	25
Figure 21. Storm-Event Hydrograph at GS31: April 17–18, 2015.....	26
Figure 22. Storm-Event Hydrograph at GS31: May 5–6, 2015	26
Figure 23. Storm-Event Hydrograph at GS31: May 19, 2015.....	27
Figure 24. Storm-Event Hydrograph at GS31: June 4–5, 2015.....	27
Figure 25. Storm-Event Hydrograph at GS31: April 19, 2016.....	28
Figure 26. Storm-Event Hydrograph at GS31: May 3, 2018.....	28
Figure 27. Storm-Event Hydrograph at GS31: April 18–19, 2020.....	29
Figure 28. Storm-Event Hydrograph at GS31: May 3, 2021	29
Figure 29. Storm-Event Hydrograph at GS31: May 12, 2023.....	30
Figure 30. Plutonium and Americium Concentrations Versus Total Suspended Solids for GS31 Storm-Event Samples	30
Figure 31. Plutonium and Americium Concentrations Versus Average Sample Flow Rate for GS31 Storm-Event Samples.....	31
Figure 32. Uranium Concentrations Versus Average Sample Flow Rate for GS31 Storm- Event Samples.....	31
Figure 33. Total Suspended Solids Versus Average Sample Flow Rate for GS31 Storm- Event Samples.....	32
Figure 34. Continuous Flow-Paced Composite Sampling Locations in Walnut Creek.....	33
Figure 35. Map Showing Volume-Weighted Average Uranium Concentrations for Samples Collected Since September 9, 2011	35
Figure 36. Composite Sample Uranium Results and Rolling 365-Day Averages at GS10: CY 2023	36
Figure 37. Composite Sample Uranium Results and Rolling 365-Day Averages at GS10: Postclosure	37
Figure 38. Composite Sample Uranium Results and Rolling 365-Day Averages at B5INFLOW: CY 2023.....	38
Figure 39. Composite Sample Uranium Results and Rolling 365-Day Averages at B5INFLOW: Postclosure.....	39
Figure 40. Composite Sample Uranium Results and Rolling 365-Day Averages at GS08: CY 2023	40
Figure 41. Composite Sample Uranium Results and Rolling 365-Day Averages at GS08: Postclosure	41
Figure 42. Composite Sample Uranium Results and Rolling 365-Day Averages at SW093: CY 2023	42
Figure 43. Composite Sample Uranium Results and Rolling 365-Day Averages at SW093: Postclosure	43
Figure 44. Composite Sample Uranium Results and Rolling 365-Day Averages at GS13: CY 2023	44

Figure 45. Composite Sample Uranium Results and Rolling 365-Day Averages at GS13: Postclosure	45
Figure 46. Composite Sample Uranium Results and Rolling 365-Day Averages at GS12: CY 2023	46
Figure 47. Composite Sample Uranium Results and Rolling 365-Day Averages at GS12 (A-4 Inflow): Postclosure	47
Figure 48. Composite Sample Uranium Results and Rolling 365-Day Averages at GS11: CY 2023	48
Figure 49. Composite Sample Uranium Results and Rolling 365-Day Averages at GS11: Postclosure	49
Figure 50. Composite Sample Uranium Results and Rolling 365-Day Averages at WALPOC: CY 2023	50
Figure 51. Composite Sample Uranium Results and Rolling 365-Day Averages at WALPOC: Postclosure	51
Figure 52. Uranium Grab Sampling Locations in North and South Walnut Creeks	52
Figure 53. Arithmetic Average Uranium Concentrations at North Walnut Creek Grab Locations	54
Figure 54. Arithmetic Average Uranium Concentrations at South Walnut Creek Grab Locations	54
Figure 55. Map Showing Calculated Uranium Loads in North Walnut Creek Since January 2010	55
Figure 56. Nitrate + Nitrite as Nitrogen Grab Sampling Locations in North Walnut and Walnut Creeks	56
Figure 57. Arithmetic Average Nitrate + Nitrite as Nitrogen Concentrations at North Walnut Creek and Walnut Creek Grab Locations for January 27, 2010, to November 1, 2016	58
Figure 58. Arithmetic Average Nitrate + Nitrite as Nitrogen Concentrations at North Walnut Creek and Walnut Creek Grab Locations for September 1, 2011, to November 1, 2016	59
Figure 59. Arithmetic Average Nitrate + Nitrite as Nitrogen Concentrations at North Walnut Creek and Walnut Creek Grab Locations for November 1, 2016, to Present	60
Figure 60. Map Showing Calculated Average Annual Nitrate + Nitrite as Nitrogen Loads in North Walnut Creek: 2010 through 2016	62
Figure 61. Map Showing Calculated Average Annual Nitrate + Nitrite as Nitrogen Loads in North Walnut Creek Since January 2017	63

Tables

Table 1. Flow and Sampling Detail for Flow-Through Monitoring Locations	6
Table 2. Volume-Weighted Averages for Walnut Creek Flow-Through Monitoring Locations	7
Table 3. Volume-Weighted Averages for Woman Creek Flow-Through Monitoring Locations	16
Table 4. GS31 Storm-Event Sample Results	25
Table 5. Summary Statistics for Uranium Continuous Flow-Paced Composite Sampling: March 10, 2010, to October 1, 2015	34

Table 6. Summary Statistics for Uranium Continuous Flow-Paced Composite Sampling: June 16, 2010, to October 1, 2015	34
Table 7. Summary Statistics for Uranium Continuous Flow-Paced Composite Sampling: Starting September 9, 2011	35
Table 8. Summary Statistics for Uranium Grab Sampling in North and South Walnut Creeks for the Period Starting January 27, 2010	53
Table 9. Summary Statistics for Nitrate + Nitrite as Nitrogen Grab Sampling in North Walnut Creek for January 27, 2010, to November 1, 2016	57
Table 10. Summary Statistics for Nitrate + Nitrite as Nitrogen Grab Sampling in North Walnut Creek and Walnut Creek for September 1, 2011, to November 1, 2016	59
Table 11. Summary Statistics for Nitrate + Nitrite as Nitrogen Grab Sampling in North Walnut Creek and Walnut Creek for November 1, 2016, to Present	60
Table 12. Analytical Results for Water Samples.....	End of the Report
Table 13. Water Sampling Events: Fourth Quarter CY 2023	End of the Report

Abbreviations

Am	americium
AMP	Adaptive Management Plan
AOC	Area of Concern
cfs	cubic feet per second
COU	Central Operable Unit
CY	calendar year
DOE	U.S. Department of Energy
FONSI	Finding of No Significant Impact
LM	Office of Legacy Management
mg/L	milligrams per liter
µg/L	micrograms per liter
nitrate	nitrate + nitrite as nitrogen
pCi/L	picocuries per liter
POC	Point of Compliance
POE	Point of Evaluation
Pu	plutonium
RFLMA	<i>Rocky Flats Legacy Management Agreement</i>
SID	South Interceptor Ditch
SPPTS	Solar Ponds Plume Treatment System
TSS	total suspended solids

1.0 Introduction

The proposed action assessed in the *Rocky Flats Site, Colorado, Surface Water Configuration Environmental Assessment* (DOE 2011) and the resulting Finding of No Significant Impact (FONSI) is to breach the remaining retention pond dams at the Rocky Flats Site, Colorado, to allow surface water flow to return to approximately the same conditions that were present before construction of the retention ponds. From extensive water quality monitoring data and a thorough environmental review, and as stated in the FONSI, the U.S. Department of Energy (DOE) Office of Legacy Management (LM) has determined that the proposed action does not present a significant impact on the environment under the National Environmental Policy Act's evaluation criteria.

Some members of the public have commented that additional information must be collected before DOE implements the final steps of the proposed action. The additional information will help reduce uncertainty about whether completion of the proposed action will adversely impact the quality of water flowing from the Site into downstream communities. In response to the requests, DOE worked with neighboring community representatives and other interested stakeholders to develop and implement a *Surface Water Configuration Adaptive Management Plan for the Rocky Flats Site, Colorado* (DOE 2023), hereafter referred to as the Adaptive Management Plan (AMP), to provide additional information. The AMP group is composed of these representatives and stakeholders. The resulting AMP reflects DOE's long-term commitment to collect this additional information.

The AMP provides for a monitoring and data evaluation program to assist in deciding whether to implement the final steps of the proposed action (including breaching the terminal dams, which was initially planned for the 2018–2020 time frame) or to delay completion of the proposed action to gather additional information for evaluation. The terminal dams will be operated in a flow-through condition leading up to the completion of the proposed action, which will provide data similar to what can be expected after the breach. In addition to the AMP monitoring program, the AMP identifies certain performance indicators that DOE will consider in deciding whether to adjust the time frame for completing the proposed action.

This AMP annual report for calendar year (CY) 2023 is provided in accordance with the reporting requirements described in Section 5.0 of the AMP. Table 12, at the end of this report, includes all validated analytical data available as of January 14, 2024, including any validated data that were not tabulated in previous AMP reports.

In addition, to make data exchange as timely as possible, the monitoring summary sections below include all analytical data available as of January 14, 2024, including *unvalidated* analytical data (which are preliminary and subject to revision). Therefore, the evaluations in the monitoring summary sections that follow are not limited to the validated 2023 data tabulated in Table 12. Instead, the evaluations also consider any available unvalidated data, if appropriate.

The following monitoring objectives are addressed in this report:

- PredischARGE monitoring
- Targeted groundwater monitoring
- Monitoring to evaluate flow-through operations at terminal ponds A-4, B-5, and C-2
- Storm-event monitoring
- Continuous flow-paced composite sampling to evaluate uranium transport
- Grab sampling for uranium in North and South Walnut Creeks
- Grab sampling for nitrate + nitrite as nitrogen in Walnut Creek

In this report, “plutonium” or “Pu” refers to plutonium-239 and plutonium-240, or ^{239}Pu + ^{240}Pu ; “americium” or “Am” refers to americium-241 or ^{241}Am ; and “nitrate” refers to nitrate + nitrite as nitrogen. In addition, the terms “activity” and “concentration” are used interchangeably for both Pu and Am to represent the amount of radioactivity or radioactive material per unit of water (i.e., picocuries per liter [pCi/L]).

2.0 AMP Highlights: Fourth Quarter CY 2023

- Three informal emails were transmitted to AMP participants providing notification that composite samples had been retrieved from the Point of Compliance (POC) on Woman Creek at the Central Operable Unit (COU) boundary.
- One informal email was transmitted to AMP participants providing notification that recent analytical data from the POCs had been validated and would soon be available through the Geospatial Environmental Mapping System (GEMS).
- During the fourth quarter of CY 2023, 26 samples were collected in support of AMP monitoring objectives.

3.0 Water Quality Monitoring

AMP monitoring objectives, locations, and sampling criteria are itemized in Table 2 of the AMP. Additional field implementation protocols for the AMP monitoring objectives can be found in *Additional Field Implementation Detail for Selected Monitoring Objectives at the Rocky Flats Site, Colorado* (DOE 2022).

3.1 PredischARGE Monitoring

This monitoring objective is intended to evaluate whether pond water from Ponds A-4, B-5, or C-2 would be expected to meet water quality standards at downstream monitoring locations before opening a valve to initiate a period of flow-through discharge. PredischARGE samples would be collected at sampling locations A4POND on North Walnut Creek, B5POND on South Walnut Creek, and C2POND on Woman Creek before opening a valve. These sampling locations are shown in Figure 1.

Since Ponds A-4, B-5, and C-2 were operated in flow-through mode for all of CY 2023 (i.e., the valves were open throughout the year), no predischarge samples were collected.




Figure 1. Rocky Flats Site Predischarge Monitoring Locations

3.2 Targeted Groundwater Monitoring

The AMP-targeted groundwater monitoring wells (Figure 2) are the same as the *Rocky Flats Legacy Management Agreement* (CDPHE et al. 2007) (RFLMA) Area of Concern (AOC) wells. Each AOC well is within a drainage and downgradient of a contaminant plume or group of contaminant plumes. Water quality data are collected to determine whether plumes may be discharging to surface water. These AOC wells are sampled semiannually in the second and fourth calendar quarters.

Data from these wells are evaluated in the RFLMA-required annual report, according to the flowchart in Figure 7 in Attachment 2 to the RFLMA (CDPHE et al. 2007). Analytical data undergo preliminary evaluation as data become available; this is necessary because of the strict timeline attached to “reportable conditions” for AOC wells. In accordance with and as defined in the RFLMA (CDPHE et al. 2007), if the data are confirmed to be valid and meet the requirements of a reportable condition, the reporting process under the RFLMA (CDPHE et al. 2007) is initiated. No reportable conditions were triggered by analytical results for samples collected from AOC wells in 2023.





Figure 2. Targeted Groundwater Monitoring Locations

3.3 Monitoring to Evaluate Flow-Through Operations at Terminal Ponds A-4, B-5, and C-2

This objective involves collecting water quality data during flow-through operations to simulate post-breach conditions to determine if water leaving the COU will meet water quality standards after the terminal dams are breached. Samples for Pu, Am, and uranium analyses are collected as continuous flow-paced composites during all flow conditions; grab samples are collected for nitrate analyses. The specific locations are shown in Figure 3.



Note: Monitoring at locations GS01 and GS03 was discontinued on October 1, 2015.

Figure 3. Flow-Through Operations Monitoring Locations

The two locations at the COU boundary, WALPOC and WOMPOC, became POCs on September 28 and September 9, 2011, respectively.¹ At that time, locations GS03 and GS01 were also being operated as POCs and continued to be operated as POCs until September 28 and September 9, 2013, respectively. Following those dates and at the request of the AMP participants, locations GS03 and GS01 were operated as AMP monitoring locations for 2 years. Monitoring at both locations was discontinued on October 1, 2015.

Flow-through operation of Ponds A-4 and B-5 began on September 12, 2011, which was also the first day of flow at WALPOC. Flow-through operation of Pond C-2 began on November 7, 2011. WOMPOC first began measuring flow originating from Woman Creek on October 14, 2011.

During CY 2023, Pond A-4 (location GS11) discharged continuously for 67 days from May 11 to July 16, 2023; GS11 was dry the remainder of the year. Pond B-5 (location GS08) discharged continuously for 46 days from May 11 to June 25, 2023; GS08 was dry the remainder of the year. As of January 14, 2024, locations GS08 and GS11 were dry.

Pond C-2 (location GS31) discharged intermittently throughout the year; GS31 was generally dry from July 11 through December 18, 2023. As of January 14, 2024, location GS31 was flowing.

¹ Although WALPOC was officially designated as a RFLMA POC on September 28, 2011, operational testing and sampling began on September 9, 2011. Data collected during operational testing are used in the evaluation in this section.

Table 1 summarizes the flow and sampling conditions for each location as of January 14, 2024.

Table 1. Flow and Sampling Detail for Flow-Through Monitoring Locations

Location	Latest Flow ^a	Latest Available Composite Sample Results	Current Composite Sample Start Date (in progress)
GS08	Currently dry	5/30/2023–6/29/2023 ^b	1/3/2024
GS11	Currently dry	5/30/2023–6/29/2023 ^c	6/29/2023
WALPOC	Currently dry	6/29/2023–7/17/2023 ^d	1/3/2024
GS31	Currently flowing	6/29/2023–1/2/2024	1/2/2024
WOMPOC	Currently flowing	12/4/2023–1/2/2024	1/2/2024

Notes:

^a As of January 14, 2024.

^b Due to no flow, no samples were collected at GS08 from June 29, 2023, to January 3, 2024.

^c Due to low flows, the composite sample at GS11 that started on June 29, 2023, is still in progress.

^d Due to no flow, no samples were collected at WALPOC from July 17, 2023, to January 3, 2024.

3.3.1 Walnut Creek Evaluation

Table 2 presents long-term volume-weighted averages in Walnut Creek for the postclosure batch release period² (October 2005 to September 2011) and the period since flow-through pond operations began (September 2011 to the present). Figure 4 through Figure 11 present the 30-day and 12-month rolling averages for each location, analyte, and time period.^{3,4}

Compared to batch operations, as expected, the plots show increased variability and concentrations for all analytes at both outlet locations after initiation of flow-through operations. Concentrations for Pu and Am remain well below the 0.15 pCi/L water quality standard at all locations except GS08.⁵

² Before the ponds were operated in a flow-through mode (the outlet valves are continuously left open) in September 2011, the ponds were operated in “batch release” mode. Under batch release mode, water was stored in each pond (the outlet valve was closed) generally over several months until the pond was partially filled (normally to 40%–60% of capacity). At that point, the outlet valve was temporarily opened (1–3 weeks) to discharge the stored water and lower the pond level to about 10% of capacity, at which point the outlet valve was closed to start another batch cycle.

³ The RFLMA standards shown on these plots are for reference only. The RFLMA-required evaluation is location specific (i.e., at particular POCs and Points of Evaluation) and is not part of this AMP report. Evaluation of sampling results as required by the RFLMA (CDPHE et al. 2007) is routinely presented in other reports in accordance with the RFLMA reporting requirements.

⁴ Due to the interruptions in automated sampling and the corresponding lack of analytical data for some periods during the unusual September 2013 flood, for comparison purposes, the start of the high runoff (which began late in the day on September 11, 2013) through its end on September 13, 2013, is not included in the evaluation in this section. Additionally, some data are estimated to enable the comparison herein; under RFLMA data evaluation protocols, these estimated data would not be included.

⁵ The short-term increase at GS08 is the result of two consecutive samples collected in 2015.

During batch operations, water was accumulated in the ponds for several months, effectively mixing water of differing concentrations into a homogeneous volume. Therefore, flow-through 30-day averages show increased day-to-day variability since water is no longer batched and mixed before discharge. Conversely, flow-through 12-month rolling averages show month-to-month variability more comparable to that of batch operations.

Table 2. Volume-Weighted Averages for Walnut Creek Flow-Through Monitoring Locations

Walnut Creek: October 2005–September 2011 (Batch Release)

	Location Code	Uranium (µg/L)		Pu-239,240 (pCi/L)		Am-241 (pCi/L)		NO3+NO2 as N (mg/L)	
		Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count
Upstream	GS08 / GS11	8.8 / 7.6	33 / 36	0.004 / 0.004	33 / 36	0.003 / 0.003	33 / 36	2.79 [GS11 only]	36
Downstream	GS03	4.9	68	0.006	68	0.004	68	0.94	43

Walnut Creek: September 2011–Present (Flow-Through)

	Location Code	Uranium (µg/L)		Pu-239,240 (pCi/L)		Am-241 (pCi/L)		NO3+NO2 as N (mg/L)	
		Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count
Upstream	GS08 / GS11	9.7 / 9.9	91 / 78	0.022 / 0.022	91 / 78	0.013 / 0.013	91 / 78	4.81 [GS11 only]	76
Downstream	WALPOC	9.6	129	0.017	129	0.012	129	2.21	129
	GS03	5.6	44	0.016	43	0.011	43	2.04	40

Notes:

Sample counts fluctuate because composite sampling periods vary with water availability.

The summary includes all data available as of January 14, 2024; some recent data are not validated (i.e., are preliminary and subject to revision).

No Name Gulch is a tributary to Walnut Creek, just upstream of WALPOC; any water that flows in No Name Gulch and reaches Walnut Creek could affect water quality at WALPOC.

Monitoring at GS03 was discontinued on October 1, 2015.

Abbreviations:

mg/L = milligrams per liter

µg/L = micrograms per liter

N = nitrogen

NO₂ = nitrite

NO₃ = nitrate

At GS08, two composite samples (July 6–August 31, 2015, and August 31–October 12, 2015) showed higher than normal Pu and Am concentrations (Figure 4 through Figure 7). While concentrations at these levels have been observed once since closure, similar concentrations were observed several times during the closure process. Plutonium and Am concentrations at GS08 have remained at more normal levels since October 2015.

Uranium and nitrate concentrations are variable in Walnut Creek due to the seasonal variation in groundwater seepage and direct runoff from storm events (Figure 8 through Figure 11). At the locations listed in Table 1, normally more than half the annual flow is measured from April through June. Runoff during this period reduces the proportion of groundwater in streamflows. Since uranium and nitrate in surface water at the Site generally originate with groundwater seepage to the creeks, the normal spring runoff reduces uranium and nitrate concentrations in streamflow.

Uranium and nitrate increases were also noted for several months following the September 2013 flood event. This extreme event resulted in extensive streambed scour and increased groundwater recharge. This recharge subsequently increased the volumes of groundwater reaching the creeks from seepage, thereby sustaining high base flow for an extended period. An extensive

geochemistry study was conducted to examine the transport mechanisms associated with uranium and nitrate at the Site and the effects of the September 2013 flood. The report can be found at LM’s Rocky Flats website (<https://www.energy.gov/lm/rocky-flats-site-colorado>). Updates to the report, completed in 2019 and 2021, can also be found at LM’s Rocky Flats website; the report is scheduled for another update in 2024.

Concentrations of both uranium and nitrate in surface water also generally increase in the winter months. Because both constituents are associated with groundwater sources, uranium and nitrate concentrations in surface water increase when there is little surface runoff and groundwater makes up a larger portion of the streamflow. Also, natural biological activity that consumes nitrate slows down in the lower temperature winter months, thus increasing concentrations. Since geochemical conditions are naturally more oxidizing in the winter, uranium can become more mobile and concentrations can increase. These mechanisms were investigated in depth and described in the geochemistry study mentioned above.

Upgrades to nitrate treatment at the Solar Ponds Plume Treatment System (SPPTS) were completed in October 2016. Subsequently, a significant reduction of nitrate concentrations in North Walnut Creek has been observed (Figure 10 and Figure 11).




Figure 4. Rolling Plutonium Averages at Walnut Creek Flow-Through Locations: Postclosure Period






Figure 5. Rolling Plutonium Averages at Walnut Creek Flow-Through Locations: Flow-Through Period




Note: Monitoring at GS03 was discontinued on October 1, 2015.

Figure 6. Rolling Americium Averages at Walnut Creek Flow-Through Locations: Postclosure Period



Note: Monitoring at GS03 was discontinued on October 1, 2015.


Figure 7. Rolling Americium Averages at Walnut Creek Flow-Through Locations: Flow-Through Period



Notes: Monitoring at GS03 was discontinued on October 1, 2015. To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Abbreviation: µg/L = micrograms per liter


Figure 8. Rolling Uranium Averages at Walnut Creek Flow-Through Locations: Postclosure Period



Notes: Monitoring at GS03 was discontinued on October 1, 2015. To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Abbreviation: µg/L = micrograms per liter


Figure 9. Rolling Uranium Averages at Walnut Creek Flow-Through Locations: Flow-Through Period



Note: Monitoring at GS03 was discontinued on October 1, 2015.

Abbreviations: mg/L = milligrams per liter, N = nitrogen, NO₂ = nitrite, NO₃ = nitrate

Figure 10. Rolling Nitrate + Nitrite as Nitrogen Averages at Walnut Creek Flow-Through Locations: Postclosure Period



Note: Monitoring at GS03 was discontinued on October 1, 2015.

Abbreviations: mg/L = milligrams per liter, N = nitrogen, NO₂ = nitrite, NO₃ = nitrate

Figure 11. Rolling Nitrate + Nitrite as Nitrogen Averages at Walnut Creek Flow-Through Locations: Flow-Through Period

3.3.2 Woman Creek Evaluation

Table 3 presents long-term volume-weighted averages in Woman Creek for the postclosure batch release period (October 2005 to November 2011) and the period since flow-through pond operations began (November 2011 to the present). Figure 12 through Figure 17 present the 30-day and 12-month rolling averages for each location, analyte, and time period.⁶ Note that there were fewer postclosure batch discharges from Pond C-2 than for Ponds A-4 and B-5, so there are fewer data for comparison.

Compared to batch operations, as expected, the plots for flow-through operations show somewhat increased water quality variability for uranium, but concentrations remain below the applicable standard. As discussed for Walnut Creek, flow-through 30-day averages show increased day-to-day variability since water is no longer being batched and mixed before

⁶ The RFLMA standards shown on these plots are for reference only. The RFLMA-required evaluation is location specific (i.e., POCs and Points of Evaluation) and is not part of this AMP report. Evaluation of sampling results as required by the RFLMA (CDPHE et al. 2007) is routinely presented in other reports in accordance with the RFLMA reporting requirements.

discharge. Conversely, flow-through 12-month rolling averages show month-to-month variability comparable to that of batch operations.

For GS31 (outlet from Pond C-2), the significantly higher Pu and Am concentrations in 2015 are associated with the high runoff during spring 2015. These concentrations are a result of runoff from the South Interceptor Ditch (SID) passing through Pond C-2. This runoff, before entering Pond C-2, also resulted in reportable 12-month rolling Pu concentrations at Point of Evaluation (POE) SW027. A detailed discussion of the reportable condition and subsequent mitigating response can be found in the RFLMA quarterly reports for 2015. Plutonium and Am concentrations at GS31 since 2016 are significantly reduced compared to 2015 (as indicated by the 30-day average), and concentrations at the downstream POC (WOMPOC) remain well below the 0.15 pCi/L standard.

Table 3. Volume-Weighted Averages for Woman Creek Flow-Through Monitoring Locations

Woman Creek: October 2005–November 2011 (Batch Release)

	Location Code	Uranium (µg/L)		Pu-239,240 (pCi/L)		Am-241 (pCi/L)	
		Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count
Upstream	GS31	4.1	12	0.007	12	0.004	12
Downstream	GS01	2.3	95	0.007	95	0.004	95

Woman Creek: November 2011–Present (Flow-Through)


	Location Code	Uranium (µg/L)		Pu-239,240 (pCi/L)		Am-241 (pCi/L)	
		Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count	Volume-Weighted Average	Sample Count
Upstream	GS31	7.5	70	0.214	70	0.039	70
↓	WOMPOC	2.0	183	0.014	183	0.006	183
Downstream	GS01	2.1	45	0.014	45	0.007	45

Notes:

Sample counts fluctuate because composite sampling periods vary with water availability. Monitoring at GS01 was discontinued on October 1, 2015.


Abbreviation:

µg/L = micrograms per liter




Note: Monitoring at GS01 was discontinued on October 1, 2015.

Figure 12. Rolling Plutonium Averages at Woman Creek Flow-Through Locations: Postclosure Period




Note: Monitoring at GS01 was discontinued on October 1, 2015.

Figure 13. Rolling Plutonium Averages at Woman Creek Flow-Through Locations: Flow-Through Period




Note: Monitoring at GS01 was discontinued on October 1, 2015.

Figure 14. Rolling Americium Averages at Woman Creek Flow-Through Locations: Postclosure Period



Note: Monitoring at GS01 was discontinued on October 1, 2015.


Figure 15. Rolling Americium Averages at Woman Creek Flow-Through Locations: Flow-Through Period



Notes: Monitoring at GS01 was discontinued on October 1, 2015. To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Abbreviation: µg/L = micrograms per liter

Figure 16. Rolling Uranium Averages at Woman Creek Flow-Through Locations: Postclosure Period



Notes: Monitoring at GS01 was discontinued on October 1, 2015. To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Abbreviation: µg/L = micrograms per liter

Figure 17. Rolling Uranium Averages at Woman Creek Flow-Through Locations: Flow-Through Period

3.4 Storm-Event Monitoring

This objective involves collecting water quality data to assess actinide and solids transport during runoff periods resulting from precipitation events. The intent is to evaluate whether significant correlations exist between flow rate and actinide concentrations and further describe short-term, event-driven variability. In addition, these data can be used to assess the effectiveness of ongoing revegetation and erosion control practices.

Location GS31, below the Pond C-2 outlet (Figure 18 and Figure 19), is used for storm-event monitoring. Storm-event monitoring equipment at GS31 was installed in spring 2012 to specifically evaluate water quality when runoff passes through Pond C-2 while being operated in a flow-through configuration. Samples are collected as time-paced sequential grabs using an automated sampler with a 24-bottle carousel. Grabs that were collected during the direct runoff period are then selected for analysis; grabs collected before or after direct runoff are discarded. The selected grabs are then composited for subsequent analysis. Where possible, the collected grabs are segregated as collected on the rising limb of the runoff hydrograph (when flows are increasing) or collected on the falling limb (when flows are decreasing). The first storm-event samples were collected during the September 2013 flood.

During 2023, one storm-event sample was collected at GS31. Analytical results for current and previous years are listed in Table 4. Hydrographs with sample events are given in Figure 20 through Figure 29.

Various correlations are plotted in Figure 30 through Figure 33 for the relatively few results available. Plots include samples that have complete results: Pu, Am, U, total suspended solids (TSS), and flow rate.

Figure 30 suggests decreasing Pu concentration with increasing TSS. This is counterintuitive since Pu and Am move in surface water in association with suspended solids (i.e., bound to soil particles). This may be explained by previous work at the Site that indicated smaller particles carry more actinides per unit mass, and lower TSS concentrations are likely to have more small particles proportionally.

Relationships are also observed for Pu, Am, and uranium in comparison to flow rate. Figure 31 suggests increasing Pu and Am concentrations with increasing flow rate. This relationship is expected because increased flow rate generally results in increased TSS.

However, Figure 33 shows no relationship between flow rate and TSS. Therefore, the increased concentrations may depend on the origin of the runoff for specific events. In other words, if an area with higher residual contamination (or surface soil more susceptible to transport), such as the 903 Lip Area, contributes a higher proportion of runoff during large runoff events, then an increase in concentrations would consequently be observed for the specific event. Also, high-intensity precipitation events (or events with hail) will result in higher TSS than lower intensity events, but higher intensity events do not necessarily result in higher flow rates if the event is brief.

Figure 32, in contrast, shows a correlation between *decreasing* uranium concentration and increasing flow rate. This water quality effect is observed at many locations on the Site because naturally occurring uranium from groundwater sources is diluted during runoff events (see Sections 3.3.1 and 3.5).




Figure 18. Storm-Event Monitoring Location GS31




Figure 19. Detail Map for Storm-Event Monitoring Location GS31

Table 4. GS31 Storm-Event Sample Results

Sampling Date	Plutonium-239, 240 (pCi/L)	Americium-241 (pCi/L)	Uranium (µg/L)	TSS (mg/L)	Average Flow Rate (cfs)
9/12/2013 ^a	0.037	0.006	1.41	NA	13.5
9/12/2013 ^b	0.045	0.016	1.11	NA	14.7
4/17/2015	0.090	0.008	4.86	13.3	1.79
5/5/2015	0.011	0.003	5.17	8.8	0.57
5/19/2015	0.141	0.021	3.41	8.2	2.73
6/4/2015	2.590	0.717	2.72	NA	4.67
4/16/2016	0.073	0.023	7.54	9.2	2.78
5/3/2018	0.006	0.000	10.0	11.0	0.61
4/18/2020	0.011	0.005	9.92	31.7	0.38
5/3/2021 [rising limb]	0.126	0.030	8.69	7.0	2.51
5/3/2021 [falling limb]	0.216	0.000	4.77	2.8	1.75
5/12/2023	0.017	0.010	5.49	15.0	1.77


Notes:

^a Sample includes significant quantities of water that flooded over the Woman Creek diversion dam into Pond C-2 when flows from the SID were minimal (see Figure 20).

^b Sample includes significant quantities of water that flooded over the Woman Creek diversion dam into Pond C-2 when flows from the SID were also significant (see Figure 20).


Abbreviations:

cfs = cubic feet per second
 mg/L = milligrams per liter
 µg/L = micrograms per liter
 NA = not available




Abbreviation: cfs = cubic feet per second

Figure 20. Storm-Event Hydrograph at GS31: September 12, 2013




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 21. Storm-Event Hydrograph at GS31: April 17–18, 2015




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 22. Storm-Event Hydrograph at GS31: May 5–6, 2015




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 23. Storm-Event Hydrograph at GS31: May 19, 2015




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 24. Storm-Event Hydrograph at GS31: June 4–5, 2015




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 25. Storm-Event Hydrograph at GS31: April 19, 2016




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 26. Storm-Event Hydrograph at GS31: May 3, 2018




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 27. Storm-Event Hydrograph at GS31: April 18–19, 2020




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 28. Storm-Event Hydrograph at GS31: May 3, 2021




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter, µg/L = micrograms per liter

Figure 29. Storm-Event Hydrograph at GS31: May 12, 2023



Abbreviation: mg/L = milligrams per liter


Figure 30. Plutonium and Americium Concentrations Versus Total Suspended Solids for GS31 Storm-Event Samples



Note: The 2013 results are not shown since they were significantly diluted by Woman Creek water that flooded over the Woman Creek Diversion into Pond C-2.


Abbreviation: cfs = cubic feet per second

Figure 31. Plutonium and Americium Concentrations Versus Average Sample Flow Rate for GS31 Storm-Event Samples



Abbreviations: cfs = cubic feet per second, µg/L = micrograms per liter

Figure 32. Uranium Concentrations Versus Average Sample Flow Rate for GS31 Storm-Event Samples




Abbreviations: cfs = cubic feet per second, mg/L = milligrams per liter

Figure 33. Total Suspended Solids Versus Average Sample Flow Rate for GS31 Storm-Event Samples

3.5 Continuous Flow-Paced Composite Sampling to Evaluate Uranium Transport in Walnut Creek

This monitoring objective is intended to evaluate the in-stream transport of uranium, specifically for Ponds A-4 and B-5, by assessing correlations, patterns, variability, and loading. The monitoring locations being used to support this objective are shown in Figure 34. Samples are collected as continuous flow-paced composites during all flow conditions. Sampling for this monitoring objective began on March 10, 2010, in North Walnut Creek and on June 16, 2010, in South Walnut Creek. Monitoring location WALPOC began operational testing on September 9, 2011. Monitoring at GS03 was discontinued on October 1, 2015. Therefore, this evaluation uses three time periods: March 10, 2010, to October 1, 2015; June 16, 2010, to October 1, 2015; and September 9, 2011, to the present.⁷

⁷ The most recent evaluation period uses all data available as of January 14, 2024.



Notes: The orange line shows the location of the A-Series Bypass Pipeline, which goes around former Ponds A-1, A-2, and A-3. See text for additional information. Monitoring at GS03 was discontinued on October 1, 2015.

Figure 34. Continuous Flow-Paced Composite Sampling Locations in Walnut Creek

Starting on October 13, 2011, water in North Walnut Creek was diverted around Pond A-3 and former Ponds A-1 and A-2 to support the Dam A-3 breach construction. This diverted water was routed through the A-Series Bypass Pipeline from location GS13 to just below Pond A-3 (near location GS12) until March 21, 2012. During this period, it is assumed that the quality and quantity of water when it entered the pipeline were the same as when it exited the pipeline.⁸ Therefore, data collected at GS13 and GS12 during this period have been combined to effectively summarize water quality *entering* Pond A-4 and not water quality *exiting* Pond A-3.

Table 5 through Table 7 show summary statistics for the three time periods described above. The data show long-term concentrations below the uranium standard (16.8 micrograms per liter [$\mu\text{g/L}$]) at all locations. In addition, all locations show concentrations well below the 30 $\mu\text{g/L}$ drinking water maximum contaminant level for uranium. Figure 35 uses proportional symbols to map the uranium concentrations since September 9, 2011 (see Table 7 for values).⁹

⁸ This assumption was confirmed by grab samples taken at GS13 and location A4INFLOW during use of the pipeline; A4INFLOW is just upstream of Pond A-4.

⁹ Due to interruptions in automated sampling and the corresponding lack of analytical data for some periods during the unusual September 2013 flood, for comparison purposes, the start of the high runoff (which began late in the day on September 11, 2013) through its end on September 13, 2013, is not included in the evaluation in this section. Additionally, some data are estimated to enable the comparison herein; under normal RFLMA data evaluation protocols, these estimated data would not be included.

Table 5. Summary Statistics for Uranium Continuous Flow-Paced Composite Sampling:
March 10, 2010, to October 1, 2015

South Walnut Creek				North Walnut Creek			Upstream ↓ ↓ Downstream
	Location Code	Volume-Weighted Average (µg/L)	Sample Count	Volume-Weighted Average (µg/L)	Sample Count	Location Code	
Upstream	GS10*	13.7	104	6.6	90	SW093*	
Downstream	GS08	8.9	61	10.2	76	GS13*	
				12.8	80	GS12	
				9.2	53	GS11	

Walnut Creek		
Location Code	Volume-Weighted Average	Sample Count
GS03	5.5	74

Notes:

Sample counts fluctuate because composite sampling periods vary with water availability. Monitoring at GS03 was discontinued on October 1, 2015.

* Data for GS10, SW093, and GS13 are currently acquired through the routine RFLMA-required monitoring at these locations.

Table 6. Summary Statistics for Uranium Continuous Flow-Paced Composite Sampling:
June 16, 2010, to October 1, 2015

South Walnut Creek				North Walnut Creek			Upstream ↓ ↓ Downstream
	Location Code	Volume-Weighted Average (µg/L)	Sample Count	Volume-Weighted Average (µg/L)	Sample Count	Location Code	
Upstream	GS10*	13.7	95	6.5	77	SW093*	
Downstream	B5INFLOW	10.3	62	10.5	65	GS13*	
	GS08	8.8	51	13.2	67	GS12	
				9.1	44	GS11	

Walnut Creek		
Location Code	Volume-Weighted Average	Sample Count
GS03	5.4	58

Notes:

Sample counts fluctuate because composite sampling periods vary with water availability. Monitoring at GS03 was discontinued on October 1, 2015.

B5INFLOW was installed on June 16, 2010.

* Data for GS10, SW093, and GS13 are currently acquired through the routine RFLMA-required monitoring at these locations.

Table 7. Summary Statistics for Uranium Continuous Flow-Paced Composite Sampling: Starting September 9, 2011

South Walnut Creek				North Walnut Creek			Upstream ↓ ↓ Downstream
	Location Code	Volume-Weighted Average (µg/L)	Sample Count	Volume-Weighted Average (µg/L)	Sample Count	Location Code	
Upstream ↓ Downstream	GS10*	12.8	193	5.9	129	SW093*	
	B5INFLOW	11.3	109	9.2	114	GS13*	
	GS08	9.5	95	12.6	104	GS12	
				9.8	82	GS11	
Walnut Creek							
	Location Code	Volume-Weighted Average	Sample Count				
	WALPOC*	9.5	133				

Notes:

Sample counts fluctuate because composite sampling periods vary with water availability. The summary includes all data available as of January 14, 2024; some recent data are not validated (i.e., are preliminary and subject to revision).

* Data for GS10, SW093, GS13, and WALPOC are currently acquired through the routine RFLMA-required monitoring at these locations.





Figure 35. Map Showing Volume-Weighted Average Uranium Concentrations for Samples Collected Since September 9, 2011

Figure 36 through Figure 51 show plots of composite sample results and the 365-day volume-weighted rolling averages at each location.¹⁰ The 365-day rolling average differs from the 12-month rolling average used for RFLMA evaluation in that the 365-day rolling average is calculated for each day, while the 12-month rolling average is calculated only for the last day of each month. The plots also show the corresponding hydrograph at each location showing the mean daily flow in cubic feet per second (cfs). The plots clearly show the significant variability in sample results. In general, the higher concentrations are during periods of base flow with very little runoff (i.e., winter) and during periods when the natural geochemistry is more favorable for uranium transport.


As mentioned earlier, an extensive geochemistry study has been completed that examines the transport mechanisms associated with uranium and nitrate at the Site and the effects of the September 2013 flood. The report can be found at LM’s Rocky Flats website (<https://www.energy.gov/lm/rocky-flats-site-colorado>). Updates to the report, completed in 2019 and 2021, can also be found at LM’s Rocky Flats website.



Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.


Figure 36. Composite Sample Uranium Results and Rolling 365-Day Averages at GS10: CY 2023

¹⁰ The RFLMA standards shown on these plots are for reference only. The RFLMA-required evaluation is location specific (i.e., POCs, POEs) and is not part of this AMP report. Evaluation of sampling results as required by the RFLMA (CDPHE et al. 2007) is routinely presented in other reports in accordance with the RFLMA reporting requirements. To show uranium units of both pCi/L and µg/L, the conversion 1 µg = 0.67 pCi is used.




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 37. Composite Sample Uranium Results and Rolling 365-Day Averages at GS10: Postclosure




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 38. Composite Sample Uranium Results and Rolling 365-Day Averages at B5INFLOW: CY 2023




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 39. Composite Sample Uranium Results and Rolling 365-Day Averages at B5INFLOW: Postclosure




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 40. Composite Sample Uranium Results and Rolling 365-Day Averages at GS08: CY 2023




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 41. Composite Sample Uranium Results and Rolling 365-Day Averages at GS08: Postclosure




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 42. Composite Sample Uranium Results and Rolling 365-Day Averages at SW093: CY 2023




Note: To show uranium units of both pCi/L and µg/L, the conversion $1 \mu\text{g/L} = 0.67 \text{ pCi/L}$ is used.

Figure 43. Composite Sample Uranium Results and Rolling 365-Day Averages at SW093: Postclosure




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 44. Composite Sample Uranium Results and Rolling 365-Day Averages at GS13: CY 2023




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 45. Composite Sample Uranium Results and Rolling 365-Day Averages at GS13: Postclosure




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 46. Composite Sample Uranium Results and Rolling 365-Day Averages at GS12: CY 2023




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 47. Composite Sample Uranium Results and Rolling 365-Day Averages at GS12 (A-4 Inflow): Postclosure




Notes: Due to low flows, the composite sample started on June 29, 2023, is still in progress as of January 14, 2024. To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 48. Composite Sample Uranium Results and Rolling 365-Day Averages at GS11: CY 2023




Notes: Due to low flows, the composite sample started on June 29, 2023, is still in progress as of January 14, 2024. To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 49. Composite Sample Uranium Results and Rolling 365-Day Averages at GS11: Postclosure



Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 50. Composite Sample Uranium Results and Rolling 365-Day Averages at WALPOC: CY 2023




Note: To show uranium units of both pCi/L and µg/L, the conversion 1 µg/L = 0.67 pCi/L is used.

Figure 51. Composite Sample Uranium Results and Rolling 365-Day Averages at WALPOC: Postclosure

3.6 Grab Sampling for Uranium in North and South Walnut Creeks

This monitoring objective is primarily intended to evaluate the transport of uranium in North and South Walnut Creeks by assessing correlations, patterns, variability, and loading. This objective is also intended to help define the relative impact of the SPPTS on surface water quality in North Walnut Creek. Samples were initially collected biweekly as grabs; as of December 2021, uranium grabs are collected monthly. Figure 52 presents the uranium grab sampling locations in North and South Walnut Creeks. Sampling for this monitoring objective began on January 27, 2010, at most locations.



Notes: The orange line shows the location of the A-Series Bypass Pipeline, which goes around former Ponds A-1, A-2, and A-3. Location A3EFF is collocated with GS12 (A3EFF is the grab sampling location, and GS12 is the automated composite sampling location).

Figure 52. Uranium Grab Sampling Locations in North and South Walnut Creeks

Starting on October 13, 2011, water in North Walnut Creek was diverted around Pond A-3 and former Ponds A-1 and A-2 to support the Dam A-3 breach construction. This diverted water was routed through the A-Series Bypass Pipeline from GS13 to just below Pond A-3 (near A3EFF) until March 21, 2012. During this period, it is assumed that the water quality and quantity were the same when the water entered the pipeline as when it exited the pipeline.¹¹ Therefore, data collected at GS13 and A3EFF during this period have been combined to effectively summarize water quality *entering* Pond A-4 and not water quality *exiting* Pond A-3.

Table 8 shows summary statistics for the uranium grab sampling in North and South Walnut Creeks. Since flow-paced composite samples essentially “average” water quality fluctuations, the grab sample results show more variability than the composite sample results, as expected. Grab samples are generally collected during fair weather base-flow periods when uranium is more likely to be present at higher concentrations. Continuous flow-paced composite sample results are a better representation of actual longer-term uranium concentrations; by design, automated composite sampling collects samples continuously during all flow conditions, including intense, high-volume runoff periods when uranium concentrations are generally lower.

¹¹ This assumption has been confirmed by grab samples taken at GS13 and A4INFLOW; A4INFLOW is just upstream of Pond A-4.

Table 8. Summary Statistics for Uranium Grab Sampling in North and South Walnut Creeks for the Period Starting January 27, 2010

North Walnut Creek		Uranium (ug/L)			
		Location Code	Average	Sample Count	85th Percentile
Upstream ↓ ↓ ↓ ↓ ↓ ↓	SW093	7.49	303	11.0	6.80
	SPOUT*	47.7	322	65.0	48.0
	GS13	21.8	231	36.5	18.0
	A1EFF	21.1	174	32.1	15.0
	A2EFF	27.3	165	42.0	24.0
	A3EFF (A-4 inflow)	21.8	152	34.0	21.0
	A4 POND	11.3	149	17.0	9.80
Downstream	GS11	12.8	52	17.0	12.0

South Walnut Creek		Uranium (ug/L)			
		Location Code	Average	Sample Count	85th Percentile
Upstream ↓ ↓ ↓	GS10	16.1	292	23.0	16.0
	B3OUTFLOW	16.4	202	24.0	16.0
	B5INFLOW	14.2	191	20.0	14.0
	B5 POND	8.46	147	12.1	7.30
Downstream	GS08	10.6	81	15.0	10.0

Notes:


Sample counts vary because some locations are periodically dry.

The summary includes all data available as of January 14, 2024; some recent data are not validated (i.e., are preliminary and subject to revision).

Uranium grab sampling data at GS11 and GS08 start on April 30, 2015. AMP uranium grab sampling at Pond A-4 and Pond B-5 was discontinued on October 31, 2015.

* SPOUT is the treated effluent monitoring location for the SPPTS. SPOUT is not in North Walnut Creek but flows into a belowground discharge gallery south of North Walnut Creek between monitoring locations SW093 and GS13.

Grab samples do, however, give a good portrayal of spatial water quality variation (i.e., upstream to downstream). Figure 53 and Figure 54 show the spatial variation of average uranium concentrations in North and South Walnut Creeks. Both plots show noticeable variation, with concentrations both increasing and decreasing between locations. As mentioned earlier, an extensive geochemistry study has been completed that examines the transport mechanisms associated with uranium and nitrate at the Site and the effects of the September 2013 flood. The report can be found at LM’s Rocky Flats website (<https://www.energy.gov/lm/rocky-flats-site-colorado>). Updates to the report, completed in 2019 and 2021, can also be found at LM’s Rocky Flats website.



Note: SPOUT is the treated effluent monitoring location for the SPPTS. SPOUT is not in North Walnut Creek but flows into a belowground discharge gallery south of North Walnut Creek between monitoring locations SW093 and GS13.

Figure 53. Arithmetic Average Uranium Concentrations at North Walnut Creek Grab Locations





Figure 54. Arithmetic Average Uranium Concentrations at South Walnut Creek Grab Locations

The map in Figure 55 shows the calculated average annual uranium loads in North Walnut Creek since January 2010 (using all available sample results as of January 14, 2024).¹² While the SPPTS removes approximately 40% of the uranium load in the water it collects, the loads at both the system influent (SPIN) and system effluent (SPOUT) are small compared to the loads (predominantly natural uranium) at other locations in North Walnut Creek. Even though the SPPTS concentrations are higher than the creek concentrations, the much larger creek flow volumes yield significantly larger loads. In fact, the load at SPOUT is calculated to be approximately 10% of the load at GS13.



Notes: Uranium loads at SW093, GS13, GS12, and GS11 are calculated using results from flow-paced composites (see Section 3.5). Uranium loads at SPIN and SPOUT are calculated using results from grab sampling related to this AMP objective and other treatment system optimization efforts. Arrows indicate general flow routing.


Abbreviation: kg = kilograms

Figure 55. Map Showing Calculated Uranium Loads in North Walnut Creek Since January 2010

¹² Uranium loads are only calculated for locations with flow volume measurement. Grab sample uranium concentrations are used for locations SPIN and SPOUT; continuous flow-paced sample uranium concentrations are used for SW093, GS13, GS12, and GS11.

3.7 Grab Sampling for Nitrate + Nitrite as Nitrogen in Walnut Creek

This monitoring objective is primarily intended to evaluate the transport of nitrate in North Walnut Creek and Walnut Creek by assessing correlations, patterns, variability, and loading.¹³ This objective is also intended to help define the relative impacts of the SPPTS on surface water quality in North Walnut Creek. Samples are currently collected biweekly as grabs (Figure 56). Sampling for this monitoring objective at most locations began on January 27, 2010. WALPOC started operational testing in September 2011.



Notes: The orange line shows the location of the A-Series Bypass Pipeline, which goes around former Ponds A-1, A-2, and A-3. A3EFF is collocated with GS12 (A3EFF is the grab sampling location, and GS12 is the automated composite sampling location).

Figure 56. Nitrate + Nitrite as Nitrogen Grab Sampling Locations in North Walnut and Walnut Creeks

This evaluation is performed for three different time periods in recognition of the WALPOC operational testing started in September 2011 and the implementation of improved nitrate treatment at the SPPTS in late October 2016. The different time periods are:

- January 27, 2010, to November 1, 2016.
- September 9, 2011, to November 1, 2016.
- November 1, 2016, to the present.

¹³ All of the nitrate + nitrite in the environment at the site is contamination originating from past plant operations. Unlike uranium, there is no natural source of nitrate + nitrite.

Starting on October 13, 2011, water in North Walnut Creek was diverted around Pond A-3 and former Ponds A-1 and A-2 to drain Pond A-3 in preparation for the Dam A-3 breach. This diverted water was routed through the A-Series Bypass Pipeline from GS13 to just below Pond A-3 (near A3EFF) until March 21, 2012. During this period, it is assumed that the water quality and quantity were the same when the water entered the pipeline as when it exited the pipeline.¹⁴ Therefore, data collected at GS13 and A3EFF during this period have been combined to effectively summarize water quality *entering* Pond A-4 and not water quality *exiting* Pond A-3.

Table 9 shows summary statistics for the nitrate + nitrite as nitrogen grab sampling in North Walnut Creek for the period January 27, 2010, to November 1, 2016. These grab samples are collected during fair weather base-flow periods when nitrate is more likely to be present at higher concentrations (because the source is groundwater). These grab samples also give a good portrayal of spatial nitrate variation (i.e., upstream to downstream). Figure 57 shows the spatial variation (upstream to downstream) of average nitrate concentrations in North Walnut Creek. The plot shows a measurable increase between SW093 (upstream of Solar Ponds influence) and GS13 (downstream of Solar Ponds influence). However, farther downstream, the reduction of nitrate through natural processes is apparent.

Table 9. Summary Statistics for Nitrate + Nitrite as Nitrogen Grab Sampling in North Walnut Creek for January 27, 2010, to November 1, 2016

North Walnut Creek		Nitrate+Nitrite as N (mg/L)			
		Location Code	Average	Sample Count	85th Percentile
Upstream ↓ ↓ ↓ ↓ ↓	SW093	7.42	163	13.4	3.40
	SPOUT*	248	164	420	260
	GS13	28.8	149	50.0	26.0
	A1EFF	21.3	106	40.0	19.0
	A2EFF	17.5	102	36.0	15.0
	A3EFF (A-4 inflow)	14.9	102	30.7	12.0
Downstream	GS11	6.20	72	10.1	6.70

Notes:

Sample counts vary because some locations are periodically dry.

Data for the period May 1, 2010, to March 28, 2011, at GS11 include results from short-duration composite samples collected during batch-discharge operations.


* SPOUT is the treated effluent monitoring location for the SPPTS. SPOUT is not in North Walnut Creek but flows into a belowground discharge gallery south of North Walnut Creek between monitoring locations SW093 and GS13.

Abbreviations:

mg/L = milligrams per liter

N = nitrogen

¹⁴ This assumption has been confirmed by grab samples taken at GS13 and A4INFLOW; A4INFLOW is just upstream of Pond A-4.



Notes: Concentrations are shown on a logarithmic scale. SPOUT is the treated effluent monitoring location for the SPPTS. SPOUT is not in North Walnut Creek but flows into a belowground discharge gallery south of North Walnut Creek between monitoring locations SW093 and GS13. Data for May 1, 2010, to March 28, 2011, at GS11 include results from short-duration composite samples collected during batch-discharge pond operations.

Abbreviations: mg/L = milligrams per liter, N = nitrogen

Figure 57. Arithmetic Average Nitrate + Nitrite as Nitrogen Concentrations at North Walnut Creek and Walnut Creek Grab Locations for January 27, 2010, to November 1, 2016

Table 10 shows summary statistics for the nitrate + nitrite as nitrogen grab sampling in North Walnut Creek and lower Walnut Creek (WALPOC) for September 1, 2011, to November 1, 2016. Figure 58 shows the spatial variation (upstream to downstream) of average nitrate concentrations in North Walnut Creek for this period. As with the pattern discussed above for January 27, 2010, to November 1, 2016, the plot shows a measurable increase between SW093 (upstream of Solar Ponds influence) and GS13 (downstream of Solar Ponds influence). However, farther downstream, the reduction of nitrate through natural processes is apparent.

Table 10. Summary Statistics for Nitrate + Nitrite as Nitrogen Grab Sampling in North Walnut Creek and Walnut Creek for September 1, 2011, to November 1, 2016

	North Walnut Creek				
	Location Code	Nitrate+Nitrite as N (mg/L)			
		Average	Sample Count	85th Percentile	50th Percentile
Upstream ↓ ↓ ↓ ↓ ↓ ↓	SW093	7.67	122.0	14.8	3.10
	SPOUT*	300	114	440	310
	GS13	31.3	113	52.0	26.0
	A1EFF	25.1	71.0	42.3	21.0
	A2EFF	20.0	75.0	39.0	17.5
	A3EFF (A-4 inflow)	16.0	56.0	30.4	16.0
	GS11	6.68	59.0	10.8	7.15
Downstream	WALPOC	2.77	83.0	5.73	2.50

Notes:


Sample counts vary because some locations are periodically dry.

* SPOUT is the treated effluent monitoring location for the SPPTS. SPOUT is not in North Walnut Creek but flows into a belowground discharge gallery south of North Walnut Creek between monitoring locations SW093 and GS13.

Abbreviations:

mg/L = milligrams per liter

N = nitrogen



Notes: Concentrations are shown on a logarithmic scale. SPOUT is the treated effluent monitoring location for the SPPTS. SPOUT is not in North Walnut Creek but flows into a belowground discharge gallery south of North Walnut Creek between monitoring locations SW093 and GS13.

Abbreviations: mg/L = milligrams per liter, N = nitrogen

Figure 58. Arithmetic Average Nitrate + Nitrite as Nitrogen Concentrations at North Walnut Creek and Walnut Creek Grab Locations for September 1, 2011, to November 1, 2016

Table 11 shows summary statistics for the nitrate + nitrite as nitrogen grab sampling in North Walnut Creek and lower Walnut Creek (WALPOC) since November 1, 2016 (using all sample results available as of January 14, 2024). Figure 59 shows the spatial variation (upstream to downstream) of average nitrate concentrations for this period.

Table 11. Summary Statistics for Nitrate + Nitrite as Nitrogen Grab Sampling in North Walnut Creek and Walnut Creek for November 1, 2016, to Present


North Walnut Creek	Nitrate+Nitrite as N (mg/L)				
	Location Code	Average	Sample Count	85th Percentile	50th Percentile
Upstream	SW093	1.04	154	2.00	0.50
↓	SPOUT*	1.14	175	0.15	0.02
↓	GS13	10.4	99	18.3	6.80
↓	A1EFF	4.92	71	8.33	4.60
↓	A2EFF	3.64	67	5.47	2.70
↓	A3EFF (A-4 inflow)	1.39	52	3.51	0.51
↓	GS11	0.76	66	1.83	0.36
Downstream	WALPOC	0.45	78	1.04	0.18

Notes:

Sample counts vary because some locations are periodically dry.

The summary includes all data available as of January 14, 2024; some recent data are not validated (i.e., are preliminary and subject to revision).

* SPOUT is the treated effluent monitoring location for the SPPTS. SPOUT is not in North Walnut Creek but flows into a belowground discharge gallery south of North Walnut Creek between monitoring locations SW093 and GS13.



Notes: SPOUT is the treated effluent monitoring location for the SPPTS. SPOUT is not in North Walnut Creek but flows into a belowground discharge gallery south of North Walnut Creek between monitoring locations SW093 and GS13. The summary includes all data available as of January 14, 2024; some recent data are not validated (i.e., are preliminary and subject to revision).


Figure 59. Arithmetic Average Nitrate + Nitrite as Nitrogen Concentrations at North Walnut Creek and Walnut Creek Grab Locations for November 1, 2016, to Present

The positive effects of the successful optimization of nitrate treatment at the SPPTS can clearly be seen in the data. Average concentrations at almost every location are below 10 milligrams per liter (mg/L) nitrate + nitrite as nitrogen. As for the previously discussed periods, the plot shows a measurable increase between SW093 (upstream of Solar Ponds influence) and GS13 (downstream of Solar Ponds influence). However, farther downstream, the reduction of nitrate through natural processes is apparent.

The map in Figure 60 shows the calculated average annual nitrate + nitrite as nitrogen loads in North Walnut Creek for the period January 2010 through December 2016.¹⁵ Although the SPPTS removed approximately 58% of the nitrate load in the water it collected during this time frame, the loads at both the system influent (SPIN) and effluent (SPOUT) are only a portion of the loads in North Walnut Creek. As with uranium, the SPPTS nitrate concentrations are higher than the creek concentrations, but the much larger creek flow volumes yield significantly larger loads. In fact, the nitrate load at SPOUT is estimated to be only about 18% of the load in North Walnut Creek at GS13.

It should be noted, however, that the grab samples collected in the creek are likely biased toward higher concentrations since they are generally collected during base-flow periods. In other words, high-volume runoff events with relatively lower concentrations are underrepresented in the average creek concentrations calculated from grab sample results. Therefore, the amount of nitrate + nitrite as nitrogen at creek locations is very likely overestimated. An evaluation using both grab sample and composite sample nitrate results, in conjunction with measurements of the natural reduction of nitrate in unpreserved samples, suggests that the creek concentrations are overestimated by 25%–30%. Assuming this is the case, the relative contribution from the SPPTS to North Walnut Creek would be 20%–25%.

¹⁵ Loads are calculated only for locations with flow volume measurement. The loading analysis is given by calendar year for ease of calculation and to allow for stabilization of nitrate concentrations following the SPPTS upgrades.




Notes: Loads at SW093, GS13, and GS11 are calculated using results from flow-paced composites (Section 3.5). Loads at A3EFF are calculated using grab sample results and flow measurements from GS12 (collocated with A3EFF). Loads at SPIN and SPOUT are calculated using results from grab sampling related to this AMP objective and other treatment system optimization efforts. Arrows indicate general flow routing.

Abbreviation: kg = kilograms

Figure 60. Map Showing Calculated Average Annual Nitrate + Nitrite as Nitrogen Loads in North Walnut Creek: 2010 through 2016

The map in Figure 61 shows the estimated average annual total nitrate + nitrite as nitrogen loads in North Walnut Creek for the period starting in 2017 (using all available sample results as of January 14, 2024).¹⁶ The SPPTS removes nearly 100% of the nitrate load from the water it collects. Since successful optimization of the nitrate treatment at the SPPTS in October 2016, the nitrate loads in North Walnut Creek have been significantly reduced.

¹⁶ Loads are calculated only for locations with flow volume measurement.



046990

Notes: Loads at SW093, GS13, and GS11 are calculated using results from flow-paced composites (Section 3.5). Loads at A3EFF are calculated using grab sample results and flow measurements from GS12 (collocated with A3EFF). Loads at SPIN and SPOUT are calculated using results from grab sampling related to this AMP objective and other treatment system optimization efforts. Arrows indicate general flow routing.

Abbreviation: kg = kilograms

Figure 61. Map Showing Calculated Average Annual Nitrate + Nitrite as Nitrogen Loads in North Walnut Creek Since January 2017

4.0 Analytical Data: Fourth Quarter CY 2023

Table 12, “Analytical Results for Water Samples,” is available at the end of this report.

Table 13, “Water Sampling Events: Fourth Quarter CY 2023,” is available at the end of this report.

5.0 References

CDPHE (Colorado Department of Public Health and Environment), DOE (U.S. Department of Energy), and EPA (U.S. Environmental Protection Agency), 2007. *Rocky Flats Legacy Management Agreement*, executed on March 14, Attachment 2 updated December 2018.

DOE (U.S. Department of Energy), 2011. *Rocky Flats Site, Colorado, Surface Water Configuration Environmental Assessment*, DOE/EA-1747, LMS/RFS/S06335, Office of Legacy Management, May.

DOE (U.S. Department of Energy), 2022. *Additional Field Implementation Detail for Selected Monitoring Objectives at the Rocky Flats Site, Colorado*, Rev. 4.0, LMS/RFS/S08202, Office of Legacy Management, September.

DOE (U.S. Department of Energy), 2023. *Surface Water Configuration Adaptive Management Plan for the Rocky Flats Site, Colorado*, Rev. 6.0, LMS/RFS/S07698, Office of Legacy Management, September.

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
00193	WL	10/18/23	RFS01-10.2310066-001	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	F	0.27		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	F	0.22		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	F	0.23		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	F	0.7		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	F	0.86		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	F	0.15		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	F	1.8		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	F	0.54		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	F	0.52		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	78-93-3	2-Butanone	N	6	ug/L	U	F	6		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	591-78-6	2-Hexanone	N	1.7	ug/L	U	F	1.7		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	F	0.98		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	67-64-1	Acetone	N	6.6	ug/L	U	F	6.6		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	71-43-2	Benzene	N	0.31	ug/L	U	F	0.31		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	108-86-1	Bromobenzene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	74-97-5	Bromochloromethane	N	0.6	ug/L	U	F	0.6		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-25-2	Bromoform	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	74-83-9	Bromomethane	N	2.4	ug/L	U	F	2.4		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	108-90-7	Chlorobenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	F	0.62		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-00-3	Chloroethane	N	1.4	ug/L	U	F	1.4		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	67-66-3	Chloroform	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	74-87-3	Chloromethane	N	0.75	ug/L	U	F	0.75		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	74-95-3	Dibromomethane	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	F	0.96		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	100-41-4	Ethylbenzene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-09-2	Methylene chloride	N	0.94	ug/L	U	F	0.94		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	91-20-3	Naphthalene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	F	0.48		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	F	0.53		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	F	0.43		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	F	0.45		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	100-42-5	Styrene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	108-88-3	Toluene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	1330-20-7	Total Xylenes	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	F	0.65		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	79-01-6	Trichloroethene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	7440-61-1	Uranium	Y	82	ug/L	U	F	0.03		FQ	G	STD
00193	WL	10/18/23	RFS01-10.2310066-001	75-01-4	Vinyl chloride	N	0.51	ug/L	U	F	0.51		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	F	0.58		FJQ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
4087	WL	10/17/23	RFS01-10.2310066-030	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	F	0.27		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	F	0.22		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	F	0.23		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	F	0.7		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	F	0.86		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	F	0.15		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	F	1.8		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	F	0.54		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	F	0.52		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	78-93-3	2-Butanone	N	6	ug/L	U	F	6		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	591-78-6	2-Hexanone	N	1.7	ug/L	U	F	1.7		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	F	0.98		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	67-64-1	Acetone	N	320	ug/L	U	F	6.6		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	71-43-2	Benzene	N	0.31	ug/L	U	F	0.31		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	108-86-1	Bromobenzene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	74-97-5	Bromochloromethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-25-2	Bromoform	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	74-83-9	Bromomethane	N	2.4	ug/L	U	F	2.4		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	108-90-7	Chlorobenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	F	0.62		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-00-3	Chloroethane	N	1.4	ug/L	U	F	1.4		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	67-66-3	Chloroform	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	74-87-3	Chloromethane	N	0.75	ug/L	U	F	0.75		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	74-95-3	Dibromomethane	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	F	0.96		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	100-41-4	Ethylbenzene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-09-2	Methylene chloride	N	0.94	ug/L	U	F	0.94		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	91-20-3	Naphthalene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	F	0.48		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	F	0.53		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	F	0.43		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	F	0.45		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	100-42-5	Styrene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	108-88-3	Toluene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	1330-20-7	Total Xylenes	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	F	0.65		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	79-01-6	Trichloroethene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	7440-61-1	Uranium	Y	20	ug/L	U	F	0.03		FQ	G	STD
4087	WL	10/17/23	RFS01-10.2310066-030	75-01-4	Vinyl chloride	N	0.51	ug/L	U	F	0.51		FJQ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	D	0.58		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	D	0.39		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	D	0.21		FJ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
10304	WL	10/17/23	RFS01-10.2310066-080	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	D	0.27		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	D	0.22		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	D	0.23		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	D	0.42		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	D	0.7		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	D	0.86		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	D	0.58		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	D	0.15		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	D	1.8		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	D	0.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	D	0.37		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	D	0.54		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	D	0.52		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	D	0.37		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	D	0.33		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	D	0.38		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	D	0.39		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	D	0.38		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	78-93-3	2-Butanone	N	6	ug/L	U	D	6		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	D	0.34		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	591-78-6	2-Hexanone	N	1.7	ug/L	U	D	1.7		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	D	0.21		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	D	0.98		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	67-84-1	Acetone	N	6.6	ug/L	U	D	6.6		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	71-43-2	Benzene	N	0.31	ug/L	U	D	0.31		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	108-86-1	Bromobenzene	N	0.4	ug/L	U	D	0.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	74-97-5	Bromochloromethane	N	0.4	ug/L	U	D	0.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	D	0.39		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-25-2	Bromoform	N	1.2	ug/L	U	D	1.2		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	74-83-9	Bromomethane	N	2.4	ug/L	U	D	2.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	D	0.63		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	D	0.57		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	108-90-7	Chlorobenzene	N	0.42	ug/L	U	D	0.42		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	D	0.62		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-00-3	Chloroethane	N	1.4	ug/L	U	D	1.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	67-66-3	Chloroform	N	0.36	ug/L	U	D	0.36		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	74-87-3	Chloromethane	N	0.75	ug/L	U	D	0.75		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	D	0.32		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	D	0.63		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	74-95-3	Dibromomethane	N	0.34	ug/L	U	D	0.34		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	D	0.96		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	100-41-4	Ethylbenzene	N	0.3	ug/L	U	D	0.3		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	D	1.2		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	D	0.36		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-09-2	Methylene chloride	N	0.94	ug/L	U	D	0.94		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	91-20-3	Naphthalene	N	0.63	ug/L	U	D	0.63		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	D	0.48		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	D	0.044		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	D	0.53		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	D	0.43		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	D	0.45		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	100-42-5	Styrene	N	0.36	ug/L	U	D	0.36		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	D	0.42		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	D	0.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	108-88-3	Toluene	N	0.32	ug/L	U	D	0.32		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	1330-20-7	Total Xylenes	N	0.33	ug/L	U	D	0.33		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	D	0.37		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	D	0.65		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	79-01-6	Trichloroethene	N	1.4	ug/L	U	D	0.3		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	D	0.57		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	7440-61-1	Uranium	Y	18	ug/L	U	D	0.03		F	G	STD
10304	WL	10/17/23	RFS01-10.2310066-080	75-01-4	Vinyl chloride	N	0.51	ug/L	U	D	0.51		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	F	0.58		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	F	0.39		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	F	0.21		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	F	0.27		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	F	0.22		FJ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
10304	WL	10/17/23	RFS01-10.2310066-010	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	F	0.23		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	F	0.42		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	F	0.7		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	F	0.86		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	F	0.58		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	F	0.15		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	F	1.8		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	F	0.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	F	0.37		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	F	0.54		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	F	0.52		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	F	0.37		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	F	0.33		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	F	0.39		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	78-93-3	2-Butanone	N	6	ug/L	U	F	6		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	F	0.34		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	591-78-6	2-Hexanone	N	1.7	ug/L	U	F	1.7		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	F	0.21		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	F	0.98		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	67-64-1	Acetone	N	6.6	ug/L	U	F	6.6		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	71-43-2	Benzene	N	0.31	ug/L	U	F	0.31		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	108-86-1	Bromobenzene	N	0.4	ug/L	U	F	0.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	74-97-5	Bromochloromethane	N	0.4	ug/L	U	F	0.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	F	0.39		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-25-2	Bromoform	N	1.2	ug/L	U	F	1.2		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	74-83-9	Bromomethane	N	2.4	ug/L	U	F	2.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	F	0.63		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	F	0.57		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	108-90-7	Chlorobenzene	N	0.42	ug/L	U	F	0.42		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	F	0.62		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-00-3	Chloroethane	N	1.4	ug/L	U	F	1.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	67-66-3	Chloroform	N	0.36	ug/L	U	F	0.36		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	74-87-3	Chloromethane	N	0.75	ug/L	U	F	0.75		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	F	0.32		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	F	0.63		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	74-95-3	Dibromomethane	N	0.34	ug/L	U	F	0.34		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	F	0.96		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	100-41-4	Ethylbenzene	N	0.3	ug/L	U	F	0.3		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	F	1.2		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	F	0.36		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-09-2	Methylene chloride	N	0.94	ug/L	U	F	0.94		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	91-20-3	Naphthalene	N	0.63	ug/L	U	F	0.63		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	F	0.48		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	F	0.53		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	F	0.43		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	F	0.45		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	100-42-5	Styrene	N	0.36	ug/L	U	F	0.36		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	F	0.42		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	F	0.4		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	108-88-3	Toluene	N	0.32	ug/L	U	F	0.32		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	1330-20-7	Total Xylenes	N	0.33	ug/L	U	F	0.33		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	F	0.37		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	F	0.65		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	79-01-6	Trichloroethene	N	2.1	ug/L	U	F	0.3		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	F	0.57		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	7440-61-1	Uranium	Y	17	ug/L	U	F	0.03		FJ	G	STD
10304	WL	10/17/23	RFS01-10.2310066-010	75-01-4	Vinyl chloride	N	0.51	ug/L	U	F	0.51		FJ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	F	0.27		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	F	0.22		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	F	0.23		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
10594	WL	10/17/23	RFS01-10.2310066-011	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	F	0.7		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	F	0.86		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	F	0.15		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	F	1.8		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	F	0.54		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	F	0.52		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	78-93-3	2-Butanone	N	6	ug/L	U	F	6		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	591-78-6	2-Hexanone	N	1.7	ug/L	U	F	1.7		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	F	0.98		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	67-64-1	Acetone	N	6.6	ug/L	U	F	6.6		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	71-43-2	Benzene	N	0.31	ug/L	U	F	0.31		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	108-86-1	Bromobenzene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	74-97-5	Bromochloromethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-25-2	Bromoform	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	74-83-9	Bromomethane	N	2.4	ug/L	U	F	2.4		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	108-90-7	Chlorobenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	F	0.62		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-00-3	Chloroethane	N	1.4	ug/L	U	F	1.4		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	67-66-3	Chloroform	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	74-87-3	Chloromethane	N	0.75	ug/L	U	F	0.75		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	74-95-3	Dibromomethane	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	F	0.96		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	100-41-4	Ethylbenzene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	87-88-3	Hexachlorobutadiene	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-09-2	Methylene chloride	N	0.94	ug/L	U	F	0.94		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	91-20-3	Naphthalene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	F	0.48		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	F	0.53		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	F	0.43		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	F	0.45		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	100-42-5	Styrene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	108-88-3	Toluene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	1330-20-7	Total Xylenes	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	F	0.65		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	79-01-6	Trichloroethene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	7440-61-1	Uranium	Y	110	ug/L	U	F	0.03		FJQ	G	STD
10594	WL	10/17/23	RFS01-10.2310066-011	75-01-4	Vinyl chloride	N	0.51	ug/L	U	F	0.51		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	F	0.27		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	F	0.22		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	F	0.23		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	F	0.7		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	F	0.86		FJQ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
11104	WL	10/17/23	RFS01-10.2310066-012	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	F	0.15		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	F	1.8		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	F	0.54		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	F	0.52		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	78-93-3	2-Butanone	N	6	ug/L	U	F	6		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	591-78-6	2-Hexanone	N	1.7	ug/L	U	F	1.7		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	F	0.98		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	67-64-1	Acetone	N	6.6	ug/L	U	F	6.6		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	71-43-2	Benzene	N	0.31	ug/L	U	F	0.31		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	108-86-1	Bromobenzene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	74-97-5	Bromochloromethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-25-2	Bromoform	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	74-83-9	Bromomethane	N	2.4	ug/L	U	F	2.4		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	108-90-7	Chlorobenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	F	0.62		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-00-3	Chloroethane	N	1.4	ug/L	U	F	1.4		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	67-66-3	Chloroform	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	74-87-3	Chloromethane	N	0.75	ug/L	U	F	0.75		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	74-95-3	Dibromomethane	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	F	0.96		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	100-41-4	Ethylbenzene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-09-2	Methylene chloride	N	0.94	ug/L	U	F	0.94		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	91-20-3	Naphthalene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	F	0.48		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	F	0.53		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	F	0.43		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	F	0.45		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	100-42-5	Styrene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	108-88-3	Toluene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	1330-20-7	Total Xylenes	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	F	0.65		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	79-01-6	Trichloroethene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	7440-61-1	Uranium	Y	33	ug/L	U	F	0.03		FQ	G	STD
11104	WL	10/17/23	RFS01-10.2310066-012	75-01-4	Vinyl chloride	N	0.51	ug/L	U	F	0.51		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	F	0.27		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	F	0.22		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	F	0.23		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	F	0.7		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	F	0.86		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	F	0.15		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	F	1.8		FJQ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
42505	WL	10/18/23	RFS01-10.2310066-031	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	F	0.54		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	F	0.52		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	78-93-3	2-Butanone	N	6	ug/L	U	F	6		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	591-78-6	2-Hexanone	N	1.7	ug/L	U	F	1.7		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	F	0.98		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	67-64-1	Acetone	N	6.6	ug/L	U	F	6.6		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	71-43-2	Benzene	N	0.31	ug/L	U	F	0.31		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	108-86-1	Bromobenzene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	74-97-5	Bromochloromethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-25-2	Bromoform	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	74-83-9	Bromomethane	N	2.4	ug/L	U	F	2.4		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	108-90-7	Chlorobenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	F	0.62		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-00-3	Chloroethane	N	1.4	ug/L	U	F	1.4		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	67-66-3	Chloroform	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	74-87-3	Chloromethane	N	0.75	ug/L	U	F	0.75		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	156-59-2	cis-1,2-Dichloroethene	N	0.41	ug/L	J	F	0.32		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	74-95-3	Dibromomethane	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	F	0.96		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	100-41-4	Ethylbenzene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-09-2	Methylene chloride	N	0.94	ug/L	U	F	0.94		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	91-20-3	Naphthalene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	F	0.48		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	F	0.53		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	F	0.43		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	F	0.45		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	100-42-5	Styrene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	108-88-3	Toluene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	1330-20-7	Total Xylenes	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	F	0.65		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	79-01-6	Trichloroethene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
42505	WL	10/18/23	RFS01-10.2310066-031	75-01-4	Vinyl chloride	N	0.51	ug/L	U	F	0.51		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	F	0.27		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	F	0.22		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	F	0.23		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	F	0.7		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	F	0.86		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	F	0.15		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	F	1.8		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	F	0.54		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	F	0.52		FJQ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
89104	WL	10/17/23	RFS01-10.2310066-049	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	78-93-3	2-Butanone	N	6	ug/L	U	F	6		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	591-78-6	2-Hexanone	N	1.7	ug/L	U	F	1.7		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	F	0.98		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	67-64-1	Acetone	N	6.6	ug/L	U	F	6.6		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	71-43-2	Benzene	N	0.31	ug/L	U	F	0.31		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	108-86-1	Bromobenzene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	74-97-5	Bromochloromethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-25-2	Bromoform	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	74-83-9	Bromomethane	N	2.4	ug/L	U	F	2.4		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	108-90-7	Chlorobenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	F	0.62		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-00-3	Chloroethane	N	1.4	ug/L	U	F	1.4		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	67-66-3	Chloroform	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	74-87-3	Chloromethane	N	0.75	ug/L	U	F	0.75		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	74-95-3	Dibromomethane	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	F	0.96		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	100-41-4	Ethylbenzene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-09-2	Methylene chloride	N	0.94	ug/L	U	F	0.94		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	91-20-3	Naphthalene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	F	0.48		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	F	0.53		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	F	0.43		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	F	0.45		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	100-42-5	Styrene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	108-88-3	Toluene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	1330-20-7	Total Xylenes	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	F	0.65		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	79-01-6	Trichloroethene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
89104	WL	10/17/23	RFS01-10.2310066-049	75-01-4	Vinyl chloride	N	0.51	ug/L	U	F	0.51		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	630-20-6	1,1,1,2-Tetrachloroethane	N	0.58	ug/L	U	D	0.58		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	71-55-6	1,1,1-Trichloroethane	N	0.39	ug/L	U	D	0.39		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	79-34-5	1,1,2,2-Tetrachloroethane	N	0.21	ug/L	U	D	0.21		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	F	0.27		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	79-00-5	1,1,2-Trichloroethane	N	0.27	ug/L	U	D	0.27		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	F	0.22		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-34-3	1,1-Dichloroethane	N	0.22	ug/L	U	D	0.22		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	F	0.23		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-35-4	1,1-Dichloroethene	N	0.23	ug/L	U	D	0.23		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	563-58-6	1,1-Dichloropropene	N	0.42	ug/L	U	D	0.42		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	F	0.7		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	87-61-6	1,2,3-Trichlorobenzene	N	0.7	ug/L	U	D	0.7		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	F	0.86		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	96-18-4	1,2,3-Trichloropropane	N	0.86	ug/L	U	D	0.86		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	F	0.58		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	120-82-1	1,2,4-Trichlorobenzene	N	0.58	ug/L	U	D	0.58		FJQ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
B206989	WL	10/17/23	RFS01-10.2310066-062	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	F	0.15		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	95-63-6	1,2,4-Trimethylbenzene	N	0.15	ug/L	U	D	0.15		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	F	1.8		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	96-12-8	1,2-Dibromo-3-chloropropane	N	1.8	ug/L	U	D	1.8		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	106-93-4	1,2-Dibromoethane	N	0.4	ug/L	U	D	0.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	95-50-1	1,2-Dichlorobenzene	N	0.37	ug/L	U	D	0.37		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	F	0.54		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	107-06-2	1,2-Dichloroethane	N	0.54	ug/L	U	D	0.54		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	F	0.52		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	78-87-5	1,2-Dichloropropane	N	0.52	ug/L	U	D	0.52		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	108-67-8	1,3,5-Trimethylbenzene	N	0.37	ug/L	U	D	0.37		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	541-73-1	1,3-Dichlorobenzene	N	0.33	ug/L	U	D	0.33		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	142-28-9	1,3-Dichloropropane	N	0.38	ug/L	U	D	0.38		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	106-46-7	1,4-Dichlorobenzene	N	0.39	ug/L	U	D	0.39		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	F	0.38		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	594-20-7	2,2-Dichloropropane	N	0.38	ug/L	U	D	0.38		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	78-93-3	2-Butanone	N	6	ug/L	U	F	6		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	78-93-3	2-Butanone	N	6	ug/L	U	D	6		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	95-49-8	2-Chlorotoluene	N	0.34	ug/L	U	D	0.34		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	591-78-6	2-Hexanone	N	1.7	ug/L	U	F	1.7		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	591-78-6	2-Hexanone	N	1.7	ug/L	U	D	1.7		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	F	0.21		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	106-43-4	4-Chlorotoluene	N	0.21	ug/L	U	D	0.21		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	F	0.98		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	108-10-1	4-Methyl-2-Pentanone	N	0.98	ug/L	U	D	0.98		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	67-64-1	Acetone	N	6.6	ug/L	U	F	6.6		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	67-64-1	Acetone	N	6.6	ug/L	U	D	6.6		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	71-43-2	Benzene	N	0.31	ug/L	U	F	0.31		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	71-43-2	Benzene	N	0.31	ug/L	U	D	0.31		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	108-86-1	Bromobenzene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	108-86-1	Bromobenzene	N	0.4	ug/L	U	D	0.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	74-97-5	Bromochloromethane	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	74-97-5	Bromochloromethane	N	0.4	ug/L	U	D	0.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	F	0.39		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-27-4	Bromodichloromethane	N	0.39	ug/L	U	D	0.39		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-25-2	Bromoform	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-25-2	Bromoform	N	1.2	ug/L	U	D	1.2		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	74-83-9	Bromomethane	N	2.4	ug/L	U	F	2.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	74-83-9	Bromomethane	N	2.4	ug/L	U	D	2.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-15-0	Carbon Disulfide	N	0.63	ug/L	U	D	0.63		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	56-23-5	Carbon tetrachloride	N	0.57	ug/L	U	D	0.57		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	108-90-7	Chlorobenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	108-90-7	Chlorobenzene	N	0.42	ug/L	U	D	0.42		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	F	0.62		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	124-48-1	Chlorodibromomethane	N	0.62	ug/L	U	D	0.62		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-00-3	Chloroethane	N	1.4	ug/L	U	F	1.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-00-3	Chloroethane	N	1.4	ug/L	U	D	1.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	67-66-3	Chloroform	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	67-66-3	Chloroform	N	0.36	ug/L	U	D	0.36		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	74-87-3	Chloromethane	N	0.75	ug/L	U	F	0.75		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	74-87-3	Chloromethane	N	0.75	ug/L	U	D	0.75		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	156-59-2	cis-1,2-Dichloroethene	N	0.32	ug/L	U	D	0.32		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	10061-01-5	cis-1,3-Dichloropropene	N	0.63	ug/L	U	D	0.63		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	74-95-3	Dibromomethane	N	0.34	ug/L	U	F	0.34		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	74-95-3	Dibromomethane	N	0.34	ug/L	U	D	0.34		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	F	0.96		FJQ	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
B206989	WL	10/17/23	RFS01-10.2310066-082	75-71-8	Dichlorodifluoromethane	N	0.96	ug/L	U	D	0.96		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	100-41-4	Ethylbenzene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	100-41-4	Ethylbenzene	N	0.3	ug/L	U	D	0.3		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	F	1.2		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	87-68-3	Hexachlorobutadiene	N	1.2	ug/L	U	D	1.2		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	98-82-8	Isopropylbenzene	N	0.36	ug/L	U	D	0.36		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-09-2	Methylene chloride	N	0.94	ug/L	U	F	0.94		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-09-2	Methylene chloride	N	0.94	ug/L	U	D	0.94		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	91-20-3	Naphthalene	N	0.63	ug/L	U	F	0.63		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	91-20-3	Naphthalene	N	0.63	ug/L	U	D	0.63		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	F	0.48		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	104-51-8	n-Butylbenzene	N	0.48	ug/L	U	D	0.48		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	5.1	mg/L		F	0.088		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	5	mg/L		D	0.044		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	F	0.53		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	103-65-1	n-Propylbenzene	N	0.53	ug/L	U	D	0.53		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	F	0.43		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	99-87-6	p-Isopropyltoluene	N	0.43	ug/L	U	D	0.43		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	F	0.45		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	135-98-8	sec-Butylbenzene	N	0.45	ug/L	U	D	0.45		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	100-42-5	Styrene	N	0.36	ug/L	U	F	0.36		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	100-42-5	Styrene	N	0.36	ug/L	U	D	0.36		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	F	0.42		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	98-06-6	tert-Butylbenzene	N	0.42	ug/L	U	D	0.42		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	F	0.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	127-18-4	Tetrachloroethene	N	0.4	ug/L	U	D	0.4		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	108-88-3	Toluene	N	0.32	ug/L	U	F	0.32		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	108-88-3	Toluene	N	0.32	ug/L	U	D	0.32		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	1330-20-7	Total Xylenes	N	0.33	ug/L	U	F	0.33		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	1330-20-7	Total Xylenes	N	0.33	ug/L	U	D	0.33		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	F	0.37		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	156-60-5	trans-1,2-Dichloroethene	N	0.37	ug/L	U	D	0.37		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	F	0.65		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	10061-02-6	trans-1,3-dichloropropene	N	0.65	ug/L	U	D	0.65		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	79-01-6	Trichloroethene	N	0.3	ug/L	U	F	0.3		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	79-01-6	Trichloroethene	N	0.3	ug/L	U	D	0.3		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	F	0.57		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-69-4	Trichlorofluoromethane	N	0.57	ug/L	U	D	0.57		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	7440-61-1	Uranium	Y	100	ug/L		F	0.03		FQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	7440-61-1	Uranium	Y	110	ug/L		D	0.03		FQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-062	75-01-4	Vinyl chloride	N	0.51	ug/L	U	F	0.51		FJQ	G	STD
B206989	WL	10/17/23	RFS01-10.2310066-082	75-01-4	Vinyl chloride	N	0.51	ug/L	U	D	0.51		FJQ	G	STD
GS10	SL	8/30/23	RFS01-04.2308119-011	7440-61-1	Uranium	N	29	ug/L	*	F	0.03		G	G	STD
GS10	SL	11/28/23	RFS01-04.2311124-011	7440-61-1	Uranium	N	25	ug/L		F	0.03		G	G	STD
GS31	SL	6/29/23	RFS01-13.2401107-002	14596-10-2	Americium-241	N	0.00445	pCi/L	HU	D		0.00976	C	C	GEN
GS31	SL	6/29/23	RFS01-13.2401107-010	14596-10-2	Americium-241	N	0.00579	pCi/L	HU	F		0.00657	C	C	GEN
GS31	SL	6/29/23	RFS01-13.2401107-002	13981-16-3	Plutonium-238	N	0.0117	pCi/L	HU	D		0.00849	C	C	GEN
GS31	SL	6/29/23	RFS01-13.2401107-010	13981-16-3	Plutonium-238	N	0.00474	pCi/L	HU	F		0.00736	C	C	GEN
GS31	SL	6/29/23	RFS01-13.2401107-002	PU-239,240	Plutonium-239, 240	N	0.0103	pCi/L	HU	D		0.00952	C	C	GEN
GS31	SL	6/29/23	RFS01-13.2401107-010	PU-239,240	Plutonium-239, 240	N	0.00944	pCi/L	HU	F		0.00984	C	C	GEN
GS31	SL	6/29/23	RFS01-13.2401107-002	7440-61-1	Uranium	N	9.27	ug/L	H	D	0.067		C	C	GEN
GS31	SL	6/29/23	RFS01-13.2401107-010	7440-61-1	Uranium	N	9.18	ug/L	H	F	0.067		C	C	GEN
SPOUT	TS	8/14/23	RFS01-04.2308118-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.14	mg/L		F	0.044		J	G	STD
SPOUT	TS	8/30/23	RFS01-04.2308119-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.064	mg/L		F	0.044		G	G	STD
SPOUT	TS	8/30/23	RFS01-04.2308119-015	7440-61-1	Uranium	N	58	ug/L	*	F	0.03		G	G	STD
SPOUT	TS	9/18/23	RFS01-04.2309120-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.047	mg/L	J	F	0.044		G	G	STD
SPOUT	TS	9/28/23	RFS01-04.2309121-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.047	mg/L	J	F	0.044		G	G	STD
SPOUT	TS	9/28/23	RFS01-04.2309121-015	7440-61-1	Uranium	N	76	ug/L		F	0.03		G	G	STD
SPOUT	TS	10/16/23	RFS01-04.2310122-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044		G	G	STD
SPOUT	TS	10/17/23	RFS01-10.2310066-075	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.083	mg/L		F	0.044		J	G	STD
SPOUT	TS	10/17/23	RFS01-10.2310066-085	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.078	mg/L		D	0.044		J	G	STD
SPOUT	TS	10/17/23	RFS01-10.2310066-075	7440-61-1	Uranium	N	40	ug/L	W	F	0.03		J	G	STD
SPOUT	TS	10/17/23	RFS01-10.2310066-085	7440-61-1	Uranium	N	58	ug/L		D	0.03		J	G	STD
SPOUT	TS	10/26/23	RFS01-04.2310123-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.045	mg/L	J	F	0.044		G	G	STD
SPOUT	TS	10/26/23	RFS01-04.2310123-015	7440-61-1	Uranium	N	46	ug/L		F	0.03		G	G	STD
SPOUT	TS	11/14/23	RFS01-06.2311028-013	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044		G	G	STD

Table 12. Analytical Results for Water Samples

LOCATION CODE	LOCATION TYPE	DATE SAMPLED	SAMPLE CODE	CAS Registry Number	ANALYTE	FILTRATION STATUS	RESULT	UNITS	LAB QUALIFIERS	SAMPLE TYPE	DETECTION LIMIT	UNCERTAINTY	DATA VALIDATION QUALIFIERS	COLLECTION METHOD	LAB CODE
SPOUT	TS	11/28/23	RFS01-04.2311124-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044			G	STD
SPOUT	TS	11/28/23	RFS01-04.2311124-015	7440-61-1	Uranium	N	53	ug/L		F	0.03		J	G	STD
SPOUT	TS	12/18/23	RFS01-04.2312125-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.66	mg/L		F	0.044			G	STD
SPOUT	TS	12/29/23	RFS01-04.2401126-015	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.045	mg/L	J	F	0.044			G	STD
SPOUT	TS	12/29/23	RFS01-04.2401126-015	7440-61-1	Uranium	N	49	ug/L		F	0.03			G	STD
SW093	SL	8/30/23	RFS01-04.2308119-016	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044			G	STD
SW093	SL	8/30/23	RFS01-04.2308119-016	7440-61-1	Uranium	N	7.6	ug/L	*	F	0.03			G	STD
SW093	SL	10/16/23	RFS01-04.2310122-016	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044			G	STD
SW093	SL	10/26/23	RFS01-04.2310123-016	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.044	mg/L	U	F	0.044			G	STD
SW093	SL	10/26/23	RFS01-04.2310123-016	7440-61-1	Uranium	N	4	ug/L	W	F	0.03		J	G	STD
SW093	SL	11/14/23	RFS01-06.2311028-014	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.11	mg/L		F	0.044			G	STD
SW093	SL	11/28/23	RFS01-04.2311124-016	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.45	mg/L		F	0.044			G	STD
SW093	SL	11/28/23	RFS01-04.2311124-016	7440-61-1	Uranium	N	7.9	ug/L		F	0.03			G	STD
SW093	SL	12/18/23	RFS01-04.2312125-016	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	0.063	mg/L		F	0.044			G	STD
SW093	SL	12/29/23	RFS01-04.2401126-016	NO3+NO2 AS N	Nitrate + Nitrite as Nitrogen	N	1.4	mg/L		F	0.044			G	STD
SW093	SL	12/29/23	RFS01-04.2401126-016	7440-61-1	Uranium	N	9.4	ug/L		F	0.03			G	STD
WOMPOC	SL	7/17/23	RFS01-13.2311104-001	14596-10-2	Americium-241	N	0.00226	pCi/L	U	D		0.00626		C	GEN
WOMPOC	SL	7/17/23	RFS01-13.2311104-017	14596-10-2	Americium-241	N	0.00389	pCi/L	U	F		0.0101		C	GEN
WOMPOC	SL	7/17/23	RFS01-13.2311104-001	13981-16-3	Plutonium-238	N	0.00644	pCi/L	U	D		0.00731		C	GEN
WOMPOC	SL	7/17/23	RFS01-13.2311104-017	13981-16-3	Plutonium-238	N	0.00235	pCi/L	U	F		0.00728		C	GEN
WOMPOC	SL	7/17/23	RFS01-13.2311104-001	PU-239,240	Plutonium-239, 240	N	0.0129	pCi/L	U	D		0.00896		C	GEN
WOMPOC	SL	7/17/23	RFS01-13.2311104-017	PU-239,240	Plutonium-239, 240	N	0.0082	pCi/L	U	F		0.00764		C	GEN
WOMPOC	SL	7/17/23	RFS01-13.2311104-001	7440-61-1	Uranium	N	2.76	ug/L		D	0.067			C	GEN
WOMPOC	SL	7/17/23	RFS01-13.2311104-017	7440-61-1	Uranium	N	2.78	ug/L		F	0.067			C	GEN
WOMPOC	SL	11/6/23	RFS01-13.2312105-017	14596-10-2	Americium-241	N	0.00669	pCi/L	U	F		0.0076		C	GEN
WOMPOC	SL	11/6/23	RFS01-13.2312105-017	13981-16-3	Plutonium-238	N	-0.0032	pCi/L	U	F		0.00468		C	GEN
WOMPOC	SL	11/6/23	RFS01-13.2312105-017	PU-239,240	Plutonium-239, 240	N	0.00213	pCi/L	U	F		0.00512		C	GEN
WOMPOC	SL	11/6/23	RFS01-13.2312105-017	7440-61-1	Uranium	N	1.66	ug/L		F	0.067			C	GEN
WOMPOC	SL	12/4/23	RFS01-13.2401107-018	14596-10-2	Americium-241	N	0.00603	pCi/L	U	F		0.0056		C	GEN
WOMPOC	SL	12/4/23	RFS01-13.2401107-018	13981-16-3	Plutonium-238	N	0.0113	pCi/L	U	F		0.00956		C	GEN
WOMPOC	SL	12/4/23	RFS01-13.2401107-018	PU-239,240	Plutonium-239, 240	N	0.00125	pCi/L	U	F		0.00951		C	GEN
WOMPOC	SL	12/4/23	RFS01-13.2401107-018	7440-61-1	Uranium	N	1.89	ug/L		F	0.067			C	GEN

EXPLANATION

FILTRATION STATUS

N = Sample was not filtered.
Y = Sample was filtered.

UNITS

mg/L: ppm = milligrams per liter
pCi/L = picocuries per liter
ug/L = micrograms per liter
C = degrees celsius
mS/cm = milliSiemens per centimeter
NTU = normal turbidity units
s.u. = standard pH units
uS/cm = microSiemens per centimeter
umhos/cm = microSiemens per centimeter

SAMPLE_TYPE

F = Field Sample
D = Duplicate

DATA_VALIDATION_QUALIFIERS

<blank> No qualifiers needed for result.
F
G
J
L
Q
R
U
X
999 Validation not complete

LAB_QUALIFIERS

<blank> No qualifiers needed for result.
* Replicate analysis not within control limits.
+ Correlation coefficient for MSA < 0.995.
> Result above upper detection limit.
A TIC is a suspected aldol-condensation product.
B Inorganic: Result is between the IDL and CRDL. Organic & Radiochemistry: Analyte also found in method blank.
C Pesticide result confirmed by GC-MS.
D Analyte determined in diluted sample.
E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
H Holding time expired, value suspect.
I Increased detection limit due to required dilution.
J Estimated
M GFAA duplicate injection precision not met.
N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
P > 25% difference in detected pesticide or Arochlor concentrations between 2 columns.
S Result determined by method of standard addition (MSA).
U Analytical result below detection limit.
W Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
X Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
Y Laboratory defined (USEPA CLP organic) qualifier, see case narrative.
Z Laboratory defined (USEPA CLP organic) qualifier, see case narrative.

LOCATION_TYPE

SL SURFACE LOCATION
TS TREATMENT SYSTEM
WL WELL

LAB_CODE

GEN Gel Laboratories
STD Test America

COLLECTION_METHOD

G Grab
C Composite

Table 13. Water Sampling Events: Fourth Quarter CY 2023

Location Code	Sampling Dates		Sample Info			Analytes					Sample Tracking Info
	Start	End	Collection Method	Type	Filtered	VOC	U	Nitrate	Pu/Am	TSS	Sample ID
SPOUT	8/14/2023 12:25	8/14/2023 12:25	grab	F	No			X			RFS01-04.2308118-015
SW093	8/30/2023 11:50	8/30/2023 11:50	grab	F	No		X	X			RFS01-04.2308119-016
SPOUT	8/30/2023 12:05	8/30/2023 12:05	grab	F	No		X	X			RFS01-04.2308119-015
GS10	8/30/2023 12:45	8/30/2023 12:45	grab	F	No		X				RFS01-04.2308119-011
SPOUT	9/18/2023 11:57	9/18/2023 11:57	grab	F	No			X			RFS01-04.2309120-015
SPOUT	9/28/2023 11:55	9/28/2023 11:55	grab	F	No		X	X			RFS01-04.2309121-015
SW093	10/16/2023 11:42	10/16/2023 11:42	grab	F	No			X			RFS01-04.2310122-016
SPOUT	10/16/2023 11:56	10/16/2023 11:56	grab	F	No			X			RFS01-04.2310122-015
10304	10/17/2023 8:30	10/17/2023 8:30	grab	D	Yes		X				RFS01-10.2310066-080
10304	10/17/2023 8:30	10/17/2023 8:30	grab	D	No	X		X			RFS01-10.2310066-080
B206989	10/17/2023 9:10	10/17/2023 9:10	grab	F	Yes		X				RFS01-10.2310066-062
B206989	10/17/2023 9:10	10/17/2023 9:10	grab	F	No	X		X			RFS01-10.2310066-062
B206989	10/17/2023 9:10	10/17/2023 9:10	grab	D	Yes		X				RFS01-10.2310066-082
B206989	10/17/2023 9:10	10/17/2023 9:10	grab	D	No	X		X			RFS01-10.2310066-082
4087	10/17/2023 9:45	10/17/2023 9:45	grab	F	Yes		X				RFS01-10.2310066-030
4087	10/17/2023 9:45	10/17/2023 9:45	grab	F	No	X		X			RFS01-10.2310066-030
10594	10/17/2023 10:25	10/17/2023 10:25	grab	F	Yes		X				RFS01-10.2310066-011
10594	10/17/2023 10:25	10/17/2023 10:25	grab	F	No	X		X			RFS01-10.2310066-011
11104	10/17/2023 11:15	10/17/2023 11:15	grab	F	Yes		X				RFS01-10.2310066-012
11104	10/17/2023 11:15	10/17/2023 11:15	grab	F	No	X					RFS01-10.2310066-012
SPOUT	10/17/2023 13:40	10/17/2023 13:40	grab	F	No		X	X			RFS01-10.2310066-075
SPOUT	10/17/2023 13:40	10/17/2023 13:40	grab	D	No		X	X			RFS01-10.2310066-085
10304	10/17/2023 13:55	10/17/2023 13:55	grab	F	Yes			X			RFS01-10.2310066-010
10304	10/17/2023 13:55	10/17/2023 13:55	grab	F	No	X		X			RFS01-10.2310066-010
89104	10/17/2023 14:25	10/17/2023 14:25	grab	F	No	X					RFS01-10.2310066-049
00193	10/18/2023 9:50	10/18/2023 9:50	grab	F	Yes		X				RFS01-10.2310066-001
00193	10/18/2023 9:50	10/18/2023 9:50	grab	F	No	X					RFS01-10.2310066-001
42505	10/18/2023 13:45	10/18/2023 13:45	grab	F	No	X					RFS01-10.2310066-031
SW093	10/26/2023 11:14	10/26/2023 11:14	grab	F	No		X	X			RFS01-04.2310123-016
SPOUT	10/26/2023 11:25	10/26/2023 11:25	grab	F	No		X	X			RFS01-04.2310123-015
WOMPOC	7/17/2023 11:22	11/6/2023 12:55	composite	D	No		X		X		RFS01-13.2311104-001
WOMPOC	7/17/2023 11:22	11/6/2023 12:55	composite	F	No		X		X		RFS01-13.2311104-017
SW093	11/14/2023 13:20	11/14/2023 13:20	grab	F	No			X			RFS01-06.2311028-014
SPOUT	11/14/2023 13:25	11/14/2023 13:25	grab	F	No			X			RFS01-06.2311028-013
GS10	11/28/2023 10:42	11/28/2023 10:42	grab	F	No		X				RFS01-04.2311124-011
SW093	11/28/2023 11:52	11/28/2023 11:52	grab	F	No		X	X			RFS01-04.2311124-016
SPOUT	11/28/2023 12:05	11/28/2023 12:05	grab	F	No		X	X			RFS01-04.2311124-015
WOMPOC	11/6/2023 12:55	12/4/2023 11:09	composite	F	No		X		X		RFS01-13.2312105-017
SW093	12/18/2023 11:31	12/18/2023 11:31	grab	F	No			X			RFS01-04.2312125-016
SPOUT	12/18/2023 11:45	12/18/2023 11:45	grab	F	No			X			RFS01-04.2312125-015
SW093	12/29/2023 12:25	12/29/2023 12:25	grab	F	No		X	X			RFS01-04.2401126-016
SPOUT	12/29/2023 12:30	12/29/2023 12:30	grab	F	No		X	X			RFS01-04.2401126-015
GS10	12/29/2023 13:30	12/29/2023 13:30	grab	F	No		X				RFS01-04.2401126-011
WOMPOC	12/4/2023 11:09	1/2/2024 11:29	composite	F	No		X		X		RFS01-13.2401107-018
GS31	6/29/2023 10:51	1/2/2024 11:47	composite	F	No		X		X		RFS01-13.2401107-010
GS31	6/29/2023 10:51	1/2/2024 11:47	composite	D	No		X		X		RFS01-13.2401107-002

FILTRATION STATUS

No = Sample was not filtered.
Yes = Sample was filtered.

SAMPLE_TYPE

F = Field Sample
D = Duplicate

ANALYTES

VOC = volatile organic compound
U = uranium
Pu/Am = plutonium and americium
TSS = total suspended solids