ORRES CONTROL
OUTGOING LTR NO

91 RF 9487

DIST	LTR	ENC
ENJAMIN, A		
ERMAN, H.S.		
RETZKE, J C		
URLINGAME, A H		
OPP, R.D		
ROUCHER, D W		
AVIS J G		
VERED J E	X	
ERRERA, D W		
RANCIS, G.E.	X	
OODWIN, R.		
ANNI, B J		
ARMAN I K		
EALY, T.J.		
EKER, E.H.		
ENS, J P		
ERSH J M	X	
IRBY, W A.		
UESTER, A.W.		
RIEG, D		
EE, F.M.	X	
AJESTIC, J R		
ARX, G E		
EURRENS, B.E		
ORGAN R V	X	
OTTER, G L	X	
ZZUTO V.M.		
AFFELL R.F.		
ANDLIN N.R.		
HEPLER L.R.		
WANSON, E.R		
IEBE, J.S.		
ILKINSON R B	X	
ILSON, J M		
OUNG E R		
ANE J O		
Ilnott, F H		
oades, JT	X	
emison, EA	X	
RT	X	
Hachek LR	X	
PS	X	
MB	X	
AL	X	
WM Tracking	X	
ORRES CONTROL	x	x
AFFIC		

CLASSIFICATION

JCLI		
CLASSIFIED	Yes	
ONFIDENTIAL		
ECRET		

THORIZED CLASSIFIER
SIGNATURE
D Swan
12-24-91
TE
1/3/92

REPLY TO LTR NO
2-RF 91

TP APPROVALS
SB
JEC
& TYPIST INITIALS
RTO/dmT
7079
-6-89 (Rev 10/91)

EG&G ROCKY FLATS

EG&G ROCKY FLATS, INC
ROCKY FLATS PLANT, P O BOX 464, GOLDEN, COLORADO 80402-0464 (303) 966 7000

January 3, 1992

000028276

91-RF-9487

Robert M Nelson, Jr
Manager
DOE, RFO

Attn F R Lockhart

CLOSURE REQUIREMENTS FOR IHSS's 206 AND 208 (INACTIVE D-836 HAZARDOUS WASTE TANK AND INACTIVE 444/447 WASTE STORAGE AREA, RESPECTIVELY) - JMK-1013-91

Ref D P Simonson ltr (10691) to J M Kersh, Closure Plans for IHSS's 206 (Inactive D-836 Hazardous Waste Tank) and 208 (Inactive 444/447 Waste Storage Area), December 10, 1991

EG&G Rocky Flats, Inc is in receipt of your letter dated December 10, 1991 regarding the closure of Individual Hazardous Substance Sites (IHSS's) 206 and 208 within Operable Unit No 10 (OU 10) The RCRA Subtitle C closure requirements, in accordance with 40 CFR, Part 265, Subpart G, for IHSS's 206 and 208 are fully addressed in the Rocky Flats Plant Interagency Agreement (IAG) signed by the Department of Energy (DOE), the Environmental Protection Agency (EPA) and the Colorado Department of Health (CDH) on January 22, 1991 In addition, the IAG has been incorporated into the RFP RCRA Operating Permit Corrective Action Section, thus, all applicable RCRA closure requirements have been, or will be, complied with in accordance with the IAG and/or RFP Permit

The IAG Statement of Work indicates that the Phase I Interim Measure/Interim Remedial Action (IM/IRA) Decision Document will provide the information required to recommend an alternative consistent with the state's closure regulations Also, the IAG states "DOE shall concurrently open a public comment period for the Proposed IM/IRA Decision Document to satisfy the public comment requirements for draft closure plans EG&G believes the IAG has been structured to fulfill all 40 CFR Part 265 Subpart G requirements or the equivalent of the Colorado Hazardous Waste Act (CHWA) requirements for OUs 4, 7, 9, 10, 11 and 15

If you have any questions regarding this matter, please contact R T Ogg of the Remediation Programs Division at extension 7079 or A L Schubert of the Permitting and Compliance Division at extension 5251

Jack E Kersh

J M Kersh, Associate General Manager
Environmental and Waste Management

RTO dmf

Orig and 1 cc - R M Nelson, Jr