PRELIMINARY SURVEY OF BETHLEHEM STEEL LACKAWANNA, NEW YORK

NY.2-4

Work performed by the Health and Safety Research Division Oak Ridge National Laboratory Oak Ridge, Tennessee 37830

March 1980

OAK RIDGE NATIONAL LABORATORY operated by UNION CARBIDE CORPORATION for the DEPARTMENT OF ENERGY as part of the Formerly Utilized Sites--Remedial Action Program

BETHLEHEM STEEL LACKAWANNA, NEW YORK

At the request of the Department of Energy (DOE, then ERDA), a preliminary survey was performed at the Bethlehem Steel Corporation's plant in Lackawanna, New York (see Fig. 1), on August 26, 1976, to assess the radiological status of those facilities utilized under Atomic Energy Commission (AEC) contract during the period 1949 through 1951. Anthony LaMastra of Bethlehem Steel, who was in charge of radiation safety, provided information about the project, and John Baker assisted in conducting a tour of facilities. R. H. Custer, who was employed at the plant at the time of the project, also provided useful information about the project.

From discussion and review of correspondence related to the project, it appears that the AEC awarded a contract to Bethlehem Steel Corporation in 1949 to develop mill pass schedules for the rolling of natural uranium billets into 3.8-cm rods. The rods were to be used as reactor fuel. The billets were produced and received by rail car from Mallinckrodt Chemical of St. Louis, Missouri. Rolling operations involving uranium were conducted only on weekends due to work commitments at the mill during the weekdays. Rail cars containing billets were believed to have been spotted inside the plant and served as storage for the uranium during the weekdays. These billets were then processed into 3.8-cm-diam rods, cropped and packaged in bundles to reduce bending damage, and shipped. Apparently, all scale, residue, and cropped ends were collected and fine debris was vacuumed as the mills were prepared for other work each week. Even though it appears that AEC personnel were present during the rolling operations, and radiological surveys were conducted, no records are available presently.

Present Use of Facilities

The 25.4-cm rolling mill used in contract work continues to be used for metal rolling operations. Any other ancillary equipment which may have been associated with the project was not located during the survey.

Results of Preliminary Survey

The preliminary survey was conducted by H. W. Dickson of the Oak Ridge National Laboratory and W. T. Thornton of the DOE/Oak Ridge Operations Office. A survey of the 25.4-cm mill and areas surrounding the mill was performed. The survey consisted of direct measurements of alpha activity and beta-gamma dose-rate levels on surfaces. Measurements were made with portable alpha scintillator and Geiger-Mueller survey instruments. All measurements taken at this site resulted in radiation levels that were within typical background levels. Additionally, on May 11, 1976, Anthony LaMastra of Bethlehem Steel Corporation (a health physicist) performed a radiological survey for removable radioactive contamination from the same locations. The results of that survey are contained in the attached report. It was concluded that levels of radioactivity at the Bethlehem Steel plant in Lackawanna, New York, are within available guidelines for unrestricted use and no further DOE survey is recommended.



Fig. 1. Location of the Bethlehem Steel site in Lackawanna, New York.



E CORRESPONDENCE

FTHLEHEM STEEL

June 29, 1976

3/14/11

Seal , Ens. H. Wish

FILE REF.

FROM A. LaMastra, Radiation Control Engineer

TO D. L. Webster, Chief Environmental Health Engineer

SUBJECT INVESTIGATION REPORT: URANIUM METAL ROLLING, 10" BAR MILL, LACKAWANNA PLANT

General Information

On May 7, 1976 an article appeared in the <u>Buffalo Courier Express</u> listing Bethlehem Steel Corporation's Lackawanna Plant as one of several facilities which handled radioactive material for the U. S. Atomic Energy Commission (AEC) during the late 1940's and early 1950's. The U. S. Energy Research and Development Administration (ERDA), formerly the research and development arm of the AEC, had developed a list of 49 sites for which only incomplete records existed. Lackawanna was one of the 49 sites. The initial story was reported by the <u>Washington Star</u> and subsequently picked up by the Buffalo paper. The report in the Star indicated that Federal experts were surveying for possible contamination from lax handling methods, for material possibly buried at the sites, and for possible spreading to other sites.

An investigation by this Division was begun on May 10 along several independent avenues. The following is a summary of the information and recollections we have been able to assemble from Lackawanna Plant employees, from a letter from ERDA (Oak Ridge Operations, letter attached herewith), and from an extensive contamination survey of the 10" Bar Mill.

In 1949, the U. S. AEC was developing mill pass schedules for the rolling of natural uranium billets produced by Mallinckrodt Chemical, St. Louis, Missouri, into $1\frac{1}{2}$ -inch rods. The rods were to be used as fuel rods in nuclear reactors. The AEC gave a contract to Bethlehem Steel to develop the necessary pass schedules. All work was completed between 1949 and 1951. The information gained at Lackawanna was used by the AEC in designing a rolling mill at the National Lead Company plant in Fernald, Ohio which began production in 1953.

All developmental work at Lackawanna was limited to weekends. Shipments were received from Mallinckrodt during the week and stored at the mill building. Following rolling, the rods were packaged in bundles and shipped to the AEC. No definitive records of the operations have been found either in former AEC files or at Lackawanna or in Corporate files. According to comments received from National Lead personnel, from a former superintendent of the 10 and 12-inch Bar Mill at Lackawanna, and from ERDA, the Lackawanna rolling was considered "clean". Scale, residue and cropped ends were collected and fine debris was vacuumed. AEC personnel were in attendance during all rolling operations and reportedly performed air and surface radioactive monitoring. It was also indicated that the AEC checked the personnel involved in the rolling for any contamination. (No records are available of this. If records ever did exist, they have not been retained by ERDA.) On May 11, 56 locations on the 10-inch Bar Mill and associated equipment were tested for radioactive contamination using dry wipes. On May 17, 12 additional rolls for the 10-inch mill, some of which are believed to date back to the time of subject rolling, were found and wiped. All samples were analyzed for both alpha and beta radiation using an internal gas flow proportional counter. No radioactive contamination above natural background was found on any wipe.

Results and Conclusions

- 1. Although there is a lack of past monitoring records and most of the available information is from the recollection of persons involved, it does not appear that a significant health hazard from radioactivity existed at Lackawanna at any time during or following this project.
- 2. The high monetary value and the military use of the uranium would result in a high degree of accountability. This would substantiate the extensive clean-up measures taken during the rolling operations.
- 3. In an intensive survey made subsequent to the news item, no radioactive contamination was found in the mill used during the project.
- 4. No records have been discovered which describe health physics activities performed during the project. Further inquiry is being made to the U. S. Nuclear Regulatory Commission's New York Office.
- 5. In summary, there is no evidence to indicate that handling and cleanup methods were lax during the Lackawanna rolling operation, that there is any of the uranium buried on Lackawanna property or in the Buffalo area as a result of the rolling operation, or that there was a spread of contamination to any areas. There is no evidence to indicate that any person has ever been significantly exposed to radiation from this operation. All evidence found thus far indicates that there is no hazard at this operation from radioactive materials.

a. La Mastra

A. LaMastra

AL:ws

			10 A A		
	NODEL	SERIAL	1	AMOUNT	LOCATION
DEVICE	NO.	NO.	TopE	Hei	
1 - 20	21-27	28-33	34-38	39-45	46-6
3.5 MITI WITH I HIBIDI IEISITI IENID					41101 BIARI MILLL
UNIDIRI INITHI HIBIDI IMISITI IENID					
HOIRITH HIBDI BEST END				<u> </u>	
		1 1 1 1 1		<u> </u>	
VORTH HIBD EAST IEWD					
MORITH HABD CLENITER SEC		1 1 1 1 1			4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
9) iš :: 3 7 7 1 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
GOUTH HBD WEST END					
1 1 ¹¹ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1			
LITIAINIDI IBIVI ISITIAINIDI HIIIBI I		, , , <u>, ,</u> ,			
		1 1 1 1 1			
BASIEIMIEINITI ISITIAINDI HILIBI					
					11 12 17 17 17 17 17 17 17 17 17 17 17 17 17
HILLE FLOODE HILLS STAND					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					
TTAINH RID STAND + 14					
MINUS EUDOR HUUS STEAM					
STAND, BUILSTIAND, #1151					
RASE MENT STRANG					
A L. L. L. L. A. D. P. H. L. S. S. T. N. N.					
					R 47 s4
					<u> </u>
	<mark>┟╌┨╶╿╶┞</mark> ╸┨╶┦╴┥╸┥ ┨				
			$\underline{1} \underline{1} \underline{1} \underline{1} \underline{1} \underline{1}$		

ECCRO

CARD 2

N)	TEST	Ť	PRALYSIS	4	c	BKGD	BT	SAMPLE	ST	E F
	DATE	r (j S y	DATE	11 X L Y	5		64	COUNT	HI PM	F
		Г		3		COUNT	DE	2.1	L 15	Ċ
	1-8	9 10	11-18	19-20	21	12 - 18	24-3	32-39	40-42	43-49
	0,5,-,1,1,-,7,5	847 1.1.1	05 18 16	175	ज	1526	<u>_1</u> _C			15
┘┼╌┨╴┨╶┧╴┠╌┥		MV		v _i ≤	G	1 1512p1	175		1/1/2	10
		NN.		V.K	9	1 1512101-1	110	1 4615	116	18
	LAĽAL	MV		1X	લ	1 1512161	1/10		110	L D
		WV		VK	4	1526	1/10	<u> </u>	110	12
		MAN	huitar	VIK	9	15261	10	444	110	1/2
	LEL	NIV	L T T T L	Vik	લ	1526	10		110	12
		AV	<u>h nűn r</u>	V,×	G	1.154191-1	110	L # B 9 1	1/12	
		21,1	L D'L D L	VIK	5	1526	1.0	435	1/13	
		141		VK	G	1.524	10	114341	110	118
<u> </u>	1 Dullar	4.4		VK	G	1 526	110	11464	110	311
		M Y		ViK	٩	1.546	110	11 #1#5•1	110	1:13
		N'A		Vik	4	1.1512161	10	11591	116	<u>[]</u>
		NIV		YK.	G	1.1512161	10	11427	110	· · · · =
	: <u> </u>	N,V		Vik	9	1.5201	10	1,478,	lik	
		144		٧i٢	Ģ	15,2,6-	91	4,2,1,•,	1/10	1118
, 1.1.1.1.1.1.1.1		N,V		VK	9	15126-1	1,0	1 1 #1619-1	10	1.1.5
		40		Vik	G	1524	10	118391	10	1/12
		NIV.	0,5-1,9-76	VK	Ģ	15080	10	11 1/16/91-1	10	11.6
		لابذل		UK	s	5P8, ·	110	4555	110	0.18
		WW		Vik	4	15081	10	1,14,5,6,1	114	2.18
		3.4		VK	6	1.508.		47.3.	14	
,		WIN	/ // _	YIK	G	1.5020	N.	- # 3/ ·		
		LIL		VK	G	1503.	1/6	11/465	14)• <u>1</u> 1
		WIN	//	VK	k	1522.	1. Jak	443	Lh	
		241		Vik	9	1 1510131 1	JIK	1 14117.	14	
		HIV		Vik	6	1.151.3131	111	43.4.	1.1	116
· · · · · · · · · · · · · · · · · · ·		44		Vik	E	1.50.9.	116	1,4,2,0,1	1/1	5 . 12
		24,1	4, -, 4, -, ,	y,k	ľ.	5.0.9.	10	, , 4,4,1, •	1/1	0 . IF
- <u>-i i, i i i i i i i</u> 7 7		M		Vik	G	503.0		2 1 415151	14	0 •11 R
<u>, , , , , , , , , , , , , , , , , , , </u>		N.1		V.K	G	5.0.3.•.		4.24.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0 . 1,9
	· · · · · · · · · · · · · · · · · · ·	N.U		14.2	k	₹/ 3.●		0		2 • L
		31.1	····	Vr	5	50.8.		C		0 .12
	· · · · · · · · ·	27.1			1	50.9.		0	, , , ,	0 . 1
		1 1 1		1 110	11-1		1 1 1 1		فتعلمها الم	الكيمة والعربية

C.

· ·	NODEL	SERIAL	 Sa	AMOUNT	LOCATION
DEVICE	NO.	NO.	Τ _{CPE}	HCi	
1 - 20	21 - 27	28-33	<u>5</u> 34-38	39- 45	46 - 65
STERES AND STREET PRETER			NATU		#101 15,444 1111-141
			1 1 9 1	1111	
ALE LETERATE STORAGE PUST				11111	
		1 1 1 1 1			
ก็ต่อยากกลายสังเทียงอิการและพบอิ					
LITTLE LE BURKE PERES PERES					
					ji j. il <u>1111111111111111111</u>
STAND FRA ISTAMP FILMEL					1."
THUR BALSTAND PUT					
				11111	
ELAGIERMENTI ISITIAMIDI FILITI				1.1.1.1.1.1.1	
			Lulu		
1144 6 1714 2016 141171 15171918					
THERE THE STREET FURTHER					
	<u> </u>				<u> </u>
NOWNING ESTIMATION					111111111111
			Lill	<u></u>	
THE FREE PROPERTY OF THE PROPE					
		1			
FOULDATION FURING SHR	<u> </u>				#1.0, 18, A, R, M, 1, 44
	4				
CIONIVIE VIDE LI NE GATEL			1		
			<u> </u>		
CIOINCI . IFITINISI CICINIVI INI INIBI	<u> </u>		+		
	<u> </u>				
BISIMITI UNDERI NI ISIHERI ISI		11111	╅┙╍┶┶┶		
			+		
MORTH ICRIDLELIMEISTLIENA	<u>++++++</u>	<u> </u>	$+ \cdots$	<u></u>	
	<u> </u>	<u> </u>	+		
VIDIRITIHI ISHIEMRILLILLIL	+++++++++++++++++++++++++++++++++++++++	$\frac{1}{1}$	1 CUL		
			Lil		

FCCRD

.

CARD 2

N.	TEST	T E B	HNALYSIS	A N B	C F	BKGD	BT KI	SAMPLE	S T A T N I	EFF
	DATIE	SY T	DATE	LY Y S	R	COUNT	GH DE	COUNT	AF	ć
5	9 - 1	9 10	11-18	14-20	21	12 - 28	29-31	32-39	42-42	43-45
- - <u>iiiiiii</u>	0.5-11-76	$h_{1'}$	01571176776	Vik	A		பட	<u> </u>	ئىل	
		$\mu_{\rm F}$		<u>en e</u>	À		16	<u> </u>	10	- Li Li
		1.12		VIE	4		14	<u> </u>	110	
	<u>naío</u> .	141		V.K.		III PI	10	11121		• • •
		142		1/15	4	<u> </u>	16	III PI	1/12	•
		1. 		ME	À	<u>1113</u> •1	10	11111	110	• • •
		NV		14	A	1113	110			
		$\kappa_{\rm I}$		VIE	Å	11130	1/12		111	•
; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		$N_1 i$		VE	4	1,1,3,•	140	111120		•
		$M_{\rm F}^2$		Vin	Å		11-		1/12	
		14		48	A		110	1112.		• • • •
		w,v		$V_1 \in$	j.	1 1 1 B	11	111131	14	• • •
		MY		54E	<u>^</u> .		L'I	· · · · · · · · ·		•
		14V		i j	ŕ		114		1.11	
		440		$\nabla_1 \xi$	4		.1.0		11	•
		14		1	4		11	1	1/12	
		$ V_1 $		14	A	3.	1/1	<u></u>		•
		141		1/15	4	11130		1	14	
		1.14		V.	A	11131	111		<u> </u>	•
		340		4	- <u>.</u> ,		11r		1) • <u>5</u>
		Wik		VIS	4		Pri			•
		140		14	A	111 B.			1/1	•
4	0,5-1,1-7,6	, 440	10,5-18-71		(G	5,2,6,	11			013
		Mil		Vi		5,2,6,•		c		C•13
		X1V		Vit	14	524	1/1	0 1 4811		0•15
	, , , , , , , , ,	AN		Yi		1 51261		0 1 47.0.		01/0
		M		Vis	(13	1 526		C 1 HH 51.		0 13
		M	1-11-	Vis	:4	1526		0114444		0 1/c
		MIN	, - 11	Vi		1 1512161		0 1 1/1/191		0-118
		Liv	- 11	u		1.1512161		0 1 17 591		0-15
		WIL		M	c 6	1 512/01-	1	0 , , 4,6,2,0		0 13
		Wil		41	z i	1.1512101	,1	0 1 4,5161		0.13
		11		V	K ,	512161	1	10 11465	1 1/	C 113
		N		V	∢ [151249	j	11133	111	0-13

	NODEL	SERIAL	150	AMOUNT
CE	NO.	NO.	τ _{cρ}	MCi

LOCAT

			SERIAL	So	MADON	LOCAT
	DEVICE	NO.	NO.	τ _{ċρ}	H Ci	
	1-20	21-27	28-33	34-38	39- 45	46 -
•	SHISTEMENTI ISTANDI 141171			NAL C		$\frac{4}{110}$ B $\frac{1}{10}$ M
				1111	<u> </u>	
	MILLI FLOOR HIT ISTAND					₽₽ ₽₽
	SITIAN DI BUI ISITIAN DI PULISI					
						<u>, , , , , , , , , , , , , , , , , , , </u>
	CLOINIVIYIA ISISITI HII BI ISITIAND					<u> </u>
ζ	MILLY FLOQR HIBUSTAND				<u>-</u> - <u></u>	<u> </u>
	I I F I I I I I I I I I I I I I I I I I					↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓
	ห็ตการด้านตรีกาติยานรายนักการเรา					#11.01 181-481 1M
	tithe the the					hard
	אורוד דוויא איז איז איז איז איז איז איז איז איז א	1.1.1.1.1.1.			<u></u>	
	the hard to have the					the
	RIGHT KISIELLE ISET I) HEREIZ					
	the hit hit hit					11/1
	REALED XISPERSE ISBUTT A FIRITIZ			1.1.1.1		
	the here had a here					
	RIGHH LANDING ISETT I PRISE					
	filitititit					1111
	RIGHA LIGITITE ISTOTE PHRICE					
	the hall here					61446
	RIOILILI 14121110181 ISIEITI 1114181811					#ILIOLIBLAR MI
	RIOILILI NUIZILII DI ISIEITI I HIRIBIL					
	tite the test it is					11111
	RICILLIXISTILIIISETI INHRIBIZ					
	1.1.1.1.1.1.1.1.			9 1 1 1		6666
	MALLI NAISIAN ISET NARE					
	1 the hit hit he					6666
	FINILIE 1465-18 1515 7 114181813					
	tilitik					1 hours
	RALL LINSCH SETULIEDES		1111	1111		
		1		+	$\frac{1}{2}$	

CCRD

CARD 2

N)	TEST DATE	t EB SY	IANALYSIS DATE	ANRY	0400	BKGD	BTIGH	SAMPLE	SANA	EFE
	1 - 9	T 9.40	11 - 18	5		$\frac{10-38}{10}$	DE	31- 29	L 1- 1	C 43-40
	0.5-11-76	NN	0.5 1.9 7	-uk	5	<u>~~ ~~</u>	10	437.		•1.8
· · · · · · · · · · ·		NV		VX	5	543.		429.	10	•15
		NN		VK	3	50,9,0	10	469.	10	• 13
		274		VK	4	<u>」150</u> 21	110	1, 50,10	10	• 1,8
		NN		VK	6	15021-	10	4430	110	• 42
		40		VK	4	1508	10	11459	, 1,0	•,1,8
		41		VX	4	1.5061	10	1 1 17 1511	10	•112
		NN		VX	6	1 15101910	113	1 H 711	113	•1E
		NIV		VIK	4	1500		1-1445	112	• 11:
		NU		Vik	4	। । ऽिंी में¶•े।	110	1 HH 9.	1/12	1/5
	0,5-1,2-7,5	WV	0.5-1.3-17.0	Vik	<u>i</u>	4.	lin	· · · · · · · · · ·	110	1.5C
helde	thet	4	6×6×	4	E	1/10				12
		WV			Ļ		146	1 1 1 1 41-1	110	
	11/1	12			1		11			
		<u>k</u> i/			F		<u>; 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, </u>	<u> </u>	11/12	6/
	12/2/	Z		12	12					122
		1VVV			\downarrow		<u> </u>			101 10//
A A AA	11111	72			F					
					+					11
And	1111	1 E			千			2.		
		<u>N1</u> 2			╞			•		1
	1711				F			5030		1.12
	0.511211/6				Ľ		1.14			
		K	05-13-7	4 11	F			4.4.5.0		0 • J.F
		M			F					
						5210	╶╂╌┷┙	1461.		0.13
		1			ゲ			•		
			10.5-1.37	4 9.1	K	53/0		0	1.6	0-13
		Ľ		Ż	ľ		╼╴┠╌┸ [╧] ┙ ╍╌┠╌ _┧ ╌┑			1
		Wi	015-13-77	5 · 4		1.531	L Ú	ó 11428°		0-13
- And		4	K-A	K	F					
		Mi	10371077	4 11		1 5311		P 1 H 19191		y 1/2
	1	-		+	-		· · · · · ·			12/

	HODEL	SERIAL	IS _O	AMOUNT	LOCATION
DEVICE	NO.	NO.	TopE	Hli	
1 - 20	21-27	28-33	34-38	39-45	46 - 65
LOOP ROAL LOOP ALENDER LOSPIELS					Alar Erna Mary
THATERDEL LINE BARELL				1.1.1.1.1	
				<u> </u>	
ISTANDAR FITING ACTION / MAILER					
			1111		
USIMITE DIRIVER IN ISHIELD DE		 ↓ ↓↓↓		<u> </u>	
STATING STADALS PARTITING			1111		
				<u> </u>	
MARITH SHEMBLIFFFFFF					<u>,,</u>
				<u></u>	
I INTI MITH HIBD LEGT LEND	<u></u>				
			┝╍┶╌╽┙╸┺╌		
ANDRE MTHE HEPE MET FREE					
MORITH MEDINGENT PERDI					
<u>, , , , , , , , , , , , , , , , , , , </u>					
MARTHI HARDI INTERITIAN					
<u>, , , , , , , , , , , , , , , , , , , </u>					
LETTH MALDI CENTERS ISEE					
NUTH FREE WELTERNEL				<u> </u>	
FIFTH FILL STANL FILS				┟┶┵┷┶┷┷	
			1111		
APERTITIE DE NUEL PUEL					<u> </u>
<u> </u>		<u></u>			
ANALA CAN A INGOLA DALAN				┝┸┹┹┷┷	
			<u> </u>	$\begin{bmatrix} 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 \end{bmatrix}$	
百百四日 前的 五百座的 正理中止	<u> </u>		$\frac{1}{1}$		
<u></u>	+				
CULA- DECORA PULL DUCK			1 DYL		
			<u> </u>		<u> </u>

ecard

•

CAILD 2

					<u> </u>					
Λ	TEST	T	PARLYSIS	2	Ċ	BKGD	BT	SAMPLE	ST	н Н
, _	DATE	F B S V	DATE	A IS	r U		K 1 6 M	COUNT	N I	i
	014112	Γ		5	R	COUNT	DE	•	E E	έ
	1 - 8	9 10	11-18	19-20	21	12 - 28	24-31	32-39	40-42	43-45
	15-11-Te	V_1V	15-112-171	Vik	à	11131	1.		116	• 17
_!		<u>а</u> 1919 г		Vib	7	<u>3</u> •	1'i	<u>,,,,,,,,,,</u> ,	110	• <u> </u>
<u></u>		t_{11}		Vit				<u></u>	1/1	
_ <u>, l l l l l l l l </u>		1.		4	<u></u>		1.1			
		W1V	15 CHERRY	1/16	Δ			<u> </u>	1.1.1	
		W_1		26		<u> </u>	11			•
		14		Vik	A	, , , i ⁱ i•,	11	LI ISIL	1/15	
		$k_{1'}$		四百	A		10	· · · · · · · · ·	110	• 5:
		Miv		VIE	A	<u> </u>	10	11111	116	•E0
		N ₁ V		室	A	4.	140	<u></u>		
		V ₁ V		14	A	1117	10	111131	11	•= <u></u>
		Din 1	- "		A	4.	10	1112	10	150
		MU		LE.	4	4.	16	, <u>, , , , , , , , , , , , , , , , , , </u>	10	• E 10
		142		21-	, , , , , , , , , , , , , , , , , , ,	4.			1/2	•
		440		144	-	4.	:14	1	1 D	• • •
		NP		Vj¢.	A	<u> </u>		 		
		NN		14	Å		1:1	· · · · · · · ·		
		9N		VIE	4			11111	1 L	, • ,
		Wil		V1-	14				140	1.5
		ke!		ыč	Ą		1.4		lin	• <u>1</u> -1-1-
		14		115		1, it.	14	111131	14	· • · · ·
[14		143		4.	ı) ı	0 1113.	1/1	; •
· · · · · · · · · · · ·		14		14			hi	11112		
······································		NIV		14					L.L.il	•
· · · · · · · · · · · · · · · · · · ·		Wil		Vik						•
·····		141		1:4	-					. •
· · · · · · · · · · ·		Ni		14	1	Lin Hiti		2		<u>) • – – – – – – – – – – – – – – – – – – </u>
· · · · · · · · · · ·		10,2		I K	1	<u> </u>		· · · · · / · •		· •
<u></u>			0,5-1,7-7	. M	< 1		- 1			0 15
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			- 11 -	1.44			-	· · · · · · · · ·		• • •
1. <u>1. 1. 1. 1. 1. 1. 1.</u>		1.0	- // -		: .	3.	,,,	6 I FI FI		(• -
· · · · · · · · ·			- // -							0 • 1
<u>+ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</u>				1/1-		3.		ri i i i i i i i i i i i i i i i i i i		- • ·
<u>↓ ↓ ↓ ↓ ↓ ↓ ↓</u>	· · · · · · · · · · · · · · · · · · ·		1 11	- Le				J	1 1	ŕ • · · ·
		1/ al	THE REAL PROPERTY OF		I		1. 1.1	كالمسادية والمسادية والمتنا	ومستقدر والمستعد	المحاطب والمحاطب والمحاط